

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

CLOSET FLANGES

LEVEL-FIT CLOSET FLANGE WITH PLASTIC RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 3" inside fit flange fits inside 3" Schedule 40 DWV pipe.
- Four mounting slots.
- Four countersunk holes for secure attachment to the floor.

43502	3" or 4"	ABS closet flange w/plastic ring w/o test cap	038753-435022	12	7
43503	3" or 4"	PVC closet flange w/plastic ring w/o test cap	038753-435039	12	7

INSIDE FIT CLOSET FLANGE WITH PLASTIC RING

43506	3"	ABS closet flange w/plastic ring w/ test cap	038753-435060	12	6
43507	3"	PVC closet flange w/plastic ring w/ test cap	038753-435077	12	6
43508	3"	ABS closet flange w/plastic ring w/o test cap	038753-435084	12	5
43509	3"	PVC closet flange w/plastic ring w/o test cap	038753-435091	12	6



LEVEL FIT CLOSET FLANGE WITH STAINLESS STEEL RING

- Corrosion resistant stainless steel ring.
- Test cap holds 30ft head pressure test.
- 3" x 4" flange fits inside of 4" or over 3" Sch. 40 DWV pipe.
- 4" flange fits over 4" Sch. 40 DWV pipe.
- Meets ASTM D2661 and D2665.
- Adjustable ring for alignment of bolts and screws, sits flush on floor.

43494	3" x 4"	ABS closet flange w/SS ring w/o test cap	038753-434940	12	9
43495	3" x 4"	PVC closet flange w/SS ring w/o test cap	038753-434957	12	10

OVER 4" FIT FLANGE

43498	4"	ABS closet flange w/SS ring w/o test cap	038753-434988	12	9
43499	4"	PVC closet flange w/SS ring w/o test cap	038753-434995	12	10



LEVEL-FIT CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- 3" or 4" flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 4" flange solvent welds over 4" Sch. 40 DWV pipe.

43512	3" or 4"	ABS closet flange w/ metal ring w/o test cap	038753-435121	12	8
43513	3" or 4"	PVC closet flange w/metal ring w/o test cap	038753-435138	12	8

OVER 4" FIT FLANGE

43520	4"	ABS closet flange w/ metal ring w/o test cap	038753-435206	12	9
43521	4"	PVC closet flange w/ metal ring w/o test cap	038753-435213	12	10

EASY TAP® CLOSET FLANGE

- Fits over 3" or inside of 4" Schedule 40 DWV pipe
- Available with plastic ring, durable metal ring and corrosion-resistant stainless steel ring
- Test cap holds up to 30 ft. of head pressure
- Test cap will not break or fall into DWV line

43556	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	038753-435565	12	8
43552	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	038753-435527	12	9
43558	3" or 4"	Easy Tap Closet Flange, ABS w/metal ring	038753-435589	12	10
43557	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	038753-435572	12	11
43553	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	038753-435534	12	12
43559	3" or 4"	Easy Tap Closet Flange, PVC w/metal ring	038753-435596	12	13
43610	3" or 4"	Easy Tap Closet Flange, ABS w/plastic ring	038753-436104	24	16
43611	3" or 4"	Easy Tap Closet Flange, ABS w/SS ring	038753-436111	24	20
43612	3" or 4"	Easy Tap Closet Flange, PVC w/plastic ring	038753-436128	24	23
43613	3" or 4"	Easy Tap Closet Flange, PVC w/SS ring	038753-436135	24	24



U.S. Patent No. 7,350,243

OVER 4" LEVEL-FIT CLOSET FLANGE

- Fits over 4" Schedule 40 DWV pipe
- With plastic ring
- Available with and without test cap

43621	4"	Over 4" Closet Flange, PVC, w/o test cap	038753-436210	12	8
43549	4"	Over 4" Closet Flange, PVC, w/ test cap	038753-435497	12	8
43548	4"	Over 4" Closet Flange, ABS, w/o test cap	038753-007267	12	9
43550	4"	Over 4" Closet Flange, ABS, w/ test cap	038753-007274	12	9



LEVEL-FIT CLOSET FLANGE WITH PLASTIC 2 SLOT/2 SLIDE RING

- 3" or 4" all plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Two mounting slots.

43528	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435282	12	7.2
43529	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/ test cap	038753-435299	12	8.4
43530	3" or 4"	ABS closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435305	12	6.6
43531	3" or 4"	PVC closet flange w/plastic 2 slot/2 slide ring w/o test cap	038753-435312	12	7.8





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
LEVEL FIT LONG PATTERN CLOSET FLANGE					
		• Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.	• Longer length to allow for pipes cut short.		
43522	3" or 4"	ABS long pattern closet flange w/plastic ring w/test cap	038753-435220	6	8
43523	3" or 4"	PVC long pattern closet flange w/plastic ring w/test cap	038753-435237	6	8
43524	3" or 4"	ABS long pattern closet flange w/plastic ring w/o test cap	038753-435244	6	8
43525	3" or 4"	PVC long pattern closet flange w/plastic ring w/o test cap	038753-435251	6	8
43532	3" or 4"	ABS long pattern closet flange w/metal ring w/test cap	038753-435329	6	7
43533	3" or 4"	PVC long pattern closet flange w/metal ring w/test cap	038753-435336	6	7
43534	3" or 4"	ABS long pattern closet flange w/metal ring w/o test cap	038753-435343	6	8
43535	3" or 4"	PVC long pattern closet flange w/metal ring w/o test cap	038753-435350	6	8

LEVEL FIT CLOSET FLANGE WITH PLASTIC RING, LONG MOUNTING SLOTS

- All plastic flange solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- Four countersunk holes for secure attachment to the floor.
- Radial slots extend 130 degrees to allow exact alignment of the water closet.



43510	3" or 4"	ABS closet flange w/plastic ring, long mounting slots – w/o test cap	038753-435107	12	7
43511	3" or 4"	PVC closet flange w/plastic ring, long mounting slots – w/o test cap	038753-435114	12	7
43526	3" or 4"	ABS closet flange w/plastic ring, long mounting slots – w/ test cap	038753-435268	12	7
43527	3" or 4"	PVC closet flange w/plastic ring, long mounting slots – w/ test cap	038753-435275	12	7

LEVEL FIT OFFSET CLOSET FLANGE WITH METAL RING

- The metal ring provides added strength and cracking resistance to the flange and can be rotated to allow precise alignment of bolts and screws.
- Solvent welds inside of 4" or over 3" Schedule 40 DWV pipe.
- 2" offset allows a margin of error for drain pipe/flange alignment.



43500	3" or 4"	ABS offset closet flange with metal ring w/o test cap	038753-435008	12	11
43501	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-435015	12	11
43804	3" or 4"	PVC offset closet flange with metal ring w/o test cap	038753-438047	16	13

LEVEL FIT 45° CLOSET FLANGE WITH PLASTIC RING

- 45° bend, 360° rotation allows wide range of plumbing connections in tight spaces.
- Design allows flange to set flush.
- Fits over 3" or inside 4" pipe.



43815	3" or 4"	ABS 45° closet flange w/plastic ring w/o test cap	038753-438153	6	6
43816	3" or 4"	PVC 45° closet flange w/plastic ring w/o test cap	038753-438160	6	6

SPIGOT FIT CLOSET FLANGE

- For use in hub-end of fitting
- Fits on inside of fitting
- Eight countersunk holes and two closet bolt slots for secure attachment to the floor



43584	3"	Spigot Fit Closet Flange, ABS, w/ plastic ring	038753-435848	12	6
43585	3"	Spigot Fit Closet Flange, PVC, w/ plastic ring	038753-435855	12	6
43586	4"	Spigot Fit Closet Flange, ABS, w/ plastic ring	038753-435862	12	8
43587	4"	Spigot Fit Closet Flange, PVC, w/ plastic ring	038753-435879	12	9

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
CAST IRON CLOSET FLANGE					
<ul style="list-style-type: none"> • Cast iron closet flange, no caulking. • Complete with body, brass ring, bolts and gasket. 			<ul style="list-style-type: none"> • To be used on plastic or heavy weight, no hub or service weight soil pipe. 		
42253	3"	Cast iron flange w/o test cap	038753-422534	6	25
42255	4"	Cast iron flange w/o test cap	038753-422558	6	25
42256	4"	Cast iron flange w/test cap	038753-422565	6	25



CAST IRON DEEPSET CLOSET FLANGE					
<ul style="list-style-type: none"> • Cast iron closet flange, no caulking. • 4" Deep set. • Complete with body, brass ring, bolts and gasket. 			<ul style="list-style-type: none"> • To be used on plastic or heavy weight, no hub or service weight soil pipe. 		
42257	4" x 4"	Cast iron closet flange w/o test cap	038753-422572	8	43



TWIST-N-SET® REPLACEMENT CLOSET FLANGE					
<ul style="list-style-type: none"> • Replaces broken cast iron closet flanges. • Installs easily without tools. 			<ul style="list-style-type: none"> • Smooth unrestricted flow design. • Gasket expands to fit inside service weight, heavy weight and no hub pipe. 		
43654	3"	PVC Twist-N-Set closet flange	038753-436548	2	1
43655	3"	ABS Twist-N-Set closet flange	038753-436555	2	1
43651	4"	PVC Twist-N-Set closet flange	038753-436517	2	1
43650	4"	ABS Twist-N-Set closet flange	038753-436500	2	1
43653	4"	Cast Iron Twist-N-Set closet flange	038753-436531	2	10



REPLACEMENT CLOSET FLANGE					
<ul style="list-style-type: none"> • Slides inside of 4" cast iron or Sch. 40 DWV plastic pipe. • 3" stainless steel bolts are tightened from the finished floor. • No caulking required. 			<ul style="list-style-type: none"> • Compression joint allows up to 3" of adjustment to the riser. 		
43538	4"	ABS closet flange replacement	038753-435381	2	3
43539	4"	PVC closet flange replacement	038753-435398	2	4



CLOSET FLANGE SPACER					
<ul style="list-style-type: none"> • Builds up an existing closet flange when new flooring is installed. 			<ul style="list-style-type: none"> • Can be stacked to desired height. 		
43519	1/4"	Closet flange spacer	038753-435190	12	3
43646	1/2"	Closet flange spacer	038753-436463	12	4



HORIZONTAL ADJUSTABLE URINAL FLANGE KIT					
<ul style="list-style-type: none"> • Horizontal mounting slots accommodate urinals with 3 1/2" to 7" mount centers. • Kit includes all bolts, nuts, washers and gaskets. 			<ul style="list-style-type: none"> • The flange fits over 2" Sch. 40 DWV pipe (Prod No. 43540 and 43541). 		
43540	2"	ABS horizontal adjustable urinal flange kit	038753-435404	10	3
43541	2"	PVC horizontal adjustable urinal flange kit	038753-435411	10	3
43542	2"	ABS horizontal spigot urinal flange kit	038753-435428	10	3
43543	2"	PVC horizontal spigot urinal flange kit	038753-435435	10	3





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
WAX FREE GASKET					
<ul style="list-style-type: none"> • For repairs and new installations • 3" diameter hole 			<ul style="list-style-type: none"> • No wax needed 		
42759		Wax Free Gasket	038753-427591	12	6



STAINLESS STEEL CLOSET FLANGE REPLACEMENT RING					
<ul style="list-style-type: none"> • For use on 3" or 4" closet flanges • Six countersunk holes and two closet bolt slots for secure attachment to the floor 					
42778	3" or 4"	Stainless Steel Closet Flange Replacement Ring	038753-427782	12	12



BRASS CLOSET FLANGE REPLACEMENT RING					
<ul style="list-style-type: none"> • For use 4" closet flanges • Three countersunk holes and three closet bolt slots for secure attachment to the floor 					
43551	3" or 4"	Brass Closet Flange Replacement Ring	038753-007281	12	12



MOSS BAY REPLACEMENT FLANGE					
<ul style="list-style-type: none"> • For rusted or corroded metal closet flange rings • For use on PVC or ABS closet flanges 			<ul style="list-style-type: none"> • Includes closet bolts 		
42777		Moss Bay Replacement Flange	038753-427775	12	12



CLOSET FLANGE SPACER KIT					
<ul style="list-style-type: none"> • For use when overlaying, replacing or tiling bathroom floors • Kit includes gaskets, 1/2" spacer, closet bolts and shims 					
43645		Closet Flange Spacer Kit	038753-436456	12	12



GALVANIZED WOOD SUPPORT KIT					
<ul style="list-style-type: none"> • For repairing wobbly toilets or loose closet flanges without replacing the floor • Includes two heavy gauge pre-slotted flange plates, six floor attaching screws and 4 large flathead flange assembly screws 			<ul style="list-style-type: none"> • Use for holes cut too large, rotting floors or screws that pulled loose • Easy-to-use floor and flange support 		
43555		Galvanized Wood Support Kit	038753-435558	12	16

SHOWER DRAINS FOR PREFORMED BASES

NO-CALK SHOWER BASE DRAIN

- Mechanically attach over 2" Sch. 40 DWV pipe. No caulking required.
- Universal 4-1/4" Snap-Tite Strainer.
- Designed for use with preformed shower bases.
- Ideal for slab construction.

140 SERIES BRASS NO-CALK SHOWER DRAIN

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
42150	2"	140 NC Brass NO-CALK shower drain w/ stainless steel strainer	038753-421506	12	20
42154	2"	140 NC Brass NO-CALK shower drain w/ Ultrashine® polished brass strainer	038753-421544	12	18

101 PNC SERIES PLASTIC NO-CALK SHOWER DRAIN

42084	2"	101 PNC ABS NO-CALK shower drain w/ stainless steel strainer	038753-420844	12	7
42099	2"	101 PNC PVC NO-CALK shower drain w/ stainless steel strainer	038753-420998	12	8
42077	2"	101 PNC ABS NO-CALK shower drain w/ plastic strainer	038753-420776	12	6
42075	2"	101 PNC PVC NO-CALK shower drain w/ plastic strainer	038753-420752	12	8
42080	2"	101 PNC PVC NO-CALK shower drain w/ Ultrashine® polished brass strainer	038753-420806	12	8

NO-CALK SHOWER DRAIN ACCESSORIES

42163		Rubber caulking gasket to fit 1-1/2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	038753-421636	12	1
42156		Rubber caulking gasket to fit 2" Sch. 40 DWV drain pipe in the NO-CALK shower drains	038753-421568	12	1
42157		Rubber caulking gasket to fit 2" No-hub cast iron pipe in the NO-CALK shower drains	038753-421575	12	1
42158		Rubber caulking gasket to fit 2" copper DWV drain pipe in the NO-CALK shower drains	038753-421582	12	1
42159		Rubber caulking gasket to fit 1-1/2" copper DWV drain pipe in the NO-CALK shower drains	038753-421599	12	1
42239		NO-CALK shower drain wrench – carded	038753-422398	4	1



SOLVENT WELD SHOWER DRAINS

101 PS SERIES SOLVENT WELD SHOWER DRAIN

- Solvent weld over 2" Sch. 40 DWV pipe.
- Universal 4-1/4" Snap-Tite Strainer.
- Drain body is sealed to shower base with rubber gasket and fiber slip washer.

42093	2"	101 PS ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420936	12	6
42097	2"	101 PS PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420974	12	6
42086	2"	101 PS ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420868	12	5
42089	2"	101 PS PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420899	12	8
42078	2"	101 PS PVC Solvent Weld Shower Drain w/ Ultrashine® polished brass strainer	038753-420783	12	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
102 SERIES SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE					
<ul style="list-style-type: none"> Solvent weld over 2" Sch. 40 DWV pipe. Universal 4-1/4" Snap-Tite Strainer. 			<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 		
42044	2"	2-part ABS Solvent Weld Shower Drain w/ stainless steel strainer	038753-420448	12	7
42045	2"	2-part PVC Solvent Weld Shower Drain w/ stainless steel strainer	038753-420455	12	9
42047	2"	2-part PVC Solvent Weld Shower Drain w/ Ultrashine® polished brass strainer	038753-420479	12	9
42048	2"	2-part ABS Solvent Weld Shower Drain w/ plastic strainer	038753-420486	12	7
42049	2"	2-part PVC Solvent Weld Shower Drain w/ plastic strainer	038753-420493	12	9

103 SERIES OFFSET SOLVENT WELD SHOWER DRAIN WITH RECEPTOR BASE					
<ul style="list-style-type: none"> Solvent weld over 2" Sch. 40 DWV pipe. Universal 4-1/4" Snap-Tite Strainer. Drain body provides 1-1/2" offset to work around joists and imperfect slab penetrations. 			<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 		
42787	2"	Offset PVC Shower Drain w/ Stainless Steel Strainer	038753-427874	12	8
42788	2"	Offset ABS Shower Drain w/ Stainless Steel Strainer	038753-427881	12	8

CAULKING AND THREADING SHOWER DRAINS

101 SERIES BRASS NPT AND CAULKING DRAIN					
<ul style="list-style-type: none"> Drain body is sealed to shower base with rubber gasket and fiber slip washer. 			<ul style="list-style-type: none"> Three DWV connection methods for metallic pipe. Universal 4-1/4" Snap-Tite Strainer. 		
42050	2"	101 Brass Drain w/ stainless steel strainer (caulking is required)	038753-420509	6	10
42070	1-1/2"	101 NPT IPS Brass Drain w/ stainless steel strainer	038753-420707	6	9
42073	2"	101 NPT IPS Brass Drain w/ stainless steel strainer	038753-420738	6	10

SHOWER DRAINS FOR BUILT-UP SHOWERS

130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES					
<ul style="list-style-type: none"> Designed for use on built-up shower bases of tile or marble, where a shower pan liner is used Low profile design for use in tight spaces Solvent welds over 2" or inside 3" Schedule 40 DWV pipe 			<ul style="list-style-type: none"> Reversible clamping collar is secured with stainless steel bolts into brass inserts to prevent stripping Square Snap-In Strainers available in Stainless Steel and Brushed Nickel finishes 		
42210	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer	038753-422107	12	14
42213	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer	038753-422138	12	17
42399	2" or 3"	ABS drain w/ round Ultrashine® PVD Screw-Tite polished brass strainer	038753-423999	12	14
42404	2" or 3"	PVC drain w/ round Ultrashine® PVD Screw-Tite polished brass strainer	038753-424040	12	17

CHROME PLATED, BRASS STRAINER BARREL PROVIDES FINISHED METAL APPEARANCE					
42218	2" or 3"	ABS drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-422183	12	19
42219	2" or 3"	PVC drain w/ round stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-422190	12	23
42393	2" or 3"	ABS drain w/ square stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-423937	12	26
42394	2" or 3"	PVC drain w/ square stainless steel Screw-Tite strainer w/chrome plated brass barrel	038753-423944	12	26

SNAP-ON GRATE					
42202	2" or 3"	PVC drain w/ round stainless steel Snap-Tite strainer	038753-422022	12	17
42203	2" or 3"	ABS drain w/ round stainless steel Snap-Tite strainer	038753-422039	12	17
42245	2" or 3"	PVC drain w/ round stainless steel Snap-Tite Strainer, BARREL and STRAINER ONLY	038753-422459	12	12
42246	2" or 3"	PVC drain w/ round stainless steel Snap-Tite Strainer, BASE DRAIN, COLLAR and FASTENERS ONLY	038753-422466	12	12
42247	2" or 3"	PVC drain w/ square stainless steel Snap-Tite Strainer, BARREL and STRAINER ONLY	038753-422473	12	12

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
130 SERIES SHOWER DRAIN FOR TILE SHOWER BASES (CONT.)					
42237	2" or 3"	PVC drain w/ square stainless steel Snap-Tite strainer	038753-422374	12	24
42238	2" or 3"	ABS drain w/ square stainless steel Snap-Tite strainer	038753-422381	12	24
42251	2" or 3"	PVC drain w/square brushed nickel Snap-Tite strainer	038753-422510	12	24
42250	2" or 3"	ABS drain w/square brushed nickel Snap-Tite strainer	038753-422503	12	24
42396	2" or 3"	ABS drain w/square rubbed bronze Snap-Tite strainer	038753-423968	12	24 NEW!
42398	2" or 3"	PVC drain w/square rubbed bronze Snap-Tite strainer	038753-423982	12	24 NEW!



131 SERIES TWO PART ADJUSTABLE SLAB DRAIN

- Ideal for installations on a slab where a pan liner membrane is not required.
- Drain base engineered as hub for 2" Sch. 40 pipe or solvent welds inside 3" Sch. 40 pipe.
- Available with high quality stainless steel strainer, Brass or Nickel finish cast grates for heavy traffic applications.
- Available with both round and square strainer top.

42235	2" or 3"	PVC drain w/round stainless steel Screw-Tite strainer	038753-422350	20	22
42236	2" or 3"	ABS drain w/round stainless steel Screw-Tite strainer	038753-422367	20	22
42380	2" or 3"	PVC drain w/round brass cast grate w/round ring	038753-423807	6	10
42381	2" or 3"	ABS drain w/round brass cast grate w/round ring	038753-423814	6	10
42382	2" or 3"	PVC drain w/round brass cast grate w/square ring	038753-423821	6	10
42383	2" or 3"	ABS drain w/round brass cast grate w/square ring	038753-423838	6	10
42384	2" or 3"	PVC round nickel cast grate w/round ring	038753-423845	6	10
42385	2" or 3"	ABS round nickel cast grate w/round ring	038753-423852	6	10
42386	2" or 3"	PVC round nickel cast grate w/square ring	038753-423869	6	10
42387	2" or 3"	ABS round nickel cast grate w/square ring	038753-423876	6	10
42388	2" or 3"	PVC drain w/square stainless steel Snap-Tite strainer	038753-423883	20	40
42389	2" or 3"	ABS drain w/square stainless steel Snap-Tite strainer	038753-423890	20	40



151 SERIES CAST IRON AND PLASTIC TWO PART SHOWER DRAIN

- Designed for use with tile and marble showers.
- Cast Iron or plastic variations with threaded, No-Calk or solvent weld connections.
- 3-1/4" Crown Ring Set.

42197	2"	151 cast iron w/2" NPT connection	038753-421971	6	27
42192	1-1/2"	151 cast iron w/1-1/2" NPT connection	038753-421926	6	27
42201	2"	151 cast iron w/2" Sch. 40 No-calk connection	038753-422015	6	29
42206	2"	151 cast iron w/2" No Hub connection	038753-422060	6	30
42211	2"	151 ABS drain w/2" solvent weld connection	038753-422114	6	6
42215	2"	151 cast iron drain top & ABS bottom w/ 2" solvent weld connection	038753-422155	6	6



151 SERIES ACCESSORIES

42011	3-1/4"	Crown Ring Set – stainless steel – carded	038753-420110	12	3
42012	6"x 6"	Square Tile Ring – stainless steel – carded	038753-420127	12	5
42010	3-1/4"	Crown Ring Set- Ultrashine® PVD polished brass – Carded	038753-422103	12	3
42042	4-1/4" x 4-1/4"	Square Tile Ring – stainless steel – carded	038753-420424	12	1
42041	4-1/4" x 4-1/4"	Square Tile Ring – Ultrashine® PVD polished brass – carded	038753-420417	12	1



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

REPLACEMENT STRAINERS

WHITE PLASTIC REPLACEMENT STRAINER

- 6-3/4" strainer
- With screws included

42021	6-3/4"	Replacement Strainer, White Plastic	038753-007045	12	8
-------	--------	-------------------------------------	---------------	----	---



5" SCREW-TITE STRAINER

- For 3" or 4" general purpose drains.
- For 43582, 43583, 43600, 43601, 43598, 43599.

43852	5"	Stainless Steel	038753-438528	12	2
-------	----	-----------------	---------------	----	---

4-1/4" SNAP-TITE STRAINER

- For use with 101 PNC & 140 NC NO-CAULK snap-in shower drains and 101 PS solvent weld & 2-part shower drains.
- UltraShine® PVD lifetime finish where noted.
- For series 101BR, 101PNC, 101NPT, 101PS, 102, 103, 130 & 131, 140 NC series shower drains.

42136	4-1/4"	White Plastic	038753-421360	12	2
42138	4-1/4"	Stainless Steel	038753-421384	12	4
42137	4-1/4"	UltraShine® PVD Polished Brass	038753-421377	12	3
42003	4-1/4"	Carded White Plastic – carded	038753-420035	12	2
42005	4-1/4"	Stainless Steel – carded	038753-420059	12	2
42004	4-1/4"	UltraShine® PVD Polished Brass – carded	038753-420042	12	3
42014	4-1/4"	UltraShine® PVD Satin Nickel – carded	038753-420141	4	3
42015	4-1/4"	UltraShine® PVD Satin Chrome – carded	038753-420158	4	3
42016	4-1/4"	Biscuit – carded	038753-420165	4	3
42017	4-1/4"	Rubbed Bronze – carded	038753-420172	4	3
42018	4-1/4"	Brushed Nickel – carded	038753-420189	4	3
42019	4-1/4"	White Metal – carded	038753-420196	4	3
42020	4-1/4"	Antique Bronze – carded	038753-420202	4	3



4" SCREW-TITE STRAINER

- For use with 130 & 131 Series Shower Drains
- For screw-on tile shower drains and 2" x 3" slab shower drains.
- Polished brass strainers have PVD lifetime finish.
- For series 130 and 131, 43566, 43567, 43578, 43579, 43580, 43581

42358	4"	Stainless Steel	038753-423586	12	2
42359	4"	UltraShine® PVD Polished Brass	038753-423593	12	2
43861	4"	Stainless Steel – carded	038753-438610	12	3
43862	4"	UltraShine® PVD Polished Brass – carded	038753-438627	12	3



3-1/2" STRAINERS

- For 3" snap-in drains.
- For 43562, 43563, 43574, 43575.

43858	3-1/2"	Stainless Steel	038753-438580	12	2
43857	3-1/2"	Stainless Steel Outlet Cover	038753-438573	12	2

3-1/4" STRAINER

- For brass drains.
- Polished brass strainers have Ultrashine® PVD lifetime finish.

42116	3-1/4"	Stainless Steel	038753-421162	12	1
44016	3-1/4"	Antique Brass	038753-440163	12	2
42001	3-1/4"	Carded Stainless Steel	038753-420011	12	2
42000	3-1/4"	Carded UltraShine® Polished Brass	038753-420004	12	3

STAINLESS STEEL SNAP-IN STRAINER

- Fits inside Schedule 40 DWV pipe.

42730	2"	Snap-In Stainless Steel Strainer	038753-427300	12	1
42731	3"	Snap-In Stainless Steel Strainer	038753-427317	12	2
42732	4"	Snap-In Stainless Steel Strainer	038753-427324	12	3



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
GENERAL PURPOSE DRAINS					
SHORT GENERAL PURPOSE DRAIN					
• 1-3/16" high for tight spaces.					
43580	2" or 3"	ABS short general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435800	12	18
43581	2" or 3"	PVC short general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435817	12	5



GENERAL PURPOSE DRAIN					
43578	2" or 3"	ABS general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435787	12	5
43579	2" or 3"	PVC general purpose drain w/ 4" stainless steel Screw-Tite strainer	038753-435794	12	6
43582	3" or 4"	ABS general purpose drain w/ 5" stainless steel Screw-Tite strainer	038753-435824	12	7
43583	3" or 4"	PVC general purpose drain w/ 5" stainless steel Screw-Tite strainer	038753-435831	12	8
43600	3" or 4"	ABS general purpose drain w/ 5" nickel alloy grate	038753-436005	12	24
43601	3" or 4"	PVC general purpose drain w/ 5" nickel alloy grate	038753-436012	12	24
43598	3" or 4"	ABS general purpose drain w/ 5" brass grate and metal ring	038753-435985	12	22
43599	3" or 4"	PVC general purpose drain w/ 5" brass grate and metal ring	038753-435992	12	23



ALL PLASTIC SNAP-IN DRAIN					
• Also suitable for use as a vent stack or air inlet strainer.					
43560	2"	ABS Snap-In Drain	038753-435602	12	1
43561	2"	PVC Snap-In Drain	038753-435619	12	6
43564	3"	ABS Snap-In Drain	038753-435640	12	2
43565	3"	PVC Snap-In Drain	038753-435657	12	2
43568	4"	ABS Snap-In Drain	038753-435688	12	6
43569	4"	PVC Snap-In Drain	038753-435695	12	6



PLASTIC SNAP-IN DRAIN WITH REMOVABLE STAINLESS STEEL STRAINER					
• Strainer can be removed to allow access to the pipe.					
43562	3"	ABS Snap-In Drain w/ 3-1/2" Stainless Steel Strainer	038753-435626	12	3
43563	3"	PVC Snap-In Drain w/ 3-1/2" Stainless Steel Strainer	038753-435633	12	3
43566	4"	ABS Snap-In Drain w/ 4" Stainless Steel Strainer	038753-435664	12	8
43567	4"	PVC Snap-In Drain w/ 4" Stainless Steel Strainer	038753-435671	12	9



ALL PLASTIC SNAP-IN OUTLET COVER					
• For covering an open pipe.			• Protects piping from dirt and debris.		
43570	2"	ABS Snap-In Drain Outlet Cover	038753-435701	12	6
43571	2"	PVC Snap-In Drain Outlet Cover	038753-435718	12	6
43572	3"	ABS Snap-In Drain Outlet Cover	038753-435725	12	2
43573	3"	PVC Snap-In Drain Outlet Cover	038753-435732	12	2



PLASTIC SNAP-IN STAINLESS STEEL OUTLET COVER					
• For covering an open pipe.			• Stainless steel cover can be removed to allow access to the pipe.		
• Protects piping from dirt and debris.					
43574	3"	ABS Snap-In Drain Stainless Steel Outlet Cover	038753-435749	12	6
43575	3"	PVC Snap-In Drain Stainless Steel Outlet Cover	038753-435756	12	6





Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
BELL TRAP DRAIN					
• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.			• Fits over 3" or inside of 4" Sch. 40 DWV pipe.		
43636	1-1/2" or 2"	ABS 6" x 6" bell trap drain	038753-436364	10	5
43637	1-1/2" or 2"	PVC 6" x 6" bell trap drain	038753-436371	10	5
43632	3" or 4"	ABS 9" x 9" bell trap drain	038753-436326	4	7
43633	3" or 4"	PVC 9" x 9" bell trap drain	038753-436333	4	7



UTILITY DRAIN					
• Fits over 1-1/2" Sch. 40 DWV pipe or into 2" coupling.					
43640	1-1/2" or 2"	ABS 6" x 6" utility drain	038753-436401	10	14
43641	1-1/2" or 2"	PVC 6" x 6" utility drain	038753-436418	10	15



FOUR-WAY AREA DRAIN					
• Fits over 2" or 3" Schedule 40 DWV pipe			• Sump for large capacity		
• General purpose drain for use in garages and utility rooms					
43596	2" or 3"	Four-Way Area Drain, PVC	038753-435961	10	3



INTEGRAL TRAP DRAIN					
• One piece trap drain/cleanout design molded from PVC or ABS plastic.			• Built in 2" FIP threadway for backwater device.		
• 3-3/4" deep sump bowl.			• ASTM 2665 and ASTM D2661.		
• Solvent weld over 2" Sch. 40 DWV pipe.			• Internal 1-1/2" - 14 NPT - cleanout.		
42724	2"	PVC Floor drain with p-trap and cleanout	038753-427249	2	6
42723	2"	ABS Floor drain with p-trap and cleanout	038753-427232	2	6
42725	2"	Backwater valve device	038753-427256	6	1



CLEANOUT ASSEMBLIES					
ALL PLASTIC 2" X 3" SNAP-IN CLEANOUT ASSEMBLIES					
43710	2" or 3"	ABS Snap-In Cleanout Assembly	038753-437101	12	8
43711	2" or 3"	PVC Snap-In Cleanout Assembly	038753-437118	12	8



ALL PLASTIC 3" X 4" SNAP-IN CLEANOUT ASSEMBLIES					
42785	3" or 4"	ABS Snap-In Cleanout Assembly	038753-427850	12	10
42786	3" or 4"	PVC Snap-In Cleanout Assembly	038753-427867	12	11



ALL PLASTIC SNAP-IN CLEANOUT ASSEMBLIES					
• Fits inside of Sch. 40 DWV pipe fitting.					
43730	3"	ABS Snap-In Cleanout Assembly	038753-437309	12	8
43731	3"	PVC Snap-In Cleanout Assembly	038753-437316	12	4
43732	4"	ABS Snap-In Cleanout Assembly	038753-437323	12	6
43733	4"	PVC Snap-In Cleanout Assembly	038753-437330	12	6
43764	2.33"	ABS Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437644	6	1
43765	2.33"	PVC Replacement Plug for the 3" and the 2" or 3" cleanout assemblies	038753-437651	6	1
43766	3-1/2"	ABS Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437668	6	1
43767	3-1/2"	PVC Replacement Plug for the 4" regular and the 3" Hub cleanout assemblies	038753-437675	6	1

Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

180 B BRASS CLEANOUT FRAME AND COVER

• Brass covers for 2", 3", 4" and 6" pipes.

42365	2"	180 B Cleanout	038753-423654	12	7
42366	3"	180 B Cleanout	038753-423661	12	16
42367	4"	180 B Cleanout	038753-423678	12	19
42368	6"	180 B Cleanout	038753-423685	12	42



185 BRASS CLEANOUT PLUG

• Brass cleanout plugs with raised square head for use with slip joint pliers.

42369	1-1/2"	185 Brass cleanout plug	038753-423692	12	1
42370	2"	185 Brass cleanout plug	038753-423708	12	2
42371	2-1/2"	185 Brass cleanout plug	038753-423715	12	3
42372	3"	185 Brass cleanout plug	038753-423722	12	5
42373	3-1/2"	185 Brass cleanout plug	038753-423739	12	6
42374	4"	185 Brass cleanout plug	038753-423746	12	7



BRASS CLEANOUT PLUG WITH RECESSED HEAD

• All sizes are countersunk and tapped.

42740	1-1/2"	Brass cleanout plug	038753-427409	12	2
42741	2"	Brass cleanout plug	038753-427416	12	3
42742	2-1/2"	Brass cleanout plug	038753-427423	12	4
42743	3"	Brass cleanout plug	038753-427430	12	5
42744	3-1/2"	Brass cleanout plug	038753-427447	12	5
42745	4"	Brass cleanout plug	038753-427454	12	7



COVER PLATE


• Cover plates conceal the clean-out plug access hole.

34405	4"	Flat Chrome Cover Plate	038753-344058	25	3
34406	5"	Flat Chrome Cover Plate	038753-344065	25	4
34410	4"	Flat White Cover Plate	038753-344102	25	3
34411	5"	Flat White Cover Plate	038753-344119	25	4
34415	4"	Bell Chrome Cover Plate	038753-344157	25	3
34416	5"	Bell Chrome Cover Plate	038753-344164	25	4
34420	4"	Bell White Cover Plate	038753-344201	25	3
34421	5"	Bell White Cover Plate	038753-344218	25	5

STAINLESS STEEL COVER PLATE

• Stainless steel cover plates conceal the clean-out plug access hole. • 1/4" – 20 screw included.
• Protective film cover.

42780	3"	Stainless steel cover plate	038753-427805	12	3
42781	4"	Stainless steel cover plate	038753-427812	12	3
42782	5"	Stainless steel cover plate	038753-427829	12	9
42783	6"	Stainless steel cover plate	038753-427836	12	9
42784	8"	Stainless steel cover plate	038753-427843	12	12



Product No.	Size	Description	U.P.C. Code	Carton Quantity	Ctn. Wt.
-------------	------	-------------	-------------	-----------------	----------

BACKWATER VALVES

BACKWATER VALVES

- Protects low areas or basements from backflow or waste from street sewers.
- Elastomeric seal in quick action flapper ensures a water tight seal.
- Threaded access cap incorporates a neoprene seal for positive sealing and can be tightened or removed by hand.
- Valve hub fits DWV pipe and can be adapted for sewer and drain pipe.



43900	3"	PVC backwater valve	038753-439006	4	3
43902	3"	PVC backwater valve w/ access sleeve	038753-439020	1	8
43901	3"	ABS backwater valve	038753-439013	4	3
43903	3"	ABS backwater valve w/ access sleeve	038753-439037	1	8
43904	4"	PVC backwater valve	038753-439044	2	5
43906	4"	PVC backwater valve w/ access sleeve	038753-439068	1	10
43905	4"	ABS backwater valve	038753-439051	2	5
43907	4"	ABS backwater valve w/ access sleeve	038753-439075	1	10
43908	6"	PVC backwater valve	038753-439082	1	11
43909	6"	ABS backwater valve	038753-439099	1	11

BACKWATER ACCESSORIES

43915	3"	PVC threaded cap	038753-439150	1	.48
43916	3"	ABS threaded cap	038753-439167	1	.41
43918	4"	PVC threaded cap	038753-439181	1	1
43919	4"	ABS threaded cap	038753-439198	1	.75
43921	6"	PVC threaded cap	038753-439211	1	1.9
43922	6"	ABS threaded cap	038753-439228	1	1.4
43924	3"	PVC flapper w/ "O" ring	038753-439242	1	.11
43925	3"	ABS flapper w/ "O" ring	038753-439259	1	.10
43927	4"	PVC flapper w/ "O" ring	038753-439273	1	.17
43928	4"	ABS flapper w/ "O" ring	038753-439280	1	.13
43929	6"	PVC flapper w/ "O" ring	038753-439297	1	.58
43930	6"	ABS flapper w/ "O" ring	038753-439303	1	.44
43932	16"	Access sleeve for 3" backwater valve	038753-439327	1	3.6
43933		Lid for access sleeve - 3" backwater valve	038753-439334	1	.35
43934	16"	Access sleeve for 4" backwater valve	038753-439341	1	3.5
43935		Lid for access sleeve - 4" backwater valve	038753-439358	1	.62

SADDLE TEE KITS

SADDLE TEE KITS

- For tapping into a 3" or 4" Sch. 40 DWV line.
- Saddle is solvent welded to the existing line and secured with metal V-bolts, washers and nuts provided in the kit.
- The tee accepts the incoming line inside the socket, or joins with a Sch. 40 DWV fitting.



43788	3" x 2"	ABS saddle tee kit	038753-437880	6	5
43789	3" x 2"	PVC saddle tee kit	038753-437897	6	6
43790	4" x 2"	ABS saddle tee kit	038753-437903	6	7
43791	4" x 2"	PVC saddle tee kit	038753-437910	6	8
43792	4" x 3"	ABS saddle tee kit	038753-437927	6	8
43793	4" x 3"	PVC saddle tee kit	038753-437934	6	9
43794	4" x 4"	ABS saddle tee kit	038753-437941	6	9
43795	4" x 4"	PVC saddle tee kit	038753-437958	6	4
43796		Gasket for tapping into cast iron soil pipe	038753-437965	12	.3

ACCESSORIES

TRAPS

- One-piece design.
- Made from 3/4" PVC Schedule 40 DWV pipe.

42757	3/4"	PVC Condensate "P"-trap	038753-427577	24	8
42758	3/4"	PVC Condensate running trap	038753-427584	24	8



MUSHROOM VENT CAP

- Fits either 3" or 4" vent stacks.
- Shipped fully assembled.
- Includes 3 hex-head bolts.
- Made of high-impact PVC.

43805	3" or 4"	Mushroom Vent Cap	038753-438054	12	5
-------	----------	-------------------	---------------	----	---

