


ROUND GRATES

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
40	6" Round Grate	Black	10	0.80	10ND	NDS #40, #50, #60, or #60S, 6" Round Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 9.10 square inches. 11.92 GPM.
50	6" Round Grate	Green	10	0.80	10ND	
60	6" Round Grate	Gray	10	0.80	10ND	
60S	6" Round Grate	Sand	10	0.80	10ND	

Fits Spee-D® Basin, 6" Sewer and Drain Pipe and Fittings and 6" Corrugated Pipe.




6 3/4"
2 3/8"
5 3/4"
1/4" Grate Opening

(See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
10	8" Round Grate	Black	10	0.80	10ND	NDS #10, #20, #30, or #30S, 8" Round Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 11.50 square inches. 15.07 GPM.
20	8" Round Grate	Green	10	0.80	10ND	
30	8" Round Grate	Gray	10	0.80	10ND	
30S	8" Round Grate	Sand	10	0.80	10ND	

Fits Spee-D® Basin, 6" Sewer and Drain Pipe and Fittings and 6" Corrugated Pipe.




7 3/4"
2 1/2"
5 3/4"
5/16" Grate Opening

(See pg. 48) ADA Compliant

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
1040	10" Round Grate	Black	10	1.50	10ND	NDS #1040, #1050, #1060, or #1060S, 10" Round Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 17.46 square inches. 22.87 GPM.
1050	10" Round Grate	Green	10	1.50	10ND	
1060	10" Round Grate	Gray	10	1.50	10ND	
1060S	10" Round Grate	Sand	10	1.50	10ND	

Fits 8" Sewer and Drain Pipe and Fittings, 8" Corrugated Pipe.




9 3/4"
2 3/4"
7 3/4"
5/16" Grate Opening

(See pg. 48) ADA Compliant

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
1240	12" Round Grate	Black	6	3.35	10ND	NDS #1240, #1250, #1260, 12" Round Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 46.00 square inches. 60.26 GPM.
1250	12" Round Grate	Green	6	3.35	10ND	
1260	12" Round Grate	Gray	6	3.35	10ND	

Fits 12" Sewer and Drain Pipe, 12" Corrugated Pipe.




14 3/16"
3 5/8"
11 5/8"
11 3/4"
9/16" Grate Opening

(See pg. 48)

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
1511	15" Round Grate	Black	1	6.15	10ND	NDS #1511, #1512, 15" Round Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 85.60 square inches. 112.14 GPM.
1512	15" Round Grate	Green	1	6.15	10ND	

Fits 15" Sewer and Drain Pipe and Fittings, 15" Corrugated Pipe.



17"
4 1/2"
14 7/8"
1/4" Grate Opening

(See pg. 48)

ATRIUM GRATES

	Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
	270	2" Atrium Grate Fits 2" Schedule 40 Fittings.	Gray	20	0.10	10ND	NDS #270, Flat Top PVC Atrium Grate with UV inhibitor. Open surface area 4.00 square inches. 5.24 GPM.

	Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
	70	3" Atrium Grate	Green	20	0.25	10ND	Fits 3" Sewer and Drain Pipe and Fittings, 3" Corrugated Pipe and 3" Triple Wall Pipe.
	72	3" Atrium Grate	Gray	20	0.25	10ND	
	74	3" Atrium Grate	Black	20	0.25	10ND	
	74S	3" Atrium Grate	Sand	20	0.25	10ND	

	Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
	75	4" Atrium Grate	Green	20	0.30	10ND	Fits 4" Sewer and Drain Pipe and Fittings, 4" Corrugated Pipe and 4" Triple Wall Pipe.
	76	4" Atrium Grate	Gray	20	0.30	10ND	
	78	4" Atrium Grate	Black	20	0.30	10ND	
	78S	4" Atrium Grate	Sand	20	0.3	10ND	


	Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
	80	6" Atrium Grate	Green	10	0.70	10ND	Fits Spee-D® Basin, 6" Sewer and Drain Pipe and Fittings, 6" Corrugated Pipe.
	81	6" Atrium Grate	Gray	10	0.70	10ND	
	90	6" Atrium Grate	Black	10	0.70	10ND	
	90S	6" Atrium Grate	Sand	10	0.70	10ND	

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.


SQUARE GRATES

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
1	4" Square Grate	Green	40	0.11	10ND	NDS #1, #2, #3, 4" Square Structural Foam Polyolefin Grate with diagonally converging pattern with UV inhibitor. Open surface area 3.45 square inches. 4.52 GPM.
2	4" Square Grate	Black	40	0.11	10ND	
3	4" Square Grate	Gray	40	0.11	10ND	

Fits 3" Sewer and Drain Pipe and Fittings, 3" Corrugated Pipe and 3" Triple Wall Pipe.




$\frac{3}{16}$ " Grate Opening


 (See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
7	5" Square Grate	Green	25	0.20	10ND	NDS #7, #8, #9, or #09S, 5" Square Structural Foam Polyolefin Grate with diagonally converging pattern with UV inhibitor. Open surface area 4.25 square inches. 5.57 GPM.
8	5" Square Grate	Black	25	0.20	10ND	
9	5" Square Grate	Gray	25	0.20	10ND	

Fits 4" Sewer and Drain Pipe and Fittings, 4" Corrugated Pipe and 4" Triple Wall Pipe.




$\frac{3}{16}$ " Grate Opening


 (See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
4	6" Square Grate	Black	10	0.40	10ND	NDS #04, #05, #06, or #06S, 6" Square Structural Foam Polyolefin Grate with diagonally converging pattern with UV inhibitor. Open surface area 10.40 square inches. 13.62 GPM.
5	6" Square Grate	Green	10	0.40	10ND	
6	6" Square Grate	Gray	10	0.40	10ND	
06S	6" Square Grate	Sand	10	0.40	10ND	

Fits 3" or 4" Sewer and Drain Pipe, 3" or 4" Corrugated Pipe and 3" or 4" Triple Wall Pipe.




$\frac{7}{8}$ " Grate Opening


 (See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
640	6" x 6" x 4" Sq Grate & Adapter	Black	8	0.88	10ND	NDS #640, #641, #642, 6"x6" Low Profile Adapter and Structural Foam Polyolefin Removable Grate with UV inhibitor and stainless steel screws. Open surface area 13.61 square inches. 17.83 GPM.
641	6" x 6" x 4" Sq Grate & Adapter	Green	8	0.88	10ND	
642	6" x 6" x 4" Sq Grate & Adapter	Gray	8	0.88	10ND	

Fits 3" or 4" Sewer and Drain Pipe and Fittings, 3" or 4" Corrugated Pipe and 3" or 4" Triple Wall Pipe.




$\frac{1}{4}$ " Grate Opening


 (See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
637	6" x 6" x 6" Sq Grate & Adapter	Black	8	0.88	10ND	NDS #637, #638, #639, 6"x6" Low Profile Adapter and Structural Foam Polyolefin Removable Grate with UV inhibitor and stainless steel screws. Open surface area 13.61 square inches. 17.83 GPM.
638	6" x 6" x 6" Sq Grate & Adapter	Green	8	0.88	10ND	
639	6" x 6" x 6" Sq Grate & Adapter	Grey	8	0.88	10ND	

Fits Spee-D[®] Basin, 6" Sewer & Drain Pipe and Fittings.




$\frac{1}{4}$ " Grate Opening

 (See pg. 48) ADA Compliant/Heel-proof


SQUARE GRATES/SPEE-D[®] BASINS

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
771	7" Square Grate	Black	10	0.70	10ND	NDS #771, #772, #773, or #773S, 7" Square Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 13.60 square inches. 17.83 GPM.
772	7" Square Grate	Green	10	0.70	10ND	
773	7" Square Grate	Gray	10	0.7	10ND	
773S	7" Square Grate	Sand	10	0.7	10ND	

Fits Spee-D[®] Basin, 6" Sewer and Drain Pipe and Fittings, 6" Corrugated Pipe.




1/4" Grate Opening




(See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
881	8" Square Grate	Black	10	0.80	10ND	NDS #881, #882, #883, or #883S, 8" Square Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 17.16 square inches. 22.48 GPM.
882	8" Square Grate	Green	10	0.8	10ND	
883	8" Square Grate	Gray	10	0.80	10ND	
883S	8" Square Grate	Sand	10	0.80	10ND	

Fits Spee-D[®] Basin, 6" Sewer and Drain Pipe and Fittings, 6" Corrugated Pipe and DWV Pipe.




1/4" Grate Opening




(See pg. 48) ADA Compliant/Heel-proof

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
950	9" Square Grate	Green	10	1.90	10ND	NDS #950, #960, #970, #970S, 9" Square Structural Foam Polyolefin Grate with UV inhibitor. Open surface area 28.40 square inches. 37.20 GPM.
960	9" Square Grate	Gray	10	1.90	10ND	
970	9" Square Grate	Black	10	1.90	10ND	
970S	9" Square Grate	Sand	10	1.90	10ND	

Fits Spee-D[®] Basin, 6" Sewer and Drain Pipe and Fittings, 6" Corrugated Pipe.



5/16" Grate Opening





(See pg. 48) ADA Compliant

SPEE-D[®] BASINS



Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
101	1 - 3" and 4" Locking Outlet *	Black	10	1.60	10ND	NDS #101 and #201 with locking outlet #250, #300, or #350, 6" Spee-D [®] Catch Basin. Patent #D402,013.
201	2 - 3" and 4" Locking Outlets *	Black	10	1.90	10ND	

#101, #201 Outlets fit 3" or 4" Sewer & Drain Pipe, 3" or 4" Corrugated Pipe.
 #101 Outlet also fits 4" SCH 40 and 3" & 4" Triple Wall Pipe.
 Use NDS #66 as Riser for all 6" round catch basins (see S&D fitting price catalog).
 *New Locking Outlet snaps on to most 3" and 4" corrugated pipe.

Part No.	Description	Color	Pkg. Qty.	Wt. Ea. (lbs.)	Product Class	Specifications
250	2 - 3" and 4" 90° Outlets	Black	12	1.92	10ND	NDS #250, #300 and #350 outlet, 6" Spee-D [®] Catch Basin.
300	3 - 3" and 4" Outlets	Black	12	1.92	10ND	
350	4 - 3" and 4" Outlets	Black	12	2.25	10ND	

#250, #300, #350 Outlets fit 4" Sewer & Drain Pipe, 3" and 4" Corrugated Pipe and DWV Pipe, 4" SCH 40 Pipe, 4" Sewer and Drain Fittings.

Note: All dimensions are nominal. All weights are for shipping purposes only. Availability is subject to change.