

Pfister™

IT'S THE EXPERIENCE THAT MATTERS™



2011 WHOLESALE **PRICE GUIDE**

Effective March 1, 2011

WHAT'S NEW FROM PFISTER FOR 2011

IMPROVED ROMAN TUB VALVE



OX6-150R



OX6-050R

- **Compatibility across all Pfister trims for easy upgrades**
Pfister Series > Kenzo
- **Preset height for thin deck installation**
Allows for a measureless, quick installations
- **Key Stops with hot and cold indicators**
Allows for customizable handle rotation
- **Includes test plug**

NEW ROMAN TUB TRIM MODEL NUMBERS



RT6-5DF*



RT6-5YP*



RT6-YP5*



RT6-5MX*



RT6-5EX*



RT6-5NX*



RT6-5RP*



RT6-5GL*



RT6-5ST*



RT6-5DX*



RT6-5CB*



RT6-5SR*



1T6-510*



1T6-410*



1T6-4105

PFISTER SERIES TUSCAN BRONZE



G142-800Y



G143-610Y



G149-610Y



1T6-510Y



R89-030Y

Contents

What's New in 2011.....	Inside Cover
Pricing Continuum.....	2
How to Read The Product Page Layout	4
How to Order Thermostatic Systems	5
Solutions for a Changing Environment	6
Innovative Installation Solutions.....	7
Water Conservation Solutions.....	8

KITCHEN, BAR & LAUNDRY FAUCETS	11
---	-----------

BATH COLLECTIONS

Kenzo™.....	23
Ashfield®.....	33
Marielle®.....	43
Catalina™.....	50
Contempra®.....	57
Portola®.....	65
Saxton™.....	73
Santiago®.....	81
Treviso®.....	88
Avalon™.....	95
Serrano™.....	103
Portland®.....	111
Parisa®.....	118

PFIRST SERIES	125
----------------------------	------------

BATH REFERENCE GUIDE	157
Vessel	158
Single Handle	158
Two Handle Centerset	159
Wallmount	160
Two Handle Widespread.....	160
Grid Strainers	161
OX8 Pressure Balance	161
TX8 1/2" Thermostatic	164
OT8 3/4" Thermostatic Custom	165
Roman Tub.....	166
Bidet.....	167
Handle Kits.....	168

MULTI-HANDLE TUB & SHOWER	169
Multi-Handle	170
Handle Rebuild Kits.....	177
Tub & Shower Components.....	178
Showerheads	186

BATH ACCESSORIES	190
Job Pack	195
Product Warranty.....	198
Terms And Conditions.....	199
Index.....	200

CONTACT PFISTER

Direct Customers

To place orders or check order status.
Phone • 800-422-4278 / Fax • 800-847-4288

Plumbers

For technical, warranty or installation questions
Phone • 888-333-8481

pfisterfaucetspro.com

Models displaying the International Symbol
of Accessibility are accessible by physically
disadvantaged persons and meet all ADA/ANSI
A117.1 requirements.

The ADA symbol applies to valve control only.



Pfister is a part of the Stanley Black & Decker Home Hardware &
Home Improvement Group, headquartered in Lake Forest, CA.

Pricing Continuum

Kitchen Pull-Downs & Pull-Outs



Ashfield®
Page 19



Ashfield®
Page 12



Mystique™
Page 12



Hanover™
Page 12



Treviso®
Page 13

Kitchen Single Control & Two Handle



Marielle®
Page 14



Ashfield®
Page 15



Treviso®
Page 16



Avalon™
Page 16



Treviso®
Page 19

Bath



Kenzo™
Page 23



Ashfield®
Page 33



Marielle®
Page 43



Catalina™
Page 50



Contempra®
Page 57



Portola®
Page 65



Saxton™
Page 73

Shower

OX8 1/2" Pressure Balance



Kenzo	Page 26
Ashfield	Page 36
Marielle	Page 44
Catalina	Page 50
Contempra	Page 58
Portola	Page 66
Saxton	Page 74
Santiago	Page 82
Treviso	Page 88
Avalon	Page 96
Serrano	Page 105
Portland	Page 112
Parisa	Page 119
Bath Reference	Page 161

TX8 1/2" Thermostatic



Kenzo	Page 28
Ashfield	Page 37
Marielle	Page 46
Catalina	Page 52
Contempra	Page 60
Portola	Page 67
Saxton	Page 76
Santiago	Page 83
Treviso	Page 90
Avalon	Page 98
Serrano	Page 107
Portland	Page 113
Parisa	Page 121
Bath Reference	Page 164

Pricing Continuum



Marielle®
Page 13

Parisa®
Page 14

Clairmont™
Page 14

Genesis®
Page 14

Pfirst Series
Page 126



Avalon™
Page 20

Portland®
Page 17

Parisa®
Page 18

Pfirst Series
Page 126



Santiago®
Page 81

Treviso®
Page 88

Avalon™
Page 95

Serrano™
Page 103

Portland®
Page 111

Parisa®
Page 118

Pfirst Series
Page 138

OT8 3/4" Thermostatic Custom



Kenzo	Page 29
Ashfield	Page 38
Marielle	Page 47
Catalina	Page 53
Contempra	Page 61
Portola	Page 68
Saxton	Page 77
Santiago	Page 84
Treviso	Page 91
Avalon	Page 99
Serrano	Page 108
Portland	Page 114
Parisa	Page 122
Bath Reference	Page 165

How to Read the Product Page Layout

Kenzo™ 8" Wallmount Lavatory



Model	Finish	Case Qty	List Price
T49-DF1C	Polished Chrome	3	\$248.00
T49-DF1K	Brushed Nickel	3	\$380.00

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 7 5/16" Spout Reach
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Grid Strainer Sold Separate
• Must order OW8-0100 valve body separately
• 1.5 gpm @ 60psi

All model numbers with the prefix "T" meet the NSF 61/9 Requirements

Kenzo™ 8" Wallmount Lavatory



Model	Finish	Case Qty	List Price
GT49-DF1C	Polished Chrome	3	\$268.00
GT49-DF1K	Brushed Nickel	3	\$410.00

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 7 5/16" Spout Reach
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Grid Strainer Sold Separate
• Must order GOW8-0100 valve body separately
• 1.5 gpm @ 60psi

All model numbers beginning with the prefix "GT" meet NSF 61/9 Annex G Lead Requirements



All items with the WaterSenseSM Logo to the left of the model numbers meet or exceed the certification criteria of the EPA's WaterSense Program



Icon Legend



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

How to Order Thermostatic Systems

3/4" Thermostatic Shower System

Features

- High Flow Thermostatic Valve
- All Products Sold Separately
- Ceramic Disc Valves

Benefits

- 12 gpm @ 80 psi supports multiple outlets
- Completely customizable shower configuration
- Proven to last 3x longer than the competition
- Guaranteed leak-free for life

1

Order valve package

- 3/4" Thermostatic Valve (required)
- Volume Control Valve (required)
- Diverter Valve (as needed)

2

Choose trim items

- 3/4" Thermostatic trim
- Body Side Spray
- Handheld Shower
- Volume Control trim
- Showerhead
- Diverter Trim (as needed)
- Tub Spout

3

Choose your finish



• Polished Chrome



• Brushed Nickel



• Tuscan Bronze

1/2" Thermostatic Shower System

Upgrades Made Simple



Standard Option

Pressure Balance
Valve OX8-310A




Upgrade Option

Thermostatic Valve
TX8-310A



How To Order

Option 1



1. Valve & Cartridge Assembly - TX8-310A or TX8-340A
(no stops) (with stops)

2. Shower Trim Kit - R89-7TU* (Shower Only)
R89-8TU* (Tub & Shower)

*indicates finish: C = Chrome, K = Brushed Nickel, Y = Tuscan Bronze

3. Body Sprays - O15-BDO*

Option 2



1. Valve with Test Plug - VB8-310A or VB8-340A
(no stops) (with stops)

2. Cartridge - TX8-0001 (Thermostatic)

3. Shower Trim Kit - R89-7TU* (Shower Only)
R89-8TU* (Tub & Shower)

*indicates finish: C = Chrome, K = Brushed Nickel, Y = Tuscan Bronze


4. Body Sprays - O15-BDO*

Lead-Free Requirements

In 2009, legislation was passed in California & Vermont that lowered the allowable amount of lead (max 0.25%) found in wetted surfaces of faucets that are used to convey drinking water in Kitchen, Bar, and Lavatory faucets. This legislation took effect January 1, 2010.

Pfister Solution

Complying with the new legislation, our Kitchen, Bar, and Lavatory faucets have been thoroughly tested and certified to meet NSF 61/9 Annex G Lead Requirements, meaning no more than 0.25% lead in all wetted surfaces. In addition, be assured, every Pfister product passes through a strict quality inspection and meets all national codes and compliances currently set forth by NSF.



WORRY-FREE OPERATION

Since 1994, Pfister has been using Ceramic Disc Valving - Lasts 8x longer than industry standard ...the ultimate in durability and reliability.

LEAD-FREE


Innovative Reinforced Polymer Waterways - Limits water's contact with metallic surfaces.

DURABILITY


Brass Outer Housing - Ensures long term durability and confident installation expected from the Pfister brand.

EASE OF INSTALLATION

Removable Inlet Adapter - Allows for supply line connections PRIOR to connecting to valve body.




A



ISOLATED INLET CONNECTORS

Connect Supply Lines to Inlet Connectors BEFORE INSTALLING on Valve Bodies to save 50% on installation time!


B



QUICK CONNECT HOSE

One piece Quick Connect Hose assembly snaps on easily for perfect installation every time.

C



QUICK CLIP

Connect Inlet Connector with Quick Clip for a worry-free connection in seconds. Quick Clip ensures hose and inlet stay in place for a secure connection.

Water Conservation Solutions

WaterSenseSM Certified Faucets

All GT Lavatory Faucets ship WaterSenseSM Certified



Certified by
IAPMO R&T

Throughout this catalog,
when you see this logo,
you can be sure to
know that the product is
WaterSense certified.



KENZO*



ASHFIELD*



Marielle.



CONTEMpra.



SAXTON*



Catalina.



Portola.



SANTIAGO.



TREVISO.



PARISA.



Avalon.



Serrano.



Pfister First Series.
Pfister

*Also available WaterSenseSM Certified in T-skus format.

Available in 1.5 gpm
& 2.0 gpm configurations



PORTLAND.



HANOVER.



CONTEMpra.

Pfister makes building Green simple with High Efficiency Showerheads and
WaterSenseSM Certified Faucets

Green Regulatory Programs • LEED • WaterSenseSM



Water Conservation Solutions

How to Convert An Existing Faucet

- 1 Select a Pfister faucet.
- 2 Select the matching aerator.
(See Chart Below)
- 3 Place order for Eco-Pfriendly™ aerators from your local distributor.
- 4 Replace existing aerator with new Eco-Pfriendly™ aerator.

Lavatory		List Price: \$5.00		
		Spare Part SKU #		
		941-785	941-786	941-787
Family	Series	Large	Medium	Small
Ashfield	T40	Already Eco-Pfriendly™		
Ashfield	T42	Already Eco-Pfriendly™		
Ashfield	T43		■	
Ashfield Hi Arc	T49		■	
Ashfield Trough	T49	Already Eco-Pfriendly™		
Avalon	T48		■	
Avalon	T49	■		
Catalina	T48	■		
Catalina	T49	■		
Catalina	T548		■	
Contempra	T48			■
Contempra	T49			■
Kenzo	T40	Already Eco-Pfriendly™		
Kenzo	T42	Already Eco-Pfriendly™		
Kenzo	T49	Already Eco-Pfriendly™		
Kenzo Wallmount	T49	Already Eco-Pfriendly™		

Lavatory		List Price: \$5.00		
		Spare Part SKU #		
		941-785	941-786	941-787
Family	Series	Large	Medium	Small
Marielle	T46			■
Marielle	T49		■	
Parisa	T42	■		
Portland	T42	■		
Portland	T48		■	
Portland	T49	■		
Portola	T42	■		
Portola	T48		■	
Portola	T49	■		
Santiago	T42		■	
Santiago	T48		■	
Santiago	T49		■	
Saxton	T48	Already Eco-Pfriendly™		
Saxton	T49	Already Eco-Pfriendly™		
Treviso	T48	■		
Treviso	T49	■		

Eco-Pfriendly™ aerators provide 1.5 gpm (*gallons per minute*) vs. 2.2 gpm.

30% lower water consumption without sacrificing a wonderful water experience.



Water Conservation Solutions

Convert Your Existing Pfister Showerhead Today

1

Locate your Shower SKU in the chart and choose 1.5 or 2.0 gpm insert.

2

Place order for the Eco-Pfriendly™ aerator.

3


Remove showerhead from shower arm and follow the below diagram on replacing old insert with the new Eco-Pfriendly™ aerator.

Showerhead		List Price: \$5.00	
		15 gpm	2.0 gpm
Family	Series	941-055	941-046
Kenzo	R89-7DF*	■	■
	R89-8DF*	■	■
Ashfield	8YP-7YP*	■	■
	R89-8YP*	■	■
Marielle	R89-7MB*	■	■
	R89-8MB*	■	■
Contempra Raincan	R89-7N1*	■	■
	R89-8N2*	■	■
Contempra	R89-7NO*	■	■
	R89-8NO*	■	■
Catalina	R89-7EB*	■	■
	R89-8EB*	■	■
Portola	R89-7RP*	■	■
	R89-8RP*	■	■
Santiago	R89-7ST*	■	■
	R89-8ST*	■	■

Showerhead		List Price: \$5.00	
		15 gpm	2.0 gpm
Family	Series	941-055	941-046
Saxton	R89-7GL*	■	■
	R89-8GL*	■	■
Serrano	R89-7SR*	■	■
	R89-8SR*	■	■
Treviso	R89-7DC*	■	■
	R89-8DC*	■	■
Avalon	R89-7CB*	■	■
	R89-8CB*	■	■
Portland	R89-7PC*	■	■
	R89-8PC*	■	■
15 LT	O15-LTO*	■	■
15 EX	O15-EX1*	■	■
15 DR	O15-DR1*	■	■
Bell	O15-O6O*	■	■
Bell	O15-O7O*	■	■
Marielle	O15-M9O*	■	■

*Note: Check catalog for available finishes.



SHOWER HEAD FLOW RESTRICTOR



CONDITION 1

If Flow Restrictor (A) sits inside Shower Head Shell (B), unscrew Ball Joint (C) and remove Flow Restrictor (A). Discard Flow Restrictor (A). Remove Rubber Washer (D) from Ball Joint (C)


Insert New Flow Restrictor (E) inside Ball Joint (C). Insert Rubber Washer (D) inside Ball Joint (C). Screw Ball Joint (C) into Shower Head Shell (B) as shown.



CONDITION 2

If Flow Restrictor (F) sits inside Ball Joint (G), remove Rubber Washer (D) and unscrew Flow Restrictor (F). Discard Flow Restrictor (F).

Insert New Flow Restrictor (E) inside Ball Joint (G) as shown. Insert Rubber Washer (D) inside Ball Joint (G).



KITCHEN, BAR & LAUNDRY FAUCETS



Kitchen, Bar & Laundry Faucets

Ashfield®

Single Handle Pull-Down
Faucet with Soap Dispenser



Model	Finish	Case Qty	List Price
GT529-YPC	Polished Chrome	3	\$407.00
GT529-YPK	Brushed Nickel	3	\$443.00
GT529-YPY	Tuscan Bronze	3	\$517.00
GT529-YPU	Rustic Bronze	3	\$543.00

Technical Info

- Holes:** • 1, 2, 3 or 4-Hole Installation
- Dims:** • 17 3/16" Spout Height
• 7 13/16" Deck to Aerator
• 8" Spout Reach
• 2 1/4" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi

Ashfield®

Single Handle Pull-Down
Faucet with Soap Dispenser



T529-YPC	Polished Chrome	3	\$404.00
T529-YPK	Brushed Nickel	3	\$443.00
T529-YPY	Tuscan Bronze	3	\$517.00
T529-YPU	Rustic Bronze	3	\$543.00

- Holes:** • 1, 2, 3 or 4-Hole Installation
- Dims:** • 17 3/16" Spout Height
• 7 13/16" Deck to Aerator
• 8" Spout Reach
• 2 1/4" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi

Mystique™

Single Handle Pull-Down
Faucet with Soap Dispenser



GT529-MDC	Polished Chrome	3	\$358.00
GT529-MDS	Stainless Steel	3	\$418.00

- Holes:** • 1, 2, 3 or 4-Hole Installation
- Dims:** • 17 3/16" Spout Height
• 8 1/4" Deck to Aerator
• 8" Spout Reach
• 2 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Pause Function Sprayhead
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi

Hanover™

Single Handle Pull-Down
Faucet with Soap Dispenser



GT526-TMC	Polished Chrome	3	\$341.00
GT526-TMS	Stainless Steel	3	\$403.00
GT526-TMY	Tuscan Bronze	3	\$443.00

- Holes:** • 2 or 3-Hole 4-10" Installation
- Dims:** • 16 3/8" Spout Height
• 7" Deck to Aerator
• 8" Spout Reach
• 2 1/16" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Hanover™

Single Handle Pull-Down
Faucet with Soap Dispenser



Model	Finish	Case Qty	List Price
GT529-TMC	Polished Chrome	3	\$372.00
GT529-TMS	Stainless Steel	3	\$439.00
GT529-TMY	Tuscan Bronze	3	\$483.00

Technical Info

- Holes:** • 1, 2, 3 or 4-Hole Installation
- Dims:** • 17 1/8" Spout Height
• 7 13/16" Deck to Aerator
• 8" Spout Reach
• 2 1/4" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi

Treviso®

Single Handle Pull-Down
Faucet with Soap Dispenser



GT529-DCC	Polished Chrome	3	\$324.15
GT529-DSS	Stainless Steel	3	\$328.49

- Holes:** • 1,2,3 or 4-Hole Installation
- Dims:** • 17 1/8" Spout Height
• 7 13/16" Deck to Aerator
• 8" Spout Reach
• 2 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Soap Dispenser
• 2.2 gpm @ 60 psi

Marielle®

Single Handle Pull-Out
Kitchen Faucet



GT532-7CC	Polished Chrome	3	\$400.00
GT532-7SS	Stainless Steel	3	\$426.00
GT532-7YY	Tuscan Bronze	3	\$438.00

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8" Spout Height
• 6 5/16" Deck to Aerator
• 9 1/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 55" Stainless Steel Hose
• Single Post Mounting Ring and 3-Hole Deckplate
• One Touch Pull-Out Spray Activation
• Swivel Spout
• 2.2 gpm @ 60 psi

Marielle®

Single Handle Pull-Out
Kitchen Faucet



T532-7CC	Polished Chrome	3	\$400.00
T532-7SS	Stainless Steel	3	\$426.00
T532-7YY	Tuscan Bronze	3	\$438.00

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8" Spout Height
• 6 5/16" Deck to Aerator
• 9 1/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 55" Stainless Steel Hose
• Single Post Mounting Ring and 3-Hole Deckplate
• One Touch Pull-Out Spray Activation
• Swivel Spout
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Parisa®

Single Handle Pull-Out Kitchen Faucet



Model	Finish	Case Qty	List Price
GT534-7CC	Polished Chrome	3	\$304.83
GT534-7SS	Stainless Steel	3	\$364.87

Technical Info

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 10 11/16" Spout Height
• 6 3/8" Deck to Aerator
• 9 1/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 55" Stainless Steel Hose
• Single Post Mounting Ring and 3-Hole Deckplate
• One Touch Pull-Out Spray Activation
• Swivel Spout
• 2.2 gpm @ 60 psi

Clairmont™

Single Handle Pull-Out Kitchen Faucet



GT534-CMC	Polished Chrome	3	\$280.80
GT534-CMS	Stainless Steel	3	\$326.27

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8 15/16" Spout Height
• 7 3/32" Deck to Aerator
• 9 1/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 55" Braided Nylon Hose
• Single Post Mounting Ring and 3-Hole Deckplate
• One Touch Pull-Out Spray Activation
• Swivel Spout
• 2.2 gpm @ 60 psi

Genesis®

Single Handle Pull-Out Kitchen Faucet



GT533-5CC	Polished Chrome	3	\$235.24
GT533-5WW	White	3	\$254.06
GT533-5SS	Stainless Steel	3	\$299.93

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8 5/16" Spout Height
• 5 15/16" Deck to Aerator
• 9 13/16" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Plastic Lever Handle(s)
• 60" Stainless Steel Hose
• Installs with or without Deckplate
• One Touch Pull-Out Spray Activation
• Swivel Spout
• 2.2 gpm @ 60 psi

Marielle®

Single Handle Kitchen Faucet with Spray & Soap Dispenser



GT26-4NCC	Polished Chrome	3	\$403.00
GT26-4NSS	Stainless Steel	3	\$461.00
GT26-4NYY	Tuscan Bronze	3	\$561.00
GT26-4NUU	Rustic Bronze	3	\$572.00

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 11 7/8" Spout Height
• 9 7/16" Deck to Aerator
• 9 1/2" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• High Arc Swivel Spout
• Flexible Supply Lines
• Quick Connect Installation
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Marielle® Single Handle Kitchen Faucet with Spray & Soap Dispenser



Model	Finish	Case Qty	List Price
T26-4NCC	Polished Chrome	3	\$392.00
T26-4NSS	Stainless Steel	3	\$448.00
T26-4NYY	Tuscan Bronze	3	\$546.00
T26-4NUU	Rustic Bronze	3	\$557.00

Technical Info

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 11 7/8" Spout Height
• 9 7/16" Deck to Aerator
• 9 1/2" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Matching Soap Dispenser
• High Arc Swivel Spout
• Flexible Supply Lines
• Quick Connect Installation
• 2.2 gpm @ 60 psi

Marielle® Single Handle Kitchen Faucet with Spray



GT26-3NCC	Polished Chrome	3	\$364.00
GT26-3NSS	Stainless Steel	3	\$433.00
GT26-3NYY	Tuscan Bronze	3	\$524.00

- Holes:** • 3-Hole 4-10" Installation
- Dims:** • 11 7/8" Spout Height
• 9 7/16" Deck to Aerator
• 9 1/2" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• High Arc Swivel Spout
• Flexible Supply Lines
• Quick Connect Installation
• 2.2 gpm @ 60 psi

Marielle® Single Handle Kitchen Faucet with Spray



T26-3NCC	Polished Chrome	3	\$354.00
T26-3NSS	Stainless Steel	3	\$421.00
T26-3NYY	Tuscan Bronze	3	\$509.00

- Holes:** • 2 or 3-Hole 4-10" Installation
- Dims:** • 11 7/8" Spout Height
• 9 7/16" Deck to Aerator
• 9 1/2" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• High Arc Swivel Spout
• Flexible Supply Lines
• Quick Connect Installation
• 2.2 gpm @ 60 psi

Ashfield® Single Handle Kitchen Faucet with Spray & Soap Dispenser



GT26-4YPC	Polished Chrome	3	\$364.00
GT26-4YPK	Brushed Nickel	3	\$433.00
GT26-4YPY	Tuscan Bronze	3	\$467.00
GT26-4YPU	Rustic Bronze	3	\$501.00

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 13 1/2" Spout Height
• 8 5/16" Deck to Aerator
• 8" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Matching Side Spray and Soap Dispenser
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Ashfield®

Single Handle Kitchen Faucet
with Spray & Soap Dispenser



Model	Finish	Case Qty	List Price
T26-4YPC	Polished Chrome	3	\$354.00
T26-4YPK	Brushed Nickel	3	\$420.00
T26-4YPY	Tuscan Bronze	3	\$454.00
T26-4YPU	Rustic Bronze	3	\$487.00

Technical Info

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 13 1/2" Spout Height
• 8 5/16" Deck to Aerator
• 8" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Matching Side Spray and Soap Dispenser
• 2.2 gpm @ 60 psi

Treviso®

Single Handle Kitchen Faucet
with Spray & Soap Dispenser



GT26-4DCC	Polished Chrome	3	\$307.78
GT26-4DSS	Stainless Steel	3	\$347.24
GT26-4DYY	Tuscan Bronze	3	\$370.41

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 13 13/16" Spout Height
• 8 1/16" Deck to Aerator
• 8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Matching Side Spray and Soap Dispenser
• 2.2 gpm @ 60 psi

Avalon™

Single Handle Kitchen Faucet
with Spray & Soap Dispenser



GT26-4CBC	Polished Chrome	3	\$279.60
GT26-4CBS	Stainless Steel	3	\$321.52
GT26-4CBY	Tuscan Bronze	3	\$360.06

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 13 9/16" Spout Height
• 8 1/16" Deck to Aerator
• 8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Swivel Spout
• Metal Lever Handle(s)
• Matching Side Spray and Soap Dispenser
• 2.2 gpm @ 60 psi

Avalon™

Single Handle Kitchen Faucet
with Spray & Soap Dispenser



T26-4CBC	Polished Chrome	3	\$274.38
T26-4CBS	Stainless Steel	3	\$315.51
T26-4CBY	Tuscan Bronze	3	\$353.33

- Holes:** • 3 or 4-Hole 4-10" Installation
- Dims:** • 13 9/16" Spout Height
• 8 1/16" Deck to Aerator
• 8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Swivel Spout
• Metal Lever Handle(s)
• Matching Side Spray and Soap Dispenser
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Marielle® Single Handle Kitchen Faucet



Model	Finish	Case Qty	List Price
GT34-1TCC	Polished Chrome	3	\$194.00

Technical Info

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 9 3/4" Spout Height
• 4 3/8" Deck to Aerator
• 9 11/16" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• Swivel Spout
• 2.2 gpm @ 60 psi

Marielle® Single Handle Kitchen Faucet with Spray



GT34-3TCC	Polished Chrome	3	\$224.00
GT34-3TSS	Stainless Steel	3	\$258.00
GT34-3TYY	Tuscan Bronze	3	\$340.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 9 3/4" Spout Height
• 4 3/8" Deck to Aerator
• 9 11/16" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Swivel Spout
• 2.2 gpm @ 60 psi

Marielle® Single Handle Kitchen Faucet with Spray



GT34-4TCC	Polished Chrome	3	\$224.00
GT34-4TSS	Stainless Steel	3	\$258.00
GT34-4TYY	Tuscan Bronze	3	\$340.00

- Holes:** • 2 or 4-Hole 8" Installation
- Dims:** • 9 3/4" Spout Height
• 4 3/8" Deck to Aerator
• 9 11/16" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Swivel Spout
• 2.2 gpm @ 60 psi

Marielle® Single Handle Kitchen Faucet with Spray & Soap Dispenser



GT34-PTCC	Polished Chrome	3	\$236.00
GT34-PTSS	Stainless Steel	3	\$288.00
GT34-PTYT	Tuscan Bronze	3	\$379.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 9 3/4" Spout Height
• 4 3/8" Deck to Aerator
• 9 11/16" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Matching Soap Dispenser
• Single Post Mounting Ring
• Swivel Spout
• 2.2 gpm @ 60 psi

Portland® Single Handle Kitchen Faucet



GT34-1PCO	Polished Chrome	3	\$135.00
GT34-1PSO	Stainless Steel	3	\$181.33
GT34-1PYO	Tuscan Bronze	3	\$223.24

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8" Spout Height
• 5" Deck to Aerator
• 9 1/2" Spout Reach
• 2 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• Swivel Spout
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Portland®

Single Handle Kitchen Faucet with Spray



Model	Finish	Case Qty	List Price
GT34-3PCO	Polished Chrome	3	\$156.60
GT34-3PSO	Stainless Steel	3	\$212.32
GT34-3PYO	Tuscan Bronze	3	\$263.30

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 8" Spout Height
• 5" Deck to Aerator
• 9 1/2" Spout Reach
• 2 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Swivel Spout
• 2.2 gpm @ 60 psi

Portland®

Single Handle Kitchen Faucet with Spray



GT34-4PCO	Polished Chrome	3	\$156.60
GT34-4PSO	Stainless Steel	3	\$214.90
GT34-4PYO	Tuscan Bronze	3	\$263.30

- Holes:** • 2 or 4-Hole 8" Installation
- Dims:** • 8" Spout Height
• 5" Deck to Aerator
• 9 1/2" Spout Reach
• 2 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• Matching Side Spray
• Swivel Spout
• 2.2 gpm @ 60 psi

Parisa®

Single Handle Kitchen Faucet



GT34-1NCC	Polished Chrome	3	\$124.88
GT34-1NSS	Stainless Steel	3	\$189.87

*Available Q2 2011

- Holes:** • 3-Hole 8" Installation
- Dims:** • 9 1/16" Spout Height
• 6 3/4" Deck to Aerator
• 9" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 3-Hole Deckplate
• Swivel Spout
• Single Post Mounting Ring Sold Separately (961-005*)
• 2.2 gpm @ 60 psi

Parisa®

Single Handle Kitchen Faucet with Spray



Model	Finish	Case Qty	List Price
GT34-3NCC	Polished Chrome	3	\$143.11
GT34-3NSS	Stainless Steel	3	\$195.60

*Available Q2 2011

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 9 1/16" Spout Height
• 6 3/4" Deck to Aerator
• 9" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Matching Side Spray
• Swivel Spout
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Parisa® Single Handle Kitchen Faucet with Spray



Model	Finish	Case Qty	List Price
GT34-4NCC	Polished Chrome	3	\$145.88
GT34-4NSS	Stainless Steel	3	\$198.16

*Available Q2 2011

Technical Info

- Holes:** • 4-Hole 8" Installation
- Dims:** • 9 1/16" Spout Height
• 6 3/4" Deck to Aerator
• 9" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 3-Hole Deckplate
• Matching Side Spray
• Swivel Spout
• Single Post Mounting Ring Sold Separately (961-005*)
• 2.2 gpm @ 60 psi

Ashfield® Two Handle Pull-Down Bridge Faucet



GT531-YPC	Polished Chrome	3	\$622.00
GT531-YPK	Brushed Nickel	3	\$700.00
GT531-YPY	Tuscan Bronze	3	\$778.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 15 3/8" Spout Height
• 6 1/16" Deck to Aerator
• 8" Spout Reach
• 2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• 2.2 gpm @ 60 psi

Ashfield® Two Handle Pull-Down Bridge Faucet



T531-YPC	Polished Chrome	3	\$616.00
T531-YPK	Brushed Nickel	3	\$693.00
T531-YPY	Tuscan Bronze	3	\$770.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 15 3/8" Spout Height
• 6 1/16" Deck to Aerator
• 8" Spout Reach
• 2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Pull-Down Swivel Spout
• Metal Lever Handle(s)
• 75" Braided Nylon Hose
• Volume Control Sprayhead
• 2.2 gpm @ 60 psi

Treviso® Two Handle Kitchen Faucet with Spray



GT36-4DCC	Polished Chrome	3	\$229.17
GT36-4DSS	Stainless Steel	3	\$298.99

- Holes:** • 4-Hole 8" Installation
- Dims:** • 12 1/8" Spout Height
• 7 1/16" Deck to Aerator
• 7 15/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Matching Side Spray
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Avalon™

Two Handle Kitchen Faucet with Spray



Model	Finish	Case Qty	List Price
GT36-4CBC	Polished Chrome	3	\$214.44
GT36-4CBS	Stainless Steel	3	\$285.16

Technical Info

- Holes:** • 4-Hole 8" Installation
- Dims:** • 13 5/8" Spout Height
• 8 1/16" Deck to Aerator
• 8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Swivel Spout
• Metal Lever Handle(s)
• Matching Side Spray
• 2.2 gpm @ 60 psi

Avalon™

Two Handle Kitchen Faucet with Spray



T36-4CBC	Polished Chrome	3	\$210.43
T36-4CBS	Stainless Steel	3	\$279.83

- Holes:** • 4-Hole 8" Installation
- Dims:** • 13 5/8" Spout Height
• 8 1/16" Deck to Aerator
• 8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• High Arc Swivel Spout
• Metal Lever Handle(s)
• Matching Side Spray
• 2.2 gpm @ 60 psi

Ashfield®

Single Handle Bar & Prep Faucet



GT72-YP2C	Polished Chrome	3	\$218.00
GT72-YP2K	Brushed Nickel	3	\$256.00
GT72-YP2Y	Tuscan Bronze	3	\$282.00
GT72-YP2U	Rustic Bronze	3	\$294.00

- Holes:** • 2-Hole 4" Installation
- Dims:** • 12 1/8" Spout Height
• 7 13/16" Deck to Aerator
• 5 3/4" Spout Reach
• 2 3/16" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• 2.2 gpm @ 60 psi

Ashfield®

Single Handle Bar & Prep Faucet



T72-YP2C	Polished Chrome	3	\$216.00
T72-YP2K	Brushed Nickel	3	\$254.00
T72-YP2Y	Tuscan Bronze	3	\$280.00
T72-YP2U	Rustic Bronze	3	\$292.00

- Holes:** • 2-Hole 4" Installation
- Dims:** • 12 1/8" Spout Height
• 7 13/16" Deck to Aerator
• 5 3/4" Spout Reach
• 2 3/16" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• 2.2 gpm @ 60 psi

Marielle®

Single Handle Bar & Prep Faucet



GT72-MICC	Polished Chrome	3	\$222.00
GT72-MISS	Stainless Steel	3	\$281.00
GT72-MIYY	Tuscan Bronze	3	\$310.00
GT72-MIUU	Rustic Bronze	3	\$310.00

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 9 7/16" Spout Height
• 7 1/4" Deck to Aerator
• 5 7/8" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 360 Degree Swivel Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• 2.2 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kitchen, Bar & Laundry Faucets

Marielle® Single Handle Bar & Prep Faucet



Model	Finish	Case Qty	List Price
T72-M1CC	Polished Chrome	3	\$215.25
T72-M1SS	Stainless Steel	3	\$273.00
T72-M1YY	Tuscan Bronze	3	\$301.35
T72-M1UU	Rustic Bronze	3	\$301.35

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 9 7/16" Spout Height
• 7 1/4" Deck to Aerator
• 5 7/8" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 360 Degree Swivel Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• 2.2 gpm @ 60 psi

Laundry Wallmount Laundry Faucet



69-020	Unpolished Chrome	1	\$94.30
--------	-------------------	---	---------

- Holes:** • 2-Hole 4-9 3/8" Installation
- Dims:** • 5 1/2" Spout Reach
- Features:** • Compression Valve(s)
• Metal Blade Handles
• 1/2" IP Inlets
• 3/4" Hose Fitting Spout
• Swivel Spout

Marielle® Soap Dispenser Kit



KSD-M1CC	Polished Chrome	1	\$65.00
KSD-M1SS	Stainless Steel	1	\$83.00
KSD-M1YY	Tuscan Bronze	1	\$89.00
KSD-M1UU	Rustic Bronze	1	\$100.00

- Holes:** • 1-Hole
- Features:** • Easy Above Counter Refill
• Anti-Residue Design Prevents Soap/Lotion Buildup
• Finishes Match Pfister Faucets

Contempra® Soap Dispenser Kit



KSD-K1CC	Polished Chrome	1	\$58.66
KSD-K1WW	White	1	\$61.96
KSD-K1SS	Stainless Steel	1	\$83.38
KSD-K1BK	Black	1	\$83.38

- Holes:** • 1-Hole
- Features:** • Easy Above Counter Refill
• Anti-Residue Design Prevents Soap/Lotion Buildup
• Finishes Match Pfister Faucets

Soap Dispenser Kit



KSD-LCCC	Polished Chrome	1	\$19.64
KSD-LCWW	White	1	\$22.10
KSD-LCSS	Stainless Steel	1	\$24.55

- Holes:** • 1-Hole
- Features:** • Easy Above Counter Refill
• Anti-Residue Design Prevents Soap/Lotion Buildup
• Finishes Match Pfister Faucets

Air Gap Kit



KAG-K1CC	Polished Chrome	1	\$17.09
KAG-K1KK	Brushed Nickel	1	\$19.56
KAG-K1WW	White	1	\$18.73
KAG-K1SS	Stainless Steel	1	\$20.54
KAG-K1BK	Black	1	\$20.54
KAG-K1UU	Rustic Bronze	1	\$33.71
KAG-K1YY	Tuscan Bronze	1	\$33.71

- Holes:** • 1-Hole
- Dims:** • 1 1/4" Max Deck Thickness
- Features:** • Metal Cap
• Finishes Match Pfister Faucets



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

COLLECTIONS





Kenzo™
Single Handle Vessel Faucet



Model	Finish	Case Qty	List Price
GT40-DFOC	Polished Chrome	3	\$309.00
GT40-DFOK	Brushed Nickel	3	\$410.00

Technical Info

- Holes:** • 1-Hole Installation
- Dims:** • 11 3/4" Spout Height
• 8 3/16" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate Sold Separately (961-060*)
• Grid Strainer Sold Separately
• 1.5 gpm @ 60psi

Kenzo™
Single Handle Vessel Faucet



T40-DFOC	Polished Chrome	3	\$300.00
T40-DFOK	Brushed Nickel	3	\$399.00

- Holes:** • 1-Hole Installation
- Dims:** • 11 3/4" Spout Height
• 8 3/16" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate Sold Separately (961-060*)
• Grid Strainer Sold Separately
• 1.5 gpm @ 60psi

Kenzo™
Single Handle Lavatory Faucet



GT42-DFOC	Polished Chrome	3	\$256.00
GT42-DFOK	Brushed Nickel	3	\$357.00

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 7 1/4" Spout Height
• 3 5/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kenzo™
Single Handle Lavatory Faucet



Model	Finish	Case Qty	List Price
T42-DFOC	Polished Chrome	3	\$249.00
T42-DFOK	Brushed Nickel	3	\$347.00

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 7 1/4" Spout Height
• 3 5/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60psi

Kenzo™
Two Handle Widespread Lavatory Faucet



GT49-DFOC	Polished Chrome	3	\$357.00
GT49-DFOK	Brushed Nickel	3	\$493.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 6 1/4" Spout Height
• 3 5/8" Deck to Aerator
• 4 1/4" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60psi

Kenzo™
Two Handle Widespread Lavatory Faucet



T49-DFOC	Polished Chrome	3	\$347.00
T49-DFOK	Brushed Nickel	3	\$480.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 6 1/4" Spout Height
• 3 5/8" Deck to Aerator
• 4 1/4" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60psi

Kenzo™
Wallmount Lavatory Faucet



GT49-DF1C	Polished Chrome	3	\$268.00
GT49-DF1K	Brushed Nickel	3	\$410.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 7 5/16" Spout Reach
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Grid Strainer Sold Separate
• Must order GOW8-0100 valve body separately
• 1.5 gpm @ 60psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kenzo™
Wallmount Lavatory Faucet



Model	Finish	Case Qty	List Price
T49-DF1C	Polished Chrome	3	\$260.00
T49-DF1K	Brushed Nickel	3	\$399.00

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 7 5/16" Spout Reach
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Grid Strainer Sold Separate
• Must order OW8-0100 valve body separately
• 1.5 gpm @ 60psi

Universal
Wallmount Valve Rough



GOW8-0100		10	\$168.00
-----------	--	----	----------

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve (s)
• 1" Installation Depth Adjustability
• 8" Fixed Body
• Must Order GT49-DF1* Separately

Universal
Wallmount Valve Rough



OW8-0100		10	\$156.00
----------	--	----	----------

- Holes:** • 3-Hole 8" Installation
- Dims:** • Min = 1" Max = 3" above sink Spout Height
• Min = 1" Max = 3" above sink Deck to Aerator
• 4 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve (s)
• 1" Installation Depth Adjustability
• 8" Fixed Body
• Must Order T49-DF1* Separately

Universal
Grid Strainer



T47-9GSC	Polished Chrome	1	\$41.00
T47-9GSK	Brushed Nickel	1	\$47.00

- Features:** • All Metal Grid Strainer
• With Overflow
• 1 1/4 Tailpiece

Universal
Grid Strainer



T47-7GLC	Polished Chrome	1	\$41.00
T47-7GLK	Brushed Nickel	1	\$47.00

- Features:** • All Metal Grid Strainer
• No Overflow
• 1 1/4 Tailpiece



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kenzo™
OX8 Series Tub & Shower Trim

	Model	Finish	Case Qty	List Price
	R89-8DFC	Polished Chrome	3	\$272.00
	R89-8DFK	Brushed Nickel	3	\$404.00



Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Decorative 7" Self Cleaning Raincan Showerhead
 - 5" Quick Connect Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Kenzo™
OX8 Series Shower Trim

	R89-7DFC	Polished Chrome	3	\$203.00
	R89-7DFK	Brushed Nickel	3	\$318.00



- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Decorative 7" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Kenzo™
OX8 Series Tub Trim

	R89-5DFC	Polished Chrome	3	\$203.00
	R89-5DFK	Brushed Nickel	3	\$289.00



- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - 5" Quick Connect Metal Diverted Tub Spout
 - Quick Trim Wall Flange
 - Must Order OX8 Rough In Valve Separately

Kenzo™
Wallmount Handshower Kit

	O16-2DFC	Polished Chrome	3	\$203.00
	O16-2DFK	Brushed Nickel	3	\$286.00



- Features:**
- Metal Lever Handle(s)
 - Diverter Trim, Wallmount Bracket and Drop Elbow
 - Self Cleaning Handheld Showerhead
 - 60" Metal Hose with Matching Finish
 - Back Flow Prevention
 - Must Order O15-3WDX Rough In Valve Separately

Universal
Diverter Valve Rough

	O15-3WDX		1	\$126.00
--	----------	--	---	----------



- Features:**
- 3-Way Diverter Valve
 - 1/2" Male IP Connection
 - Shared Functionality to Run 2 Items Simultaneously Supports Showerhead and/or Handshower
 - For use with all HHL kits except: Ashfield(HHL:YPL*) Contempra(HHL:NCO*) Marielle(HHL:MOB*)
 - For use with O16-DT1* Diverter Trims



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Pressure Balance
Cartridge



Model	Finish	Case Qty	List Price
974-042		1	\$27.00

Technical Info

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

Technical Info

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume
Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlet and Outlet
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
014 Series Volume Control
Valve Trim



Model	Finish	Case Qty	List Price
R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

Technical Info

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (014-300A) Separately

Universal
Three Port Diverter
Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
016 Series Diverter Trim



R79-600C	Polished Chrome	10	\$231.00
R79-600K	Brushed Nickel	10	\$312.00
R79-600Y	Tuscan Bronze	10	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (016-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Kenzo™
Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5DFC	Polished Chrome	3	\$434.00
RT6-5DFK	Brushed Nickel	3	\$549.00

Technical Info

- Holes:** • 3-Hole
- Dims:** • 6 7/16" Spout Height
• 3 13/16" Deck to Aerator
• 6 1/2" Spout Reach
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		3	\$122.49
JX6-050R		12	\$110.23

- Holes:** • 3-Hole 10" Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• 10" Fixed Valve Body
• Thin and Thick Deck Mounting Hardware
• 1/2" Sweat Inlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub Valve Rough



OX6-150R		3	\$109.45
JX6-150R		12	\$98.50

- Holes:** • 3-Hole Adjustable Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Kenzo™
Roman Tub Trim with Handshower



RT6-4DFC	Polished Chrome	1	\$491.00
RT6-4DFK	Brushed Nickel	1	\$693.00

- Holes:** • 4-Hole
- Dims:** • 6 7/16" Spout Height
• 3 13/16" Deck to Aerator
• 6 1/2" Spout Reach
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Handheld Shower
• Must Order OX6-440R Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

Adjustable Roman Tub Valve
and Handshower Rough



OX6-440R		1	\$249.26
----------	--	---	----------

Holes: • 4-Hole 4 1/2-28" Installation

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 3", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- 1/2" Universal Male IP Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi

Universal

Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00

Holes: • 4-hole 6-10" Installation

Dims:

- 5 1/4" Spout Height
- 2 1/8" Max Deck Thickness

Features:

- Ceramic Disc Valve(s)
- Metal Pop-Up
- Integrated Back Flow Prevention
- Handles Sold Separately (HHL Kit)

Kenzo™

Handle Kit



HHL-DFXC	Polished Chrome	1	\$81.00
HHL-DFXK	Brushed Nickel	1	\$101.00

Features:

- Metal Lever Handle(s)
- Kit Includes 2 Handles
- For Lavatory and Roman Tub Applications

Kenzo™

Handle Kit



SGL-DFXC	Polished Chrome	1	\$46.00
SGL-DFXK	Brushed Nickel	1	\$58.00

Features:

- Metal Lever Handle(s)
- Kit Includes 1 Handle
- For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Ashfield®
Single Handle Vessel Faucet



Model	Finish	Case Qty	List Price
GT40-YPOC	Polished Chrome	3	\$322.00
GT40-YPOK	Brushed Nickel	3	\$354.00
GT40-YPOY	Tuscan Bronze	3	\$379.00
GT40-YPOU	Rustic Bronze	3	\$405.00

Technical Info

- Holes:** • 1-Hole Installation
- Dims:** • 13 3/8" Spout Height
• 8 1/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate Sold Separately (961-042*)
• Grid Strainer Sold Separately
• 1.5 gpm @ 60 psi

Ashfield®
Single Handle Vessel Faucet



T40-YPOC	Polished Chrome	3	\$313.00
T40-YPOK	Brushed Nickel	3	\$344.00
T40-YPOY	Tuscan Bronze	3	\$369.00
T40-YPOU	Rustic Bronze	3	\$394.00

- Holes:** • 1-Hole Installation
- Dims:** • 13 3/8" Spout Height
• 8 1/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate Sold Separately (961-042*)
• Grid Strainer Sold Separately
• 1.5 gpm @ 60 psi

Universal
Grid Strainer



T47-9GSC	Polished Chrome	1	\$41.00
T47-9GSK	Brushed Nickel	1	\$47.00
T47-9GSY	Tuscan Bronze	1	\$53.00
T47-9GSU	Rustic Bronze	1	\$58.00

- Features:** • All Metal Grid Strainer
• With Overflow
• 11/4" Tailpiece

Universal
Grid Strainer



T47-7GLC	Polished Chrome	1	\$41.00
T47-7GLK	Brushed Nickel	1	\$47.00
T47-7GLY	Tuscan Bronze	1	\$53.00
T47-7GLU	Rustic Bronze	1	\$58.00

- Features:** • All Metal Grid Strainer
• No Overflow
• 11/4" Tailpiece



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Ashfield® Collections

Ashfield® Single Handle Lavatory Faucet



Model	Finish	Case Qty	List Price
GT42-YPOC	Polished Chrome	3	\$235.00
GT42-YPOK	Brushed Nickel	3	\$295.00
GT42-YPOY	Tuscan Bronze	3	\$327.00
GT42-YPOU	Rustic Bronze	3	\$341.00

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 6 7/8" Spout Height
• 1 7/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Ashfield® Single Handle Lavatory Faucet



T42-YPOC	Polished Chrome	3	\$229.00
T42-YPOK	Brushed Nickel	3	\$287.00
T42-YPOY	Tuscan Bronze	3	\$318.00
T42-YPOU	Rustic Bronze	3	\$332.00

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 6 7/8" Spout Height
• 1 7/8" Deck to Aerator
• 4 1/2" Spout Reach
• 2 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Ashfield® Two Handle Centerset Lavatory Faucet



GT43-YPOC	Polished Chrome	3	\$237.00
GT43-YPOK	Brushed Nickel	3	\$311.00
GT43-YPOY	Tuscan Bronze	3	\$318.00
GT43-YPOU	Rustic Bronze	3	\$345.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 8 5/8" Spout Height
• 4 7/8" Deck to Aerator
• 4 7/8" Spout Reach
• 1 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Ashfield® Two Handle Centerset Lavatory Faucet



T43-YPOC	Polished Chrome	3	\$230.00
T43-YPOK	Brushed Nickel	3	\$302.00
T43-YPOY	Tuscan Bronze	3	\$310.00
T43-YPOU	Rustic Bronze	3	\$330.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 8 5/8" Spout Height
• 4 7/8" Deck to Aerator
• 4 7/8" Spout Reach
• 1 1/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-786 for 1.5 gpm Aerator Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Ashfield®
Two Handle Widespread
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT49-YP1C	Polished Chrome	3	\$341.00
GT49-YP1K	Brushed Nickel	3	\$405.00
GT49-YP1Y	Tuscan Bronze	3	\$456.00
GT49-YP1U	Rustic Bronze	3	\$483.00

Technical Info

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 5 15/16" Spout Height
• 2 1/2" Deck to Aerator
• 4 1/2" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• All Metal Pop-Up
• 1.5 gpm @ 60 psi


Ashfield®
Two Handle Widespread
Lavatory Faucet



T49-YP1C	Polished Chrome	3	\$338.00
T49-YP1K	Brushed Nickel	3	\$401.00
T49-YP1Y	Tuscan Bronze	3	\$453.00
T49-YP1U	Rustic Bronze	3	\$478.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 5 15/16" Spout Height
• 2 1/2" Deck to Aerator
• 4 1/2" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Ashfield®
Two Handle Widespread
Lavatory Faucet



GT49-YPOC	Polished Chrome	3	\$334.00
GT49-YPOK	Brushed Nickel	3	\$355.00
GT49-YPOY	Tuscan Bronze	3	\$364.00
GT49-YPOU	Rustic Bronze	3	\$406.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 8 3/4" Spout Height
• 4 13/16" Deck to Aerator
• 5" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Ashfield®
Two Handle Widespread
Lavatory Faucet



T49-YPOC	Polished Chrome	3	\$332.00
T49-YPOK	Brushed Nickel	3	\$352.00
T49-YPOY	Tuscan Bronze	3	\$362.00
T49-YPOU	Rustic Bronze	3	\$395.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 8 3/4" Spout Height
• 4 13/16" Deck to Aerator
• 5" Spout Reach
• 1 1/2" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 2.2 gpm @ 60 psi
• Order 941-786 for 1.5 gpm Aerator Insert



= Meets EPA WaterSense Standards




= NSF Lead-Free Certified



= ADA Compliance

Ashfield®
OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8YPC	Polished Chrome	3	\$190.00
R89-8YPK	Brushed Nickel	3	\$331.00
R89-8YPY	Tuscan Bronze	3	\$413.00
R89-8YPU	Rustic Bronze	3	\$445.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Decorative 6 1/16" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Ashfield®
OX8 Series Shower Trim



R89-7YPC	Polished Chrome	3	\$150.00
R89-7YPK	Brushed Nickel	3	\$232.00
R89-7YPY	Tuscan Bronze	3	\$344.00
R89-7YPU	Rustic Bronze	3	\$419.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Decorative 6 1/16" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49
R89-50XU	Rustic Bronze	3	\$156.35

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$57.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal

TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OT8 Series Valve Trim



Model	Finish	Case Qty	List Price
R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

Technical Info

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Shower Body Jet



Model	Finish	Case Qty	List Price
O15-HFOC	Polished Chrome	10	\$104.00
O15-HF0K	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

Technical Info

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Ashfield®
Roman Tub Trim



RT6-YP5C	Polished Chrome	3	\$289.00
RT6-YP5K	Brushed Nickel	3	\$316.00
RT6-YP5Y	Tuscan Bronze	3	\$346.00
RT6-YP5U	Rustic Bronze	3	\$388.00

- Holes:**
- 3-Hole
- Dims:**
- 13 3/16" Spout Height
 - 6 13/16" Deck to Aerator
 - 8 1/2" Spout Reach
- Features:**
- Ceramic Disc Valve(s)
 - High Arc Fixed Spout
 - Handles Sold Separately (HHL Kit)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Ashfield®
Roman Tub Trim



RT6-5YPC	Polished Chrome	3	\$482.00
RT6-5YPK	Brushed Nickel	3	\$615.00
RT6-5YPY	Tuscan Bronze	3	\$653.00
RT6-5YPU	Rustic Bronze	3	\$700.00

- Holes:**
- 3-Hole
- Dims:**
- 7 11/16" Spout Height
 - 3 3/8" Deck to Aerator
 - 9 3/4" Spout Reach
- Features:**
- Ceramic Disc Valve(s)
 - Fixed Spout
 - Handles Sold Separately (HHL Kit)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation
- Dims:**
- 2 3/4" Max Deck Thickness
- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Adjustable Roman Tub
Valve Rough



Model	Finish	Case Qty	List Price
OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Technical Info

- Holes:** • 3-Hole Adjustable Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Ashfield®
Handle Kit



HHL-YPLC	Polished Chrome	1	\$63.00
HHL-YPLK	Brushed Nickel	1	\$76.00
HHL-YPLY	Tuscan Bronze	1	\$92.00
HHL-YPLU	Rustic Bronze	1	\$92.00

- Features:** • Metal Lever Handle(s)
• Kit Includes 2 Handles
• For Lavatory and Roman Tub Applications

Ashfield®
Handle Kit



SGL-YPLC	Polished Chrome	1	\$40.00
SGL-YPLK	Brushed Nickel	1	\$54.00
SGL-YPLY	Tuscan Bronze	1	\$64.00
SGL-YPLU	Rustic Bronze	1	\$64.00

- Features:** • Metal Lever Handle(s)
• Kit Includes 1 Handle
• For Tub and Shower Applications

Ashfield®
24" Towel Bar



BTB-YP2C	Polished Chrome	4	\$54.00
BTB-YP2K	Brushed Nickel	4	\$80.00
BTB-YP2Y	Tuscan Bronze	4	\$81.00
BTB-YP2U	Rustic Bronze	4	\$92.00

- Features:** • Premium Metal Construction
• Superior Mounting Posts
• Concealed Screw Installation
• Mounting Hardware Included

Ashfield®
24" Double Towel Bar



BTB-YP5C	Polished Chrome	4	\$101.00
BTB-YP5K	Brushed Nickel	4	\$150.00
BTB-YP5Y	Tuscan Bronze	4	\$150.00
BTB-YP5U	Rustic Bronze	4	\$181.00

- Features:** • Premium Metal Construction
• Superior Mounting Posts
• Concealed Screw Installation
• Mounting Hardware Included



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Ashfield® Collections

Ashfield® Towel Hook



Model	Finish	Case Qty	List Price
BRB-YPOC	Polished Chrome	4	\$38.00
BRB-YPOK	Brushed Nickel	4	\$57.00
BRB-YPOY	Tuscan Bronze	4	\$58.00
BRB-YPOU	Rustic Bronze	4	\$67.00

Technical Info

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® Robe Hook



BRH-YPOC	Polished Chrome	4	\$24.00
BRH-YPOK	Brushed Nickel	4	\$34.00
BRH-YPOY	Tuscan Bronze	4	\$35.00
BRH-YPOU	Rustic Bronze	4	\$41.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® Paper Holder



BPH-YP1C	Polished Chrome	4	\$41.00
BPH-YP1K	Brushed Nickel	4	\$62.00
BPH-YP1Y	Tuscan Bronze	4	\$63.00
BPH-YP1U	Rustic Bronze	4	\$82.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Marielle®
Two Handle Centerset/Mini-
Widespread Lavatory Faucet



Model	Finish	Case Qty	List Price
GT46-MOBC	Polished Chrome	3	\$240.00
GT46-MOBK	Brushed Nickel	3	\$324.00
GT46-MOBY	Tuscan Bronze	3	\$340.00
GT46-MOBU	Rustic Bronze	3	\$353.00

Technical Info

Holes: • 3-Hole 4" Installation

Dims: • 7 9/16" Spout Height
• 5 1/2" Deck to Aerator
• 5 1/8" Spout Reach
• 1 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• 3-Hole Deckplate
• Install without Deckplate for Mini-Widespread Appearance
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Marielle®
Two Handle Centerset/Mini-
Widespread Lavatory Faucet



T46-MOBC	Polished Chrome	3	\$233.00
T46-MOBK	Brushed Nickel	3	\$315.00
T46-MOBY	Tuscan Bronze	3	\$331.00
T46-MOBU	Rustic Bronze	3	\$344.00

Holes: • 3-Hole 4" Installation

Dims: • 7 9/16" Spout Height
• 5 1/2" Deck to Aerator
• 5 1/8" Spout Reach
• 1 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• 3-Hole Deckplate
• Install without Deckplate for Mini-Widespread Appearance
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-787 for 1.5 gpm Aerator Insert

Marielle®
Two Handle Widespread
Lavatory Faucet



GT49-MOBC	Polished Chrome	3	\$329.00
GT49-MOBK	Brushed Nickel	3	\$426.00
GT49-MOBY	Tuscan Bronze	3	\$445.00
GT49-MOBU	Rustic Bronze	3	\$467.00

Holes: • 3-Hole 8-15" Installation

Dims: • 7 3/4" Spout Height
• 5 1/2" Deck to Aerator
• 5 5/8" Spout Reach
• 1 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Marielle®
Two Handle Widespread
Lavatory Faucet



Model	Finish	Case Qty	List Price
T49-MOBC	Polished Chrome	3	\$320.00
T49-MOBK	Brushed Nickel	3	\$414.00
T49-MOBY	Tuscan Bronze	3	\$433.00
T49-MOBU	Rustic Bronze	3	\$455.00

Technical Info

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 7 3/4" Spout Height
• 5 1/2" Deck to Aerator
• 5 5/8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 2.2 gpm @ 60 psi
• Order 941-786 for 1.5 gpm Aerator Insert

Marielle®
OX8 Series Tub & Shower Trim



R89-8MBC	Polished Chrome	3	\$173.00
R89-8MBK	Brushed Nickel	3	\$293.00
R89-8MBY	Tuscan Bronze	3	\$309.00
R89-8MBU	Rustic Bronze	3	\$417.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 1/16" Self Cleaning Raincan Showerhead
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Marielle®
OX8 Series Shower Trim



R89-7MBC	Polished Chrome	3	\$120.00
R89-7MBK	Brushed Nickel	3	\$255.00
R89-7MBY	Tuscan Bronze	3	\$266.00
R89-7MBU	Rustic Bronze	3	\$353.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 1/16" Self Cleaning Raincan Showerhead
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim - Less
Handle(s)



R89-50XC	Polished Chrome	3	\$86.50
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49
R89-50XU	Rustic Bronze	3	\$156.35

- Features:** • Tub Filler Trim Kit
• 7 1/2" Quick Connect Metal Non Diverting Tub Spout
• Handles Sold Separately (SGL Kit)
• Fits OX8 and OX9 Valve Bodies
• Must Order OX8 or OX9 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
3/4" Thermostatic Rough Valve



Model	Finish	Case Qty	List Price
OT8-410A		10	\$462.00

Technical Info

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlet and Outlet
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600) Separately
 - 2" Extension Kit Available - Sold Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
016 Series Diverter Trim



Model	Finish	Case Qty	List Price
R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

Technical Info

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (016-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Marielle®
Roman Tub Trim



RT6-5MXC	Polished Chrome	3	\$284.00
RT6-5MXK	Brushed Nickel	3	\$424.00
RT6-5MXY	Tuscan Bronze	3	\$424.00
RT6-5MXU	Rustic Bronze	3	\$424.00

Holes: • 3-Hole

Dims: • 9 15/16" Spout Height
• 6 11/16" Deck to Aerator
• 11 3/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Fixed Spout
 - Handles Sold Separately (HHL Kit)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

Holes: • 3-Hole 10" Installation

Dims: • 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Adjustable Roman Tub
Valve Rough



Model	Finish	Case Qty	List Price
OX6-15OR		1	\$109.45
JX6-15OR		12	\$98.50

Technical Info

Holes: • 3-Hole Adjustable Installation

Dims: • 2 3/4" max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Marielle®
Handle Kit



HHL-MOBC	Polished Chrome	1	\$53.00
HHL-MOBK	Brushed Nickel	1	\$81.00
HHL-MOBY	Tuscan Bronze	1	\$81.00
HHL-MOBU	Rustic Bronze	1	\$91.00

Features:

- Metal Lever Handle(s)
- Kit Includes 2 Handles
- For Lavatory and Roman Tub Applications

Marielle®
Handle Kit



SGL-MOBC	Polished Chrome	1	\$42.00
SGL-MOBK	Brushed Nickel	1	\$62.00
SGL-MOBY	Tuscan Bronze	1	\$62.00
SGL-MOBU	Rustic Bronze	1	\$65.00

Features:

- Metal Lever Handle(s)
- Kit Includes 1 Handle
- For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Catalina™
Two Handle Centerset
Lavatory Faucet

	Model	Finish	Case Qty	List Price
  	GT48-EOBC	Polished Chrome	3	\$184.87
	GT48-EOBK	Brushed Nickel	3	\$265.50
	GT48-EOBY	Tuscan Bronze	3	\$277.95



Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 7/16" Spout Height
• 3 11/16" Deck to Aerator
• 4 3/8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Catalina™
Two handle Widespread
Lavatory Faucet

	Model	Finish	Case Qty	List Price
  	GT49-EOBC	Polished Chrome	3	\$278.14
	GT49-EOBK	Brushed Nickel	3	\$309.35
	GT49-EOBY	Tuscan Bronze	3	\$318.19



- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 5 3/8" Spout Height
• 3 11/16" Deck to Aerator
• 4 7/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi

Catalina™
OX8 Series Tub & Shower Trim

	Model	Finish	Case Qty	List Price
	R89-8EBC	Polished Chrome	3	\$145.58
	R89-8EBK	Brushed Nickel	3	\$242.17
	R89-8EBY	Tuscan Bronze	3	\$250.53



- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Catalina™
OX8 Series Shower Trim

	Model	Finish	Case Qty	List Price
	R89-7EBC	Polished Chrome	3	\$103.44
	R89-7EBK	Brushed Nickel	3	\$191.23
	R89-7EBY	Tuscan Bronze	3	\$203.97



- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub Trim
- Less Handle(s)



Model	Finish	Case Qty	List Price
R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

Technical Info

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTFM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Shower Body Jet



Model	Finish	Case Qty	List Price
O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

Technical Info

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub
& Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.61

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume
Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
014 Series Volume Control
Valve Trim



Model	Finish	Case Qty	List Price
R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

Technical Info

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (014-300A) Separately

Universal
Three Port Diverter
Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
016 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (016-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Catalina™
Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5EXC	Polished Chrome	3	\$242.08
RT6-5EXK	Brushed Nickel	3	\$335.96
RT6-5EXY	Tuscan Bronze	3	\$337.34

Technical Info

- Holes:** • 3-Hole
- Dims:** • 8 1/4" Spout Height
• 5 13/16" Deck to Aerator
• 9 1/4" Spout Reach
- Features:** • Ceramic Disc Valve(s)
• Fixed Spout
• Handles Sold Separately (HHL Kit)
• Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:** • 3-Hole 10" Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• 10" Fixed Valve Body
• Thin and Thick Deck Mounting Hardware
• 1/2" Sweat Inlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub Valve
Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

- Holes:** • 3-Hole Adjustable Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

- Holes:** • 4-Hole 6-10" Installation
- Dims:** • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Pop-Up
• Integrated Back Flow Prevention
• Handles Sold Separately (HHL Kit)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Catalina™ Collections

Catalina™ Handle Kit



Model	Finish	Case Qty	List Price
HHL-ELBC	Polished Chrome	1	\$44.80
HHL-ELBK	Brushed Nickel	1	\$68.05
HHL-ELBY	Tuscan Bronze	1	\$68.05

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 2 Handles
 - For Lavatory and Roman Tub Applications

Catalina™ Handle Kit



SGL-ELBC	Polished Chrome	1	\$36.02
SGL-ELBK	Brushed Nickel	1	\$52.03
SGL-ELBY	Tuscan Bronze	1	\$52.02

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 1 Handle
 - For Tub and Shower Applications

Catalina™ 24" Towel Bar



BTB-E2CC	Polished Chrome	4	\$46.73
BTB-E2KK	Brushed Nickel	4	\$69.52
BTB-E2YY	Tuscan Bronze	4	\$69.52

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ 24" Double Towel Bar



BTB-E5CC	Polished Chrome	4	\$86.44
BTB-E5KK	Brushed Nickel	4	\$128.61
BTB-E5YY	Tuscan Bronze	4	\$128.61

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ Towel Hook



BRB-E0CC	Polished Chrome	4	\$32.98
BRB-E0KK	Brushed Nickel	4	\$49.38
BRB-E0YY	Tuscan Bronze	4	\$49.38

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ Paper Holder



BPH-E1CC	Polished Chrome	4	\$35.18
BPH-E1KK	Brushed Nickel	4	\$53.72
BPH-E1YY	Tuscan Bronze	4	\$53.72

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ Robe Hook



BRH-E0CC	Polished Chrome	4	\$21.01
BRH-E0KK	Brushed Nickel	4	\$29.62
BRH-E0YY	Tuscan Bronze	4	\$29.62

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Contempra®
Single Handle Vessel Faucet



Model	Finish	Case Qty	List Price
GT40-NC00	Polished Chrome	3	\$297.00
GT40-NK00	Brushed Nickel	3	\$396.00

Technical Info

- Holes:** • 1-Hole installation
- Dims:** • 11 3/4" Spout Height
• 8 1/2" Deck to Aerator
• 4 5/8" Spout Reach
• 3" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate
Sold Separately (961-095*)
• Grid Strainer Sold Separately
• Hot/Cold Indicator
• 1.5 gpm @ 60psi

Universal
Grid Strainer



T47-9GSC	Polished Chrome	1	\$41.00
T47-9GSK	Brushed Nickel	1	\$47.00

- Features:** • All Metal Grid Strainer
• Overflow
• 1 1/4" Tailpiece

Universal
Grid Strainer



T47-7GLC	Polished Chrome	1	\$41.00
T47-7GLK	Brushed Nickel	1	\$47.00

- Features:** • All Metal Grid Strainer
• No Overflow
• 1 1/4" Tailpiece

Universal
Single Handle
Lavatory Faucet



GT42-NC00	Polished Chrome	3	\$231.00
GT42-NK00	Brushed Nickel	3	\$330.00

- Holes:** • 1-Hole Installation
- Dims:** • 6 7/16" Spout Height
• 3 3/16" Deck to Aerator
• 4 5/8" Spout Reach
• 3" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Single Post Mounting Ring
• 3-Hole Deckplate
Sold Separately (961-095*)
• All Metal Pop-Up
• Hot/Cold Indicator
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Contempra® Collections

Contempra® Two Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
GT48-NC00	Polished Chrome	3	\$185.00
GT48-NK00	Brushed Nickel	3	\$254.00

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 7 1/16" Spout Height
• 3 15/16" Deck to Aerator
• 5" Spout Reach
• 1 3/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Contempra® Two Handle Widespread Lavatory Faucet



GT49-NC00	Polished Chrome	3	\$283.00
GT49-NK00	Brushed Nickel	3	\$330.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 8 3/16" Spout Height
• 5 1/16" Deck to Aerator
• 5 1/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Swivel Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi

Contempra® OX8 Series Tub & Shower Trim



R89-8NC1	Polished Chrome	3	\$209.00
R89-8NK1	Brushed Nickel	3	\$307.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 7/8" Self Cleaning Raincan Showerhead
• 6 3/16" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Contempra® OX8 Series Shower Trim



R89-7NC1	Polished Chrome	3	\$147.00
R89-7NK1	Brushed Nickel	3	\$221.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 7/8" Self Cleaning Raincan Showerhead
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Contempra®

OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8NCO	Polished Chrome	3	\$159.00
R89-8NKO	Brushed Nickel	3	\$249.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Conical Showerhead
 - 6 3/16" IP Threaded Metal Diverted Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Contempra®

OX8 Series Shower Trim



R89-7NCO	Polished Chrome	3	\$118.00
R89-7NKO	Brushed Nickel	3	\$193.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Conical Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal

OX8 Series Tub Trim - Less Handle(s)



R89-5OXC	Polished Chrome	3	\$86.05
R89-5OXC	Brushed Nickel	3	\$108.24

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal

OX8 Series Tub & Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.65
VB8-340A		1	\$74.16

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$72.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Contempra®
TX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Contempra®
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OT8 Series Valve Trim



Model	Finish	Case Qty	List Price
R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00

Technical Info

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Shower Body Jet



Model	Finish	Case Qty	List Price
O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00

Technical Info

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Contempra®
Roman Tub Trim



RT6-5NXC	Polished Chrome	3	\$235.00
RT6-5NXK	Brushed Nickel	3	\$344.00

- Holes:**
- 3-Hole
- Dims:**
- 11 1/16" Spout Height
 - 6 3/4" Deck to Aerator
 - 8 1/16" Spout Reach
- Features:**
- Ceramic Disc Valve(s)
 - Fixed Spout
 - Handles Sold Separately (HHL Kit)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation
- Dims:**
- 2 3/4" Max Deck Thickness
- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

Adjustable Roman Tub
Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Holes: • 3-Hole Adjustable Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Contempra® Handle Kit



HHL-NCOO	Polished Chrome	1	\$77.00
HHL-NK00	Brushed Nickel	1	\$105.00

Features:

- Metal Lever Handle(s)
- Kit Includes 2 Handles
- For Lavatory and Roman Tub Applications

Contempra® Handle Kit



SGL-NCOO	Polished Chrome	1	\$45.00
SGL-NK00	Brushed Nickel	1	\$58.00

Features:

- Metal Lever Handle(s)
- Kit Includes 1 Handle
- For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Portola®
Single Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT42-RPOC	Polished Chrome	3	\$201.00
GT42-RPOK	Brushed Nickel	3	\$232.00
GT42-RPOY	Tuscan Bronze	3	\$269.00

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 7 1/4" Spout Height
• 3 1/2" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Portola®
Two Handle Centerset
Lavatory Faucet



GT48-RPOC	Polished Chrome	3	\$162.00
GT48-RPOK	Brushed Nickel	3	\$271.00
GT48-RPOY	Tuscan Bronze	3	\$295.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 1/2" Spout Height
• 3 11/16" Deck to Aerator
• 4 1/8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Portola®
Two Handle Widespread
Lavatory Faucet



GT49-RPOC	Polished Chrome	3	\$279.00
GT49-RPOK	Brushed Nickel	3	\$327.00
GT49-RPOY	Tuscan Bronze	3	\$343.00

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 5 31/32" Spout Height
• 4 3/32" Deck to Aerator
• 4 5/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Portola®
OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8RPC	Polished Chrome	3	\$122.00
R89-8RPK	Brushed Nickel	3	\$203.00
R89-8RPY	Tuscan Bronze	3	\$219.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - 3-Function Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Portola®
OX8 Series Shower Trim



R89-7RPC	Polished Chrome	3	\$92.00
R89-7RPK	Brushed Nickel	3	\$173.00
R89-7RPY	Tuscan Bronze	3	\$191.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - 3-Function Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverging Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OT8 Series Valve Trim



Model	Finish	Case Qty	List Price
R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

Technical Info

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlet and Outlet
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal Shower Body Jet



Model	Finish	Case Qty	List Price
O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

Technical Info

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Portola® Roman Tub Trim



RT6-5RPC	Polished Chrome	3	\$260.00
RT6-5RPK	Brushed Nickel	3	\$375.00
RT6-5RPY	Tuscan Bronze	3	\$424.00

- Holes:**
- 3-Hole

- Dims:**
- 7 3/16" Spout Height
 - 5 1/4" Deck to Aerator
 - 7 1/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Lever Handle(s)
 - High Arc Fixed Spout
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation

- Dims:**
- 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Adjustable Roman Tub Valve
Rough



Model	Finish	Case Qty	List Price
OX6-15OR		1	\$109.45
JX6-15OR		12	\$98.50

Technical Info

Holes: • 3-Hole Adjustable Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Portola®
Roman Tub Trim with
Handshower



RT6-4RPC	Polished Chrome	3	\$399.00
RT6-4RPK	Brushed Nickel	3	\$503.00
RT6-4RPY	Tuscan Bronze	3	\$562.00

Holes: • 4-Hole

Dims:

- 7 3/16" Spout Height
- 5 1/4" Deck to Aerator
- 7 1/16" Spout Reach

Features:

- Ceramic Disc Valve(s)
- Metal Lever Handle(s)
- Fixed Spout
- Handheld Shower
- Must Order OX6-44OR Rough In Valve Separately

Universal
Adjustable Roman Tub Valve
and Handshower Rough



OX6-44OR		1	\$249.26
----------	--	---	----------

Holes: • 4-Hole 4 1/2-28" Installation

Dims: • 3" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 3", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- 1/2" Universal Male IP Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

Holes: • 4-Hole 6-10" Installation

Dims:

- 5 1/4" Spout Height
- 2 1/8" Max Deck Thickness

Features:

- Ceramic Disc Valve(s)
- Metal Pop-Up
- Integrated Back Flow Prevention
- Handles Sold Separately (HHL Kit)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Portola®
Handle Kit



Model	Finish	Case Qty	List Price
HHL-RPOC	Polished Chrome	1	\$29.00
HHL-RPOK	Brushed Nickel	1	\$41.00
HHL-RPOY	Tuscan Bronze	1	\$41.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 2 Handles
 - For Lavatory and Roman Tub Applications

Portola®
Handle Kit



SGL-RPOC	Polished Chrome	1	\$18.00
SGL-RPOK	Brushed Nickel	1	\$29.00
SGL-RPOY	Tuscan Bronze	1	\$41.00

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 1 Handle
 - For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Saxton™
Two Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT48-GLOC	Polished Chrome	3	\$150.00
GT48-GLOK	Brushed Nickel	3	\$224.00
GT48-GLOY	Tuscan Bronze	3	\$248.00

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 7 1/8" Spout Height
• 5" Deck to Aerator
• 4 1/8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Saxton™
Two Handle Centerset
Lavatory Faucet



T48-GLOC	Polished Chrome	3	\$147.00
T48-GLOK	Brushed Nickel	3	\$219.00
T48-GLOY	Tuscan Bronze	3	\$243.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 7 1/8" Spout Height
• 5" Deck to Aerator
• 4 1/8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Saxton™
Two Handle Widespread
Lavatory Faucet



GT49-GLOC	Polished Chrome	3	\$262.00
GT49-GLOK	Brushed Nickel	3	\$365.00
GT49-GLOY	Tuscan Bronze	3	\$395.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 7 5/16" Spout Height
• 4 5/16" Deck to Aerator
• 4 9/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Saxton™
Two Handle Widespread
Lavatory Faucet



Model	Finish	Case Qty	List Price
T49-GLOC	Polished Chrome	3	\$257.00
T49-GLOK	Brushed Nickel	3	\$358.00
T49-GLOY	Tuscan Bronze	3	\$387.00

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 7 5/16" Spout Height
• 4 5/16" Deck to Aerator
• 4 9/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi

Saxton™
OX8 Series Tub & Shower Trim



R89-8GLC	Polished Chrome	3	\$99.00
R89-8GLK	Brushed Nickel	3	\$196.00
R89-8GLY	Tuscan Bronze	3	\$214.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 23/32" Self Cleaning Raincan Showerhead
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Saxton™
OX8 Series Shower Trim



R89-7GLC	Polished Chrome	3	\$69.00
R89-7GLK	Brushed Nickel	3	\$145.00
R89-7GLY	Tuscan Bronze	3	\$162.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 6 23/32" Self Cleaning Raincan Showerhead
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

- Features:** • Tub Filler Trim Kit
• 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
• Handles Sold Separately (SGL Kit)
• Fits OX8 and OX9 Valve Bodies
• Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:** • Rough In Valve and Pressure Balance Cartridge
• Ceramic Disc Valve(s)
• 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
• Back-to-Back Compatible
• JX= Job Pack Quantity Ships in Master Carton of 12
• 340A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
3/4" Thermostatic Rough Valve



Model	Finish	Case Qty	List Price
OT8-410A		10	\$462.00

Technical Info

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
O16 Series Diverter Trim



Model	Finish	Case Qty	List Price
R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

Technical Info

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Saxton™
Roman Tub Trim



RT6-5GLC	Polished Chrome	3	\$243.00
RT6-5GLK	Brushed Nickel	3	\$370.00
RT6-5GLY	Tuscan Bronze	3	\$411.00

- Holes:**
- 3-Hole
- Dims:**
- 7 7/8" Spout Height
 - 5 1/16" Deck to Aerator
 - 7 7/8" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Lever Handle(s)
 - High Arc Fixed Spout
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation
- Dims:**
- 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Adjustable Roman Tub
Valve Rough



Model	Finish	Case Qty	List Price
OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Technical Info

- Holes:** • 3-Hole Adjustable Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Saxton™
Roman Tub Trim with
Handshower



RT6-4GLC	Polished Chrome	3	\$387.00
RT6-4GLK	Brushed Nickel	3	\$491.00
RT6-4GLY	Tuscan Bronze	3	\$549.00

- Holes:** • 4-Hole
- Dims:** • 7 7/8" Spout Height
• 5 1/16" Deck to Aerator
• 7 7/8" Spout Reach
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Handheld Shower
• Must Order OX6-440R Rough In Valve Separately

Universal
Adjustable Roman Tub Valve
and Handshower Rough



OX6-440R		1	\$249.26
----------	--	---	----------

- Holes:** • 4-Hole 4 1/2-28" Installation
- Dims:** • 3" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 3", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• 1/2" Universal Male IP Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

- Holes:** • 4-Hole 6-10" Installation
- Dims:** • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Pop-Up
• Integrated Back Flow Prevention
• Handles Sold Separately (HHL Kit)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Saxton™
Handle Kit



Model	Finish	Case Qty	List Price
940-704A	Polished Chrome	1	\$14.75
940-704J	Brushed Nickel	1	\$20.00
940-704Y	Tuscan Bronze	1	\$20.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 1 Handle
 - For Lavatory and Roman Tub Applications

Saxton™
Handle Kit



SGL-GLOC	Polished Chrome	1	\$29.00
SGL-GLOK	Brushed Nickel	1	\$41.00
SGL-GLOY	Tuscan Bronze	1	\$53.00

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 1 Handle
 - For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Santiago®
Single Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT42-STOC	Polished Chrome	3	\$152.80
GT42-STOK	Brushed Nickel	3	\$185.84
GT42-STOY	Tuscan Bronze	3	\$220.33

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 7 7/8" Spout Height
• 3 3/4" Deck to Aerator
• 4 3/4" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Santiago®
Two Handle Centerset
Lavatory Faucet



GT48-STOC	Polished Chrome	3	\$133.48
GT48-STOK	Brushed Nickel	3	\$184.06
GT48-STOY	Tuscan Bronze	3	\$222.72

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 5/8" Spout Height
• 3 3/4" Deck to Aerator
• 4 5/8" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Santiago®
Two Handle Widespread
Lavatory Faucet



GT49-STOC	Polished Chrome	3	\$233.63
GT49-STOK	Brushed Nickel	3	\$295.95
GT49-STOY	Tuscan Bronze	3	\$333.78

- Holes:** • 3-Hole 8-15" Installation
- Dims:** • 5 7/16" Spout Height
• 3 1/2" Deck to Aerator
• 4 3/4" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• Order 971-0260 to Increase Max. Install Depth to 3"
• All Metal Pop-Up
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Santiago®
OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8STC	Polished Chrome	3	\$98.80
R89-8STK	Brushed Nickel	3	\$158.44
R89-8STY	Tuscan Bronze	3	\$191.73

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - 3-Function Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Santiago®
OX8 Series Shower Trim



R89-7STC	Polished Chrome	3	\$74.88
R89-7STK	Brushed Nickel	3	\$120.07
R89-7STY	Tuscan Bronze	3	\$145.29

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - 3-Function Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-5OXC	Polished Chrome	3	\$86.05
R89-5OXC	Brushed Nickel	3	\$108.24
R89-5OXY	Tuscan Bronze	3	\$145.49

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OT8 Series Valve Trim



Model	Finish	Case Qty	List Price
R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

Technical Info

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal Shower Body Jet



Model	Finish	Case Qty	List Price
O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

Technical Info

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Santiago® Roman Tub Trim



RT6-5STC	Polished Chrome	3	\$207.95
RT6-5STK	Brushed Nickel	3	\$312.26
RT6-5STY	Tuscan Bronze	3	\$377.86

- Holes:**
- 3-Hole

- Dims:**
- 8 3/4" Spout Height
 - 6 9/16" Deck to Aerator
 - 7 3/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Lever Handle(s)
 - High Arc Fixed Spout
 - Must Order OX6-05OR or OX6-15OR Rough In Valve Separately

Universal Roman Tub Valve Rough



OX6-05OR		1	\$122.49
JX6-05OR		12	\$110.23

- Holes:**
- 3-Hole 10" Installation

- Dims:**
- 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Adjustable Roman Tub
Valve Rough



Model	Finish	Case Qty	List Price
OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Technical Info

Holes: • 3-Hole Adjustable Installation

Dims: • 2 3/4"

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

Holes: • 4-hole 6-10" Installation

Dims: • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness

Features:

- Ceramic Disc Valve(s)
- Metal Pop-Up
- Integrated Back Flow Prevention
- Handles Sold Separately (HHL Kit)

Santiago®
Handle Kit



HHL-STOC	Polished Chrome	1	\$26.00
HHL-STOK	Brushed Nickel	1	\$33.28
HHL-STOY	Tuscan Bronze	1	\$39.52

Features:

- Metal Lever Handle(s)
- Kit Includes 2 Handles
- For Lavatory and Roman Tub Applications

Santiago®
Handle Kit



SGL-STOC	Polished Chrome	1	\$19.76
SGL-STOK	Brushed Nickel	1	\$22.88
SGL-STOY	Tuscan Bronze	1	\$23.92

Features:

- Metal Lever Handle(s)
- Kit Includes 1 Handle
- For Tub and Shower Applications




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Treviso®
Two Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT48-DC00	Polished Chrome	3	\$131.48
GT48-DK00	Brushed Nickel	3	\$210.07

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 9/16" Spout Height
• 3 3/4" Deck to Aerator
• 4 5/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Treviso®
Two Handle Widespread
Lavatory Faucet



GT49-DC00	Polished Chrome	3	\$233.75
GT49-DK00	Brushed Nickel	3	\$282.45

- Holes:** • 3-Hole 8" Installation
- Dims:** • 5 9/16" Spout Height
• 3 3/4" Deck to Aerator
• 4 5/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi

Treviso®
OX8 Series Tub & Shower Trim



R89-8DC0	Polished Chrome	3	\$80.52
R89-8DK0	Brushed Nickel	3	\$172.64

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Self Cleaning Bell Showerhead
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Treviso®
OX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7DCO	Polished Chrome	3	\$63.83
R89-7DKO	Brushed Nickel	3	\$152.59

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Self Cleaning Bell Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

Technical Info

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Valve Trim Only



Model	Finish	Case Qty	List Price
R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub
& Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
3/4" Thermostatic Volume
Control Rough Valve



Model	Finish	Case Qty	List Price
O14-300A		10	\$92.00

Technical Info

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlet and Outlet
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control
Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter
Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Non-Diverting Tub Spout



Model	Finish	Case Qty	List Price
O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00

Technical Info

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Treviso®
Roman Tub Trim



RT6-5DXC	Polished Chrome	3	\$174.72
RT6-5DXK	Brushed Nickel	3	\$253.76

- Holes:**
- 3-Hole
- Dims:**
- 9 5/16" Spout Height
 - 6 1/2" Deck to Aerator
 - 8 1/2" Spout Reach
- Features:**
- Ceramic Disc Valve(s)
 - Handles Sold Separately (HHL Kit)
 - High Arc Fixed Spout
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal
Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation
- Dims:**
- 2 3/4" Max Deck Thickness
- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

- Holes:**
- 3-Hole Adjustable Installation
- Dims:**
- 2 3/4" Max Deck Thickness
- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - Adjustable Installation
 - Thin and Thick Deck Mounting Hardware
 - Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
 - Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
 - 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00

- Holes:**
- 4-Hole 6-10" Installation
- Dims:**
- 5 1/4" Spout Height
 - 2 1/8" Max Deck Thickness
- Features:**
- Ceramic Disc Valve(s)
 - Metal Pop-Up
 - Integrated Back Flow Prevention
 - Handles Sold Separately (HHL Kit)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Treviso® Collections

Treviso® Handle Kit



Model	Finish	Case Qty	List Price
HHL-DLBC	Polished Chrome	1	\$38.22
HHL-DKMK	Brushed Nickel	1	\$43.68

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 2 Handles
 - For Lavatory and Roman Tub Applications

Treviso® Handle Kit



SGL-DLBC	Polished Chrome	1	\$34.68
SGL-DKMK	Brushed Nickel	1	\$50.10

- Features:**
- Metal Lever Handle(s)
 - Kit Includes 1 Handle
 - For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Avalon™
Two Handle
Centerset Lavatory



Model	Finish	Case Qty	List Price
GT48-CBOC	Polished Chrome	3	\$122.92
GT48-CBOK	Brushed Nickel	3	\$169.41
GT48-CBOY	Tuscan Bronze	3	\$202.63

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 1/16" Spout Height
• 4" Deck to Aerator
• 4 5/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• 1.5 gpm @ 60 psi

Avalon™
Two Handle
Centerset Lavatory



T48-CBOC	Polished Chrome	3	\$122.92
T48-CBOK	Brushed Nickel	3	\$166.24
T48-CBOY	Tuscan Bronze	3	\$198.85

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 1/16" Spout Height
• 4" Deck to Aerator
• 4 5/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• 2.2 gpm @ 60 psi
• Order 941-786 for 1.5 gpm Aerator Insert

Avalon™
Two Handle Widespread
Lavatory Faucet



GT49-CBOC	Polished Chrome	3	\$201.22
GT49-CBOK	Brushed Nickel	3	\$246.29
GT49-CBOY	Tuscan Bronze	3	\$296.86

- Holes:** • 3-Hole 8" Installation
- Dims:** • 4 7/8" Spout Height
• 3 11/16" Deck to Aerator
• 4 7/8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Avalon™
Two Handle Widespread
Lavatory Faucet



Model	Finish	Case Qty	List Price
T49-CBOC	Polished Chrome	3	\$201.22
T49-CBOK	Brushed Nickel	3	\$241.69
T49-CBOY	Tuscan Bronze	3	\$291.31

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 4 7/8" Spout Height
• 3 11/16" Deck to Aerator
• 4 7/8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert

Avalon™
OX8 Series Tub & Shower Trim



R89-8CBC	Polished Chrome	3	\$79.11
R89-8CBK	Brushed Nickel	3	\$165.71
R89-8CBY	Tuscan Bronze	3	\$258.71

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 4 1/2" Self Cleaning Raincan Showerhead
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Avalon™
OX8 Series Tub & Shower Trim



R89-7CBC	Polished Chrome	3	\$54.17
R89-7CBK	Brushed Nickel	3	\$155.24
R89-7CBY	Tuscan Bronze	3	\$209.55

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Decorative 4 1/2" Self Cleaning Raincan Showerhead
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

- Features:** • Tub Filler Trim Kit
• 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
• Handles Sold Separately (SGL Kit)
• Fits OX8 and OX9 Valve Bodies
• Must Order OX8 or OX9 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Pressure Balance
Cartridge



Model	Finish	Case Qty	List Price
974-042		1	\$27.00

Technical Info

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower
Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$93.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Thermostatic Cartridge



Model	Finish	Case Qty	List Price
TX8-0001		15	\$113.00

Technical Info

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Three Port Diverter
Rough Valve



Model	Finish	Case Qty	List Price
O16-600A		10	\$139.00

Technical Info

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Avalon™
Roman Tub Trim



RT6-5CBC	Polished Chrome	3	\$172.22
RT6-5CBK	Brushed Nickel	3	\$239.37
RT6-5CBY	Tuscan Bronze	3	\$372.39

- Holes:**
- 3-Hole
- Dims:**
- 7 1/4" Spout Height
 - 5 3/4" Deck to Aerator
 - 7 1/4" Spout Reach
- Features:**
- Ceramic Disc Valve(s)
 - Handles Sold Separately (HHL Kit)
 - High Arc Fixed Spout
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Roman Tub Valve Rough



Model	Finish	Case Qty	List Price
OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

Technical Info

- Holes:** • 3-Hole 10" Installation
Dims: • 2 3/4" Max Deck Thickness

- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• 10" Fixed Valve Body
• Thin and Thick Deck Mounting Hardware
• 1/2" Sweat Inlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

- Holes:** • 3-Hole Adjustable Installation
Dims: • 2 3/4" Max Deck Thickness

- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi
• JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

- Holes:** • 4-Hole 6-10" Installation
Dims: • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness

- Features:** • Ceramic Disc Valve(s)
• Metal Pop-Up
• Integrated Back Flow Prevention
• Handles Sold Separately (HHL Kit)

Avalon™
Handle Kit



HHL-CBLC	Polished Chrome	1	\$30.03
HHL-CBLK	Brushed Nickel	1	\$38.96
HHL-CBLK	Tuscan Bronze	1	\$38.96

- Features:** • Metal Lever Handle(s)
• Kit Includes 2 Handles
• For Lavatory and Roman Tub Applications

Avalon™
Handle Kit



SGL-CBLC	Polished Chrome	1	\$24.57
SGL-CBLK	Brushed Nickel	1	\$33.39
SGL-CBLY	Tuscan Bronze	1	\$42.41

- Features:** • Metal Lever Handle(s)
• Kit Includes 1 Handles
• For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Avalon™ Collections

Avalon™ 24" Towel Bar



Model	Finish	Case Qty	List Price
BTB-CB2C	Polished Chrome	4	\$42.05
BTB-CB2K	Brushed Nickel	4	\$62.55
BTB-CB2Y	Tuscan Bronze	4	\$62.55

Technical Info

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ Towel Hook



BRB-CBOC	Polished Chrome	4	\$29.65
BRB-CBOK	Brushed Nickel	4	\$44.45
BRB-CBOY	Tuscan Bronze	4	\$44.45

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ Paper Holder



BPH-CB1C	Polished Chrome	4	\$31.65
BPH-CB1K	Brushed Nickel	4	\$48.35
BPH-CB1Y	Tuscan Bronze	4	\$48.36

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ Robe Hook



BRH-CBOC	Polished Chrome	4	\$18.90
BRH-CBOK	Brushed Nickel	4	\$26.65
BRH-CBOY	Tuscan Bronze	4	\$26.65

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Serrano™
Single Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT42-SROC	Polished Chrome	3	\$105.00
GT42-SROK	Brushed Nickel	3	\$130.00
GT42-SROY	Tuscan Bronze	3	\$160.00

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 3/4" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Serrano™
Single Handle Centerset
Lavatory Faucet



GT42-SR5C	Polished Chrome	3	\$95.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 3/4" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• 50/50 Pop-Up
• 1.5 gpm @ 60 psi

Serrano™
Single Handle Centerset
Lavatory Faucet



GT42-SRLC	Polished Chrome	3	\$90.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 3/4" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Grid Strainer Sold Separately
• Not Drilled for Pop-Up
• 1.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Serrano™ Collections

Serrano™ Two Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
GT48-SROC	Polished Chrome	3	\$100.00
GT48-SROK	Brushed Nickel	3	\$125.00
GT48-SROY	Tuscan Bronze	3	\$145.00

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4 7/16" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Serrano™ Two Handle Centerset Lavatory Faucet



GT48-SR5C	Polished Chrome	3	\$90.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4 7/16" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• 50/50 Pop-Up
• 1.5 gpm @ 60 psi

Serrano™ Two Handle Centerset Lavatory Faucet



GT48-SRLC	Polished Chrome	3	\$74.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4 7/16" Spout Height
• 3 1/4" Deck to Aerator
• 4 3/16" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Grid Strainer Sold Separately
• Not Drilled for Pop-Up
• 1.5 gpm @ 60 psi

Universal Grid Strainer



T47-9GSC	Polished Chrome	1	\$41.00
T47-9GSK	Brushed Nickel	1	\$47.00
T47-9GSY	Tuscan Bronze	1	\$53.00

- Features:** • All Metal Grid Strainer
• Overflow
• 1 1/4" Tailpiece

Universal Grid Strainer



T47-7GLC	Polished Chrome	1	\$41.00
T47-7GLK	Brushed Nickel	1	\$47.00
T47-7GLY	Tuscan Bronze	1	\$53.00

- Features:** • All Metal Grid Strainer
• No Overflow
• 1 1/4" Tailpiece



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Serrano™
Two Handle Widespread
Lavatory Faucet




Model	Finish	Case Qty	List Price
GT49-SROC	Polished Chrome	3	\$170.17
GT49-SROK	Brushed Nickel	3	\$204.18
GT49-SROY	Tuscan Bronze	3	\$239.16

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 6 7/32" Spout Height
• 4 7/16" Deck to Aerator
• 4 5/8" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• High Arc Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 1.5 gpm @ 60 psi

Serrano™
OX8 Series Tub & Shower Trim



R89-8SRC	Polished Chrome	3	\$70.00
R89-8SRK	Brushed nickel	3	\$140.00
R89-8SRY	Tuscan Bronze	3	\$160.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Self Cleaning Bell Showerhead
• 5" Quick Connect Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Serrano™
OX8 Series Shower Trim



R89-7SRC	Polished Chrome	3	\$52.13
R89-7SRK	Brushed nickel	3	\$110.00
R89-7SRY	Tuscan Bronze	3	\$130.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Self Cleaning Bell Showerhead
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately
• Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Serrano™
OX8 Series Valve Only Trim



R89-1SRC	Polished Chrome	3	\$35.00
R89-1SRK	Brushed nickel	3	\$70.00
R89-1SRY	Tuscan Bronze	3	\$90.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Quick Trim Wall Flange
• Showerhead and Tub Spout Sold Separately
• Must Order OX8 Rough In Valve Separately

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

- Features:** • Tub Filler Trim Kit
• 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
• Handles Sold Separately (SGL Kit)
• Fits OX8 and OX9 Valve Bodies
• Must Order OX8 or OX9 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Pressure Balance
Cartridge



Model	Finish	Case Qty	List Price
974-042		1	\$27.00

Technical Info

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

Technical Info

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Three Port Diverter
Rough Valve



Model	Finish	Case Qty	List Price
O16-600A		10	\$139.00

Technical Info

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-THIC	Polished Chrome	4	\$116.00
O15-THIK	Brushed Nickel	4	\$173.00
O15-THIY	Tuscan Bronze	4	\$196.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal
Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Serrano™
Roman Tub Trim



RT6-5SRC	Polished Chrome	3	\$170.00
RT6-5SRK	Brushed nickel	3	\$208.21
RT6-5SRY	Tuscan Bronze	3	\$242.77

- Holes:**
- 3-Hole

- Dims:**
- 9 7/16" Spout Height
 - 6 11/16" Deck to Aerator
 - 6 3/4" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Lever Handle(s)
 - High Arc Fixed Spout
 - Must Order OX6-O50R or OX6-150R Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Roman Tub Valve Rough



Model	Finish	Case Qty	List Price
OX6-05OR		1	\$122.49
JX6-05OR		12	\$110.23

Technical Info

Holes: • 3-Hole 10" Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- 10" Fixed Valve Body
- Thin and Thick Deck Mounting Hardware
- 1/2" Sweat Inlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub
Valve Rough



OX6-15OR		1	\$109.45
JX6-15OR		12	\$98.50

Holes: • 3-Hole 10" Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4"; Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4"; Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Bidet



O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

Holes: • 4-Hole 6-10" Installation

Dims: • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness

Features:

- Ceramic Disc Valve(s)
- Metal Pop-Up
- Integrated Back Flow Prevention
- Handles Sold Separately (HHL Kit)

Serrano™
Handle



940-146A	Polished Chrome	1	\$12.00
940-146J	Brushed Nickel	1	\$15.00
940-146Y	Tuscan Bronze	1	\$17.00

Features:

- Metal Lever Handle(s)
- 1 Handle Per
- For Lavatory and Roman Tub Applications

Serrano™
Handle



940-004A	Polished Chrome	1	\$21.54
940-004J	Brushed Nickel	1	\$36.00
940-004Y	Tuscan Bronze	1	\$38.00

Features:

- Metal Lever Handle(s)
- 1 Handle Per
- For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Portland®
Single Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
T42-PCOO	Polished Chrome	3	\$113.07
T42-PKOO	Brushed Nickel	3	\$147.15
T42-PYOO	Tuscan Bronze	3	\$172.36

*Obsolete Q4 2011

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 5 3/16" Spout Height
• 1 11/16" Deck to Aerator
• 4 3/4" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert

Portland®
Two Handle Centerset
Lavatory Faucet



T48-PCOO	Polished Chrome	3	\$104.81
T48-PKOO	Brushed Nickel	3	\$130.48
T48-PYOO	Tuscan Bronze	3	\$152.83

*Obsolete Q4 2011

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 7/8" Spout Height
• 1 3/4" Deck to Aerator
• 4 1/4" Spout Reach
• 1 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-786 for 1.5 gpm Aerator Insert

Portland®
Two Handle Widespread
Lavatory Faucet



T49-PCOO	Polished Chrome	3	\$182.00
T49-PKOO	Brushed Nickel	3	\$218.00
T49-PYOO	Tuscan Bronze	3	\$256.00

*Obsolete Q4 2011

- Holes:** • 3-Hole 8" Installation
- Dims:** • 2 5/16" Spout Height
• 1 3/8" Deck to Aerator
• 5 11/16" Spout Reach
• 1 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Quick Connect Hose Assembly
• All Metal Pop-Up
• Order 971-0260 to Increase Max. Install Depth to 3"
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Portland®
OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-8PCO	Polished Chrome	3	\$66.77
R89-8PKO	Brushed Nickel	3	\$139.17
R89-8PYO	Tuscan Bronze	3	\$163.01

*Obsolete Q4 2011

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Self Cleaning Bell Showerhead
 - 5" Quick Connect Metal Diverted Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Portland®
OX8 Series Tub & Shower Trim



R89-7PCO	Polished Chrome	3	\$49.65
R89-7PKO	Brushed Nickel	3	\$113.16
R89-7PYO	Tuscan Bronze	3	\$132.54

*Obsolete Q4 2011

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Self Cleaning Bell Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Universal
OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal
OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal

TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal TX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal TX8 Series Valve Trim Only



R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal 3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OT8 Series Valve Trim



Model	Finish	Case Qty	List Price
R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

Technical Info

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)

Universal
3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

- Features:**
- Metal Handle
 - Wall Flange
 - Handle Adjusts Volume Only
 - Must Order Rough In Valve (O14-300A) Separately

Universal
Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal Raincan Showerhead



Model	Finish	Case Qty	List Price
O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

Technical Info

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi

Universal Non-Diverting Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Portland® Roman Tub Trim



RT6-POXC	Polished Chrome	3	\$170.39
RT6-POXK	Brushed Nickel	3	\$208.21
RT6-POXY	Tuscan Bronze	3	\$242.77

* Obsolete Q4 2011

- Holes:**
- 3-Hole

- Dims:**
- 3 7/16" Spout Height
 - 1 7/8" Deck to Aerator
 - 8 1/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Handles Sold Separately (HHL Kit)
 - Fixed Spout
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Universal Roman Tub Valve Rough



OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

- Holes:**
- 3-Hole 10" Installation

- Dims:**
- 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12

Universal Adjustable Roman Tub Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

- Holes:**
- 3-Hole Adjustable Installation

- Dims:**
- 2 3/4" Max Deck Thickness

- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - Adjustable Installation
 - Thin and Thick Deck Mounting Hardware
 - Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
 - Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
 - 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
 - 18 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal Bidet



Model	Finish	Case Qty	List Price
O23-DFXC	Polished Chrome	1	\$446.00
O23-DFXK	Brushed Nickel	1	\$551.00
O23-DFXY	Tuscan Bronze	1	\$630.00

Technical Info

- Holes:** • 3-Hole
- Dims:** • 5 1/4" Spout Height
• 2 1/8" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Pop-Up
• Integrated Back Flow Prevention
• Handles Sold Separately (HHL Kit)

Portland® Handle Kit



HHL-PCOO	Polished Chrome	1	\$22.00
HHL-PKOO	Brushed Nickel	1	\$28.83
HHL-PYOO	Tuscan Bronze	1	\$33.77

* Obsolete Q4 2011

- Features:** • Metal Lever Handle(s)
• Kit Includes 2 Handles
• For Lavatory and Roman Tub Applications

Portland® Handle Kit



SGL-PCOO	Polished Chrome	1	\$25.68
SGL-PKOO	Brushed Nickel	1	\$33.64
SGL-PYOO	Tuscan Bronze	1	\$39.40

* Obsolete Q4 2011

- Features:** • Metal Lever Handle(s)
• Kit Includes 1 Handle
• For Tub and Shower Applications



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Parisa®
Single Handle Lavatory Faucet



Model	Finish	Case Qty	List Price
GT42-AMCC	Polished Chrome	3	\$118.13
GT42-AMCK	Brushed Nickel	3	\$166.59

Technical Info

Holes: • 1 or 3-Hole 4" Installation

Dims: • 4 11/16" Spout Height
• 3 7/16" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Installs with or without Deckplate
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Parisa®
Single Handle Lavatory Faucet



GT42-ANCC	Polished Chrome	3	\$108.35
-----------	-----------------	---	----------

Holes: • 1 or 3-Hole 4" Installation

Dims: • 4 11/16" Spout Height
• 3 7/16" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Installs with or without Deckplate
• Grid Strainer Sold Separately
• 1.5 gpm @ 60 psi

Parisa®
Single Handle Lavatory Faucet



T42-AMFC	Polished Chrome	3	\$118.13
T42-AMFK	Brushed Nickel	3	\$166.59

Holes: • 1 or 3-Hole 4" Installation

Dims: • 4 11/16" Spout Height
• 3 7/16" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness

Features: • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Installs with or without Deckplate
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Parisa®
Single Handle Lavatory Faucet



Model	Finish	Case Qty	List Price
T42-ANFC	Polished Chrome	3	\$132.50

Technical Info

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 4 11/16" Spout Height
• 3 7/16" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Installs with or without Deckplate
• Grid Strainer Sold Separately
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert

Universal
Grid Strainer



T47-9GSC	Polished Chrome	1	\$41.00
----------	-----------------	---	---------

- Features:** • All Metal Grid Strainer
• Overflow
• 1 1/4" Tailpiece

Universal
Grid Strainer



T47-7GLC	Polished Chrome	1	\$41.00
----------	-----------------	---	---------

- Features:** • All Metal Grid Strainer
• No Overflow
• 1 1/4" Tailpiece

Parisa®
OX8 Series Tub & Shower Trim



R89-A85O	Polished Chrome	3	\$74.24
----------	-----------------	---	---------

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" IP Threaded Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately

Parisa®
OX8 Series Tub & Shower Trim



R89-A85Q	Polished Chrome	3	\$67.12
----------	-----------------	---	---------

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" Quick Connect Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Parisa®

OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-A750	Polished Chrome	3	\$51.37

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately

Universal

OX8 Series Tub Trim
- Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
----------	-----------------	---	---------

- Features:**
- Tub Filler Trim Kit
 - 7 1/2" Quick Connect Metal Non-Diverting Tub Spout
 - Handles Sold Separately (SGL Kit)
 - Fits OX8 and OX9 Valve Bodies
 - Must Order OX8 or OX9 Rough In Valve Separately

Universal

OX8 Series Tub
& Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub
& Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower
Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
OX8 Series Tub
& Shower Rough



Model	Finish	Case Qty	List Price
VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

Technical Info

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible
 - 340A= with Screwdriver Stops

Universal
OX8 Series Tub & Shower
Rough PEX Ready



JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- VValve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal
OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Universal
TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - 5" IP Threaded Metal Diverter Tub Spout
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately

Universal
TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Decorative 6" Self Cleaning Raincan Showerhead
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order TX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
TX8 Series Valve Trim Only



Model	Finish	Case Qty	List Price
R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00

Technical Info

- Features:**
- Metal Lever Handle(s)
 - Hot/Cold Indicator
 - Handle Adjusts Volume
 - Dial Adjusts Temperature
 - Quick Trim Wall Flange
 - Must Order TX8 Rough In Valve Separately

Universal
Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00

- Features:**
- Ceramic Disc Valve(s)
 - On/Off Functionality
 - No Separate Diverter Needed
 - 1 Body Spray per Kit
 - 1.6 gpm @ 80 psi

Universal
TX8 Series Tub & Shower Rough



TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Rough In Valve and Cartridge
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - 340A=with Screwdriver Stops

Universal
TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

- Features:**
- Ceramic Disc Valve(s)
 - 1/2" Thermostatic Cartridge Only
 - Purchase VB8 or JV8 Valve Body Only Separately

Universal
3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

- Features:**
- Valve Body Only
 - Accepts 3/4" Thermostatic Cartridge Only
 - Cartridge Ships with R89-9TH* Trim
 - 3/4" Female NPT Inlets and Outlets
 - Test Plug
 - 2" Extension Kit Available - Sold Separately
 - 12 gpm @ 80 psi

Universal
OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00

- Features:**
- Single Function Thermostatic Cartridge
 - Metal Handle
 - Wall Flange
 - Handle Adjusts Temperature Only
 - Must Order OT8-410A Rough In Valve Body Separately
 - Must Order Volume Control Valve (O14-300A) & Trim (R78-9VU*)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
3/4" Thermostatic Volume
Control Rough Valve



Model	Finish	Case Qty	List Price
O14-300A		10	\$92.00

Technical Info

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O14 Series Volume Control
Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00

- Features:**
- On/Off Functionality
 - Allows For Independent Volume Control Per Outlet
 - 3/4" Female NPT Inlets and Outlets
 - Must Order Trim Kit (R78-9VU*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
Three Port Diverter
Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

- Features:**
- 3-Port Diverter Valve, 1 Input 3 Outputs
 - Shared Functionality to Run 2 Items Simultaneously @ 2 adjacent Ports
 - 1/2" Female NPT Outlets, 1/2" Male NPT Inlet
 - Must Order Trim Kit (R79-600*) Separately
 - 2" Extension Kit Available - Sold Separately

Universal
O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00

- Features:**
- Metal Handle
 - Wall Flange
 - Must Order Rough In Valve (O16-600A) Separately

Universal
Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00

- Features:**
- 1 Body Spray per Package
 - 1.6 gpm @ 80 psi

Universal
Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00

- Features:**
- 8 1/4" Raincan Showerhead
 - 8 7/8" Shower Arm
 - Wall Flange
 - 2.5 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Non-Diverting Tub Spout



Model	Finish	Case Qty	List Price
O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00

Technical Info

- Features:**
- 6 1/2" IP Threaded Non Diverting All Metal Tub Spout
 - Wall Flange

Parisa®
Roman Tub Trim



RT6-AMCC	Polished Chrome	1	\$211.00
RT6-AMCK	Brushed Nickel	1	\$296.85

- Holes:**
- 1-Hole

- Dims:**
- 8 1/8" Spout Height
 - 6 3/4" Deck to Aerator
 - 7 1/2" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Lever Handle(s)
 - High Arc Fixed Spout
 - Must Order SX6-O20R Rough In Valve Separately

Universal
Single Control Roman
Tub Rough



SX6-O20R		1	\$63.05
JX6-O20R		6	\$56.75

- Holes:**
- 1-Hole

- Dims:**
- 2 1/2" Max Deck Thickness

- Features:**
- Rough In Valve Body Only
 - Cartridge Ships with Trim
 - Test Caps
 - Not Compatible with Handshower
 - 1/2" Sweat Inlets
 - 13 gpm @ 60 psi
 - JX= Job Pack Quantity Ships in Master Carton of 4



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™



Pfirst Series™

Pfirst Series

Single Handle Pull-Out Kitchen Faucet



Model	Finish	Case Qty	List Price
G133-10CC	Polished Chrome	3	\$124.80
G133-10WW	White	3	\$135.20
G133-10SS	Stainless Steel	3	\$150.80

Technical Info

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8 9/16" Spout Height
• 6 1/4" Deck to Aerator
• 8 13/16" Spout Reach
• 1 3/4" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• 38" Pull-Out Hose
• 2.2 gpm @ 60 psi

Pfirst Series

Single Handle Pull-Out Kitchen Faucet



133-10CC	Polished Chrome	3	\$124.80
133-10WW	White	3	\$135.20
133-10SS	Stainless Steel	3	\$150.80

- Holes:** • 1 or 3-Hole 8" Installation
- Dims:** • 8 9/16" Spout Height
• 6 1/4" Deck to Aerator
• 8 13/16" Spout Reach
• 1 3/4" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• Single Post Mounting Ring and 3-Hole Deckplate
• 38" Pull-Out Hose
• 2.2 gpm @ 60 psi

Pfirst Series

Single Handle Kitchen Faucet



G134-5000	Polished Chrome	3	\$85.00
G134-500S	Stainless Steel	3	\$145.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series

Single Handle Kitchen Faucet with Spray



G134-6000	Polished Chrome	3	\$98.00
G134-600S	Stainless Steel	3	\$155.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• Matching Finish Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Single Handle Kitchen Faucet with Spray



G134-7000	Polished Chrome	3	\$105.00
G134-700S	Stainless Steel	3	\$155.00

- Holes:** • 4-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• Matching Finish Sidespray
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified





= ADA Compliance



Code Compliance:

Pfister products are designed and manufactured in compliance with the following standards and codes:


- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code Compliance:

Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Single Handle Kitchen Faucet



Model	Finish	Case Qty	List Price
G134-1444	Polished Chrome	3	\$52.00
G134-144S	Stainless Steel	3	\$78.00

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Kitchen Faucet



134-1444	Polished Chrome	3	\$52.00
134-144S	Stainless Steel	3	\$78.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Kitchen Faucet with Spray



G134-3444	Polished Chrome	3	\$57.20
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Kitchen Faucet with Spray



134-3444	Polished Chrome	3	\$57.20
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Kitchen Faucet with Spray



G134-4444	Polished Chrome	3	\$57.20
G134-444S	Stainless Steel	3	\$85.28

- Holes:** • 4-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)

CAUTION: When using the compression fittings in this package, with these types of installations, the installer must flare or bead the water supply lines to avoid blow-out conditions. Avoiding such steps in the installation of the unit may result in water damage.

Connect inlet supply lines by assembling brass supply nut (A), friction ring (B) and cone washer (C) onto 3/8\" O.D. straight copper tube. Bead or flare. Wrench tighten.



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series

Single Handle Kitchen Faucet
with Spray



Model	Finish	Case Qty	List Price
134-4444	Polished Chrome	3	\$57.20
134-444S	Stainless Steel	3	\$85.28

Technical Info

- Holes:** • 4-Hole 8" Installation
- Dims:** • 6 1/2" Spout Height
• 4 3/4" Deck to Aerator
• 8 1/8" Spout Reach
• 1 3/8" Maximum Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet



G135-1000	Polished Chrome	3	\$41.60
G135-100S	Stainless Steel	3	\$67.60

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet



135-1000	Polished Chrome	3	\$41.60
135-100S	Stainless Steel	3	\$67.60

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet
with spray



G135-4000	Polished Chrome	3	\$49.92
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet
with spray



135-4000	Polished Chrome	3	\$49.92
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards




= NSF Lead-Free Certified



= ADA Compliance



- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Pfirst Series™

Pfirst Series Two Handle Kitchen Faucet



Model	Finish	Case Qty	List Price
G135-1100	Polished Chrome	3	\$41.60

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Kitchen Faucet



135-1100	Polished Chrome	3	\$41.60
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Kitchen Faucet with spray



G135-4100	Polished Chrome	3	\$49.92
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Kitchen Faucet with spray



135-4100	Polished Chrome	3	\$49.92
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Kitchen Faucet



G135-2000	Polished Chrome	3	\$43.68
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards




= NSF Lead-Free Certified



= ADA Compliance



- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Pfirst Series™

Pfirst Series

Two Handle Kitchen Faucet



Model	Finish	Case Qty	List Price
135-2000	Polished Chrome	3	\$43.68

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet with spray



G135-5000	Polished Chrome	3	\$53.04
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle Kitchen Faucet with spray



135-5000	Polished Chrome	3	\$53.04
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 6 3/16" Spout Height
• 5" Deck to Aerator
• 7 9/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle High Arc Kitchen Faucet



G136-1000	Polished Chrome	3	\$72.80
-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 10 3/4" Spout Height
• 9 11/16" Deck to Aerator
• 7 1/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Porcelain Lever Handle(s)
• High Arc Swivel Spout
• 2.2 gpm @ 60 psi

Pfirst Series

Two Handle High Arc Kitchen Faucet



136-1000	Polished Chrome	3	\$72.80
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 10 3/4" Spout Height
• 9 11/16" Deck to Aerator
• 7 1/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Porcelain Lever Handle(s)
• High Arc Swivel Spout
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Connect inlet supply lines by assembling brass supply nut (A), friction ring (B) and cone washer (C) onto 3/8" O.D. straight copper tube. Bead or flare. Wrench tighten.



Pfirst Series™

Pfirst Series Two Handle High Arc Kitchen Faucet with Spray



Model	Finish	Case Qty	List Price
G136-4000	Polished Chrome	3	\$81.12

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 10 3/4" Spout Height
• 9 11/16" Deck to Aerator
• 7 1/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Porcelain Lever Handle(s)
• High Arc Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle High Arc Kitchen Faucet with Spray



136-4000	Polished Chrome	3	\$81.12
----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 10 3/4" Spout Height
• 9 11/16" Deck to Aerator
• 7 1/16" Spout Reach
• 1" Maximum Deck Thickness
- Features:** • Washerless Cartridge
• Porcelain Lever Handle(s)
• High Arc Swivel Spout
• White Sidespray
• 2.2 gpm @ 60 psi

Pfirst Series Wallmount Kitchen Faucet



G127-1000	Polished Chrome	3	\$72.80
G127-100S	Stainless Steel	3	\$104.00

- Holes:** • 2-Hole 6 3/4" - 9 1/8" Installation
- Dims:** • 2 7/8" Spout Height
• 11/16" Deck to Aerator
• 7 5/8" Spout Reach
- Features:** • Compression Valve(s)
• Metal Blade Handle(s)
• 2.2 gpm @ 60 psi

Pfirst Series Wallmount Kitchen Faucet



127-1000	Polished Chrome	3	\$72.80
127-100S	Stainless Steel	3	\$104.00

- Holes:** • 2-Hole 6 3/4" - 9 1/8" Installation
- Dims:** • 2 7/8" Spout Height
• 11/16" Deck to Aerator
• 7 5/8" Spout Reach
- Features:** • Compression Valve(s)
• Metal Blade Handle(s)
• 2.2 gpm @ 60 psi

Pfirst Series Bar/Ent. Faucet



G171-4000	Polished Chrome	3	\$31.20
-----------	-----------------	---	---------

- Holes:** • 2-Hole 4" Installation
- Dims:** • 7 3/4" Spout Height
• 5 1/16" Deck to Aerator
• 3 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• 2.2 gpm @ 60 psi

Pfirst Series Bar/Ent. Faucet



171-4000	Polished Chrome	3	\$31.20
----------	-----------------	---	---------

- Holes:** • 2-Hole 4" Installation
- Dims:** • 7 3/4" Spout Height
• 5 1/16" Deck to Aerator
• 3 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified





= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Utility/Laundry Faucet



Model	Finish	Case Qty	List Price
171-1000	Polished Chrome	3	\$41.60

Technical Info

- Holes:** • 2-Hole 4" Installation
- Dims:** • 4 1/2" Spout Height
• 2 5/16" Deck to Aerator
• 5 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• 2.2 gpm @ 60 psi

Pfirst Series Utility/Laundry Faucet



171-2000	Polished Chrome	3	\$46.80
----------	-----------------	---	---------

- Holes:** • 2-Hole 4" Installation
- Dims:** • 4 1/2" Spout Height
• 2 5/16" Deck to Aerator
• 5 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• 3/4" Hose End
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Centerset Lavatory Faucet



G142-8000	Polished Chrome	3	\$84.00
G142-800K	Brushed Nickel	3	\$105.00
G142-800Y	Tuscan Bronze	3	\$135.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4" Spout Height
• 2 7/32" Deck to Aerator
• 4 7/16" Spout Reach
• 1 3/4" Max Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Single Handle Centerset Lavatory Faucet



G142-7000	Polished Chrome	3	\$72.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4" Spout Height
• 2 7/32" Deck to Aerator
• 4 7/16" Spout Reach
• 1 3/4" Max Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• 50/50 Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Single Handle Centerset Lavatory Faucet



G142-6000	Polished Chrome	3	\$53.04
G142-600K	Brushed Nickel	3	\$83.20

- Holes:** • 3-Hole 4" Installation
- Dims:** • 4" Spout Height
• 1 11/16" Deck to Aerator
• 4 11/16" Spout Reach
• 1 1/4" Max Deck Thickness
- Features:** • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified




= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Single Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
142-6000	Polished Chrome	3	\$53.04
142-600K	Brushed Nickel	3	\$83.20

Technical Info

Holes: • 3-Hole 4" Installation

Dims: • 4" Spout Height
• 1 11/16" Deck to Aerator
• 4 11/16" Spout Reach
• 1 1/4" Max Deck Thickness

Features: • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 2.2 gpm @ 60 psi

Pfirst Series Single Handle Centerset Lavatory Faucet



G142-5000	Polished Chrome	3	\$41.60
-----------	-----------------	---	---------

Holes: • 3-Hole 4" Installation

Dims: • 4" Spout Height
• 1 11/16" Deck to Aerator
• 4 11/16" Spout Reach
• 1 1/4" Max Deck Thickness

Features: • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 1.5 gpm @ 60 psi

Pfirst Series Single Handle Centerset Lavatory Faucet



142-5000	Polished Chrome	3	\$41.60
----------	-----------------	---	---------

Holes: • 3-Hole 4" Installation

Dims: • 4" Spout Height
• 1 11/16" Deck to Aerator
• 4 11/16" Spout Reach
• 1 1/4" Max Deck Thickness

Features: • Stainless Steel Ball Valve(s)
• Metal Lever Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G143-6000	Polished Chrome	3	\$44.72
-----------	-----------------	---	---------

Holes: • 3-Hole 4" Installation

Dims: • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness

Features: • Washerless Cartridge
• Metal Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-6000	Polished Chrome	3	\$44.72
----------	-----------------	---	---------

Holes: • 3-Hole 4" Installation

Dims: • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness

Features: • Washerless Cartridge
• Metal Handle(s)
• All Metal Pop-Up
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified




= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Two Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
G143-5000	Polished Chrome	3	\$33.28

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-5000	Polished Chrome	3	\$33.28
----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Metal Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G143-6002	Polished Chrome	3	\$ 44.72
-----------	-----------------	---	----------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-6002	Polished Chrome	3	\$44.72
----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• All Metal Pop-Up
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G143-5002	Polished Chrome	3	\$33.28
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 1.5 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified




= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Two Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
143-5002	Polished Chrome	3	\$33.28

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Acrylic Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G143-6005	Polished Chrome	3	\$46.80
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-6005	Polished Chrome	3	\$46.80
----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 2 15/16" Spout Height
• 1 7/16" Deck to Aerator
• 3 3/4" Spout Reach
• 1" Max Deck Thickness
- Features:** • Washerless Cartridge
• Small Metal Blade Handle(s)
• All Metal Pop-Up
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G143-6100	Polished Chrome	3	\$72.80
G143-610K	Polished Chrome	3	\$88.40
G143-610Y	Polished Chrome	3	\$120.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 3/16" Spout Height
• 1 7/8" Deck to Aerator
• 4 5/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-6100	Polished Chrome	3	\$72.80
143-610K	Brushed Nickel	3	\$88.40

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 3/16" Spout Height
• 1 7/8" Deck to Aerator
• 4 5/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 2.2 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified




= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Two Handle Centerset Lavatory Faucet



Model	Finish	Case Qty	List Price
G143-5100	Polished Chrome	3	\$61.36

Technical Info

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 3/16" Spout Height
• 1 7/8" Deck to Aerator
• 4 5/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



143-5100	Polished Chrome	3	\$61.36
----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 3/16" Spout Height
• 1 7/8" Deck to Aerator
• 4 5/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Less Drain Assembly
• Cap for Pop-Up Rod Hole
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G148-6000	Polished Chrome	3	\$86.00
G148-600K	Brushed Nickel	3	\$107.00

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 1/16" Spout Height
• 1 3/32" Deck to Aerator
• 4 11/32" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Centerset Lavatory Faucet



G148-5000	Polished Chrome	3	\$75.00
-----------	-----------------	---	---------

- Holes:** • 3-Hole 4" Installation
- Dims:** • 3 1/16" Spout Height
• 1 3/32" Deck to Aerator
• 4 11/32" Spout Reach
• 2" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• 50/50 Pop-Up
• 1.5 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance




Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)

Models:

- G148-5000
- G148-6000



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Two Handle Widespread Lavatory Faucet

	Model	Finish	Case Qty	List Price
  	G149-6000	Polished Chrome	3	\$98.80

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 3 11/16" Spout Height
• 2 1/4" Deck to Aerator
• 4 15/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Widespread Lavatory Faucet

	149-6000	Polished Chrome	3	\$98.80
---	----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 3 11/16" Spout Height
• 2 1/4" Deck to Aerator
• 4 15/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Widespread Lavatory Faucet

  	G149-6002	Polished Chrome	3	\$98.80
---	-----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 3 11/16" Spout Height
• 2 1/4" Deck to Aerator
• 4 15/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Acrylic Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 1.5 gpm @ 60 psi

Pfirst Series Two Handle Widespread Lavatory Faucet

	149-6002	Polished Chrome	3	\$98.80
---	----------	-----------------	---	---------

- Holes:** • 3-Hole 8" Installation
- Dims:** • 3 11/16" Spout Height
• 2 1/4" Deck to Aerator
• 4 15/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Acrylic Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 2.2 gpm @ 60 psi

Pfirst Series Two Handle Widespread Lavatory Faucet

   	G149-6100	Polished Chrome	3	\$130.00
	G149-610K	Brushed Nickel	3	\$166.40
	G149-610Y	Tuscan Bronze	3	\$205.00

- Holes:** • 3-Hole 8" Installation
- Dims:** • 4 7/16" Spout Height
• 3 3/8" Deck to Aerator
• 4 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 1.5 gpm @ 60 psi




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified




= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:


- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series™

Pfirst Series Two Handle Widespread Lavatory Faucet



Model	Finish	Case Qty	List Price
149-6100	Polished Chrome	3	\$130.00
149-610K	Brushed Nickel	3	\$166.40

Technical Info

- Holes:** • 3-Hole 8" Installation
- Dims:** • 4 7/16" Spout Height
• 3 3/8" Deck to Aerator
• 4 9/16" Spout Reach
• 1" Max Deck Thickness
- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• All Metal Pop-Up
• Quick Connect Hose Assembly
• 2.2 gpm @ 60 psi

Pfirst Series OX8 Series Tub & Shower Trim



R89-O300	Polished Chrome	3	\$38.48
R89-O30K	Brushed Nickel	3	\$78.00
R89-O30Y	Tuscan Bronze	3	\$125.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" Quick Connect Metal Diverted Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately

Pfirst Series OX8 Series Shower Trim



R89-O200	Polished Chrome	3	\$31.20
R89-O20K	Brushed Nickel	3	\$67.60
R89-O20Y	Tuscan Bronze	3	\$125.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately

Pfirst Series OX8 Series Tub Trim



R89-O100	Polished Chrome	3	\$31.20
R89-O10K	Brushed Nickel	3	\$67.60
R89-O10Y	Tuscan Bronze	3	\$100.00

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" Quick Connect Metal Non-Diverting Tub Spout
• Quick Trim Wall Flange
• Must Order OX8 Rough In Valve Separately

Pfirst Series OX8 Series Tub & Shower Trim



R89-O350	Polished Chrome	3	\$38.48
----------	-----------------	---	---------

- Features:** • Round Acrylic Handle(s)
• Hot/Cold Indicator
• 5" Quick Connect Metal Diverter Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)

CAUTION: When using the compression fittings in this package, with these types of installations, the installer must flare or bead the water supply lines to avoid blow-out conditions. Avoiding such steps in the installation of the unit may result in water damage.

Connect inlet supply lines by assembling brass supply nut (A), friction ring (B) and cone washer (C) onto 3/8" O.D. straight copper tube. Bead or flare. Wrench tighten.



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfirst Series

OX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-0250	Polished Chrome	3	\$31.20

Technical Info

- Features:**
- Round Acrylic Handle(s)
 - Hot/Cold Indicator
 - Quick Trim Wall Flange
 - 2.5 gpm Showerhead
 - Must Order OX8 Rough In Valve Separately

Pfirst Series

Diverting Tub Spout



115-250A	Polished Chrome	1	\$7.00
115-250K	Brushed Nickel	1	\$10.00

- Features:**
- 5" Quick Connect Metal Diverter Tub Spout

Universal

OX8 Series Tub & Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
 - Back-to-Back Compatible
 - JX= Job Pack Quantity Ships in Master Carton of 12
 - 340A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 140A= with Screwdriver Stops

Universal

OX8 Series Tub & Shower Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

- Features:**
- Rough In Valve and Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Series Tub & Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - Test Plug
 - Back-to-Back Compatible when Using 974-042 Cartridge
 - 340A= with Screwdriver Stops




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)

CAUTION:
When using the compression fittings in this package, with these types of installations, the installer must flare or bead the water supply lines to avoid blow-out conditions. Avoiding such steps in the installation of the unit may result in water damage.

Connect inlet supply lines by assembling brass supply nut (A), friction ring (B) and cone washer (C) onto 3/8\" O.D. straight copper tube. Bead or flare. Wrench tighten.



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal

OX8 Series Tub & Shower
Rough PEX Ready



Model	Finish	Case Qty	List Price
JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Technical Info

- Features:**
- Valve Body Only
 - Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
 - 1/2" PEX Inlets and Universal Male Threaded Outlets
 - Test Plug
 - Back-to-Back Compatible
 - Job Pack Quantity Ships in Master Carton of 12
 - 340P= with Screwdriver Stops

Universal

OX8 Pressure Balance
Cartridge



974-042		1	\$27.00
---------	--	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Pfirst Series

Roman Tub Trim



1T6-4100	Polished Chrome	3	\$70.72
1T6-410K	Brushed Nickel	3	\$114.40

Holes: • 3-Hole

Dims: • 4 7/16" Spout Height
• 2 7/8" Deck to Aerator
• 7 5/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Handle(s)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Pfirst Series

Roman Tub Trim



1T6-4105	Polished Chrome	3	\$70.72
----------	-----------------	---	---------

Holes: • 3-Hole

Dims: • 4 7/16" Spout Height
• 2 7/8" Deck to Aerator
• 7 5/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Acrylic Handle(s)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately

Pfirst Series

Roman Tub Trim



1T6-5100	Polished Chrome	3	\$104.00
1T6-510K	Brushed Nickel	3	\$142.48
1T6-510Y	Tuscan Bronze	3	\$172.40

Holes: • 3-Hole

Dims: • 4 7/16" Spout Height
• 2 7/8" Deck to Aerator
• 7 5/16" Spout Reach

- Features:**
- Ceramic Disc Valve(s)
 - Metal Handle(s)
 - Must Order OX6-050R or OX6-150R Rough In Valve Separately




= Meets EPA WaterSense Standards



= NSF Lead-Free Certified





= ADA Compliance



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



Code

Compliance: Pfister products are designed and manufactured in compliance with the following standards and codes:

- IAPMO certified
- CSA B125 certified
- ASME A112.18.1
- ANSI A117.1 (Lever handles only)



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Universal
Roman Tub Valve Rough



Model	Finish	Case Qty	List Price
OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

Technical Info

Holes: • 3-Hole 10" Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- 10" Fixed Valve Body
- Thin and Thick Deck Mounting Hardware
- 1/2" Sweat Inlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12

Universal
Adjustable Roman Tub Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Holes: • 3-Hole Adjustable Installation

Dims: • 2 3/4" Max Deck Thickness

Features:

- Rough In Valve Body & Cartridge
- Ceramic Disc Valve(s)
- Adjustable Installation
- Thin and Thick Deck Mounting Hardware
- Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4"; Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
- Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4"; Increases Max. Deck Thickness to 4 1/2"
- 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
- 18 gpm @ 60 psi
- JX= Job Pack Quantity Ships in Master Carton of 12



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

BATH REFERENCE GUIDE



Bath Reference

Vessel

Kenzo™ Single Handle Vessel Faucet



Model	Finish	Case Qty	List Price
GT40-DFOC	Polished Chrome	3	\$309.00
GT40-DFOK	Brushed Nickel	3	\$410.00
T40-DFOC	Polished Chrome	3	\$300.00
T40-DFOK	Brushed Nickel	3	\$399.00

* T-SKUS also WaterSense Certified

Contempra® Single Handle Vessel Faucet



Model	Finish	Case Qty	List Price
GT40-NCOO	Polished Chrome	3	\$297.00
GT40-NKOO	Brushed Nickel	3	\$396.00

Ashfield® Single Handle Vessel Faucet



GT40-YPOC	Polished Chrome	3	\$322.00
GT40-YPOK	Brushed Nickel	3	\$354.00
GT40-YPOY	Tuscan Bronze	3	\$379.00
GT40-YPOU	Rustic Bronze	3	\$405.00
T40-YPOC	Polished Chrome	3	\$313.00
T40-YPOK	Brushed Nickel	3	\$344.00
T40-YPOY	Tuscan Bronze	3	\$369.00
T40-YPOU	Rustic Bronze	3	\$394.00

* T-SKUS also WaterSense Certified

Single Handle Lavatory

Kenzo™ Single Handle Lavatory Faucet



GT42-DFOC	Polished Chrome	3	\$256.00
GT42-DFOK	Brushed Nickel	3	\$357.00
T42-DFOC	Polished Chrome	3	\$249.00
T42-DFOK	Brushed Nickel	3	\$347.00

* T-SKUS also WaterSense Certified

Santiago® Single Handle Lavatory Faucet



GT42-STOC	Polished Chrome	3	\$152.80
GT42-STOK	Brushed Nickel	3	\$185.84
GT42-STOY	Tuscan Bronze	3	\$220.33

Ashfield® Single Handle Lavatory Faucet



GT42-YPOC	Polished Chrome	3	\$235.00
GT42-YPOK	Brushed Nickel	3	\$295.00
GT42-YPOY	Tuscan Bronze	3	\$327.00
GT42-YPOU	Rustic Bronze	3	\$341.00
T42-YPOC	Polished Chrome	3	\$229.00
T42-YPOK	Brushed Nickel	3	\$287.00
T42-YPOY	Tuscan Bronze	3	\$327.00
T42-YPOU	Rustic Bronze	3	\$341.00

* T-SKUS also WaterSense Certified

Serrano™ Single Handle Lavatory Faucet



GT42-SROC	Polished Chrome	3	\$105.00
GT42-SROK	Brushed nickel	3	\$130.00
GT42-SROY	Tuscan Bronze	3	\$160.00
GT42-SR5C	Polished Chrome	3	\$95.00
GT42-SRLC	Polished Chrome	3	\$90.00

Contempra® Single Handle Lavatory Faucet



GT42-NCOO	Polished Chrome	3	\$231.00
GT42-NKOO	Brushed Nickel	3	\$330.00

Portland® Single Handle Lavatory Faucet



T42-PCOO	Polished Chrome	3	\$113.07
T42-PKOO	Brushed Nickel	3	\$147.15
T42-PYOO	Tuscan Bronze	3	\$172.36

*Obsolete Q4 2011

Portola® Single Handle Lavatory Faucet



GT42-RPOC	Polished Chrome	3	\$201.00
GT42-RPOK	Brushed Nickel	3	\$232.00
GT42-RPOY	Tuscan Bronze	3	\$269.00

Parisa® Single Handle Lavatory Faucet



GT42-AMCC	Polished Chrome	3	\$118.13
GT42-AMCK	Brushed Nickel	3	\$166.59
GT42-ANCC	Polished Chrome	3	\$108.35
T42-AMFC	Polished Chrome	3	\$118.13
T42-AMFK	Brushed Nickel	3	\$166.59
T42-ANFC	Polished Chrome	3	\$132.50

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Two Handle Centerset

Ashfield®
Two Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT43-YPOC	Polished Chrome	3	\$237.00
GT43-YPOK	Brushed Nickel	3	\$311.00
GT43-YPOY	Tuscan Bronze	3	\$318.00
GT43-YPOU	Rustic Bronze	3	\$345.00
T43-YPOC	Polished Chrome	3	\$230.00
T43-YPOK	Brushed Nickel	3	\$302.00
T43-YPOY	Tuscan Bronze	3	\$310.00
T43-YPOU	Rustic Bronze	3	\$330.00

Marielle™
Two Handle Centerset/Mini-
Widespread Lavatory Faucet



GT46-MOBC	Polished Chrome	3	\$240.00
GT46-MOBK	Brushed Nickel	3	\$324.00
GT46-MOBY	Tuscan Bronze	3	\$340.00
GT46-MOBU	Rustic Bronze	3	\$353.00
T46-MOBC	Polished Chrome	3	\$233.00
T46-MOBK	Brushed Nickel	3	\$315.00
T46-MOBY	Tuscan Bronze	3	\$331.00
T46-MOBU	Rustic Bronze	3	\$344.00

Catalina™
Two Handle Centerset
Lavatory Faucet



GT48-EOBC	Polished Chrome	3	\$184.87
GT48-EOBK	Brushed Nickel	3	\$265.50
GT48-EOBY	Tuscan Bronze	3	\$277.95

Contempra®
Two Handle Centerset
Lavatory Faucet



GT48-NCOO	Polished Chrome	3	\$185.00
GT48-NKOO	Brushed Nickel	3	\$254.00

Portola®
Two Handle Centerset
Lavatory Faucet



GT48-RPOC	Polished Chrome	3	\$162.00
GT48-RPOK	Brushed Nickel	3	\$271.00
GT48-RPOY	Tuscan Bronze	3	\$295.00

Saxton™
Two Handle Centerset
Lavatory Faucet



GT48-GLOC	Polished Chrome	3	\$150.00
GT48-GLOK	Brushed Nickel	3	\$224.00
GT48-GLOY	Tuscan Bronze	3	\$248.00
T48-GLOC	Polished Chrome	3	\$147.00
T48-GLOK	Brushed Nickel	3	\$219.00
T48-GLOY	Tuscan Bronze	3	\$243.00

* T-SKUS also WaterSense Certified

Santiago®
Two Handle Centerset
Lavatory Faucet



Model	Finish	Case Qty	List Price
GT48-STOC	Polished Chrome	3	\$133.48
GT48-STOK	Brushed Nickel	3	\$184.06
GT48-STOY	Tuscan Bronze	3	\$222.72

Treviso®
Two Handle Centerset
Lavatory Faucet



GT48-DCOO	Polished Chrome	3	\$131.48
GT48-DKOO	Brushed Nickel	3	\$210.07

Avalon™
Two Handle Centerset
Lavatory Faucet



GT48-CBOC	Polished Chrome	3	\$122.92
GT48-CBOK	Brushed Nickel	3	\$169.41
GT48-CBOY	Tuscan Bronze	3	\$202.63
T48-CBOC	Polished Chrome	3	\$122.92
T48-CBOK	Brushed Nickel	3	\$166.24
T48-CBOY	Tuscan Bronze	3	\$198.85

Serrano™
Two Handle Centerset
Lavatory Faucet



GT48-SROC	Polished Chrome	3	\$100.00
GT48-SROK	Brushed Nickel	3	\$125.00
GT48-SROY	Tuscan Bronze	3	\$145.00
GT48-SR5C	Polished Chrome	3	\$90.00
GT48-SRLC	Polished Chrome	3	\$74.00

Portland®
Two Handle Centerset
Lavatory Faucet



T48-PCOO	Polished Chrome	3	\$104.81
T48-PKOO	Brushed Nickel	3	\$130.48
T48-PYOO	Tuscan Bronze	3	\$152.83

*Obsolete Q4 2011

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Wallmount

Kenzo™ Wallmount Lavatory Faucet



Model	Finish	Case Qty	List Price
GT49-DFIC	Polished Chrome	3	\$268.00
GT49-DFIK	Brushed Nickel	3	\$410.00
T49-DFIC	Polished Chrome	3	\$260.00
T49-DFIK	Brushed Nickel	3	\$399.00

* T-SKUS also Water Sense Certified

Kenzo™ Wallmount Valve Rough



Model	Finish	Case Qty	List Price
GOW8-0100		10	\$168.00
OW8-0100		10	\$156.00

Two Handle Widespread

Kenzo™ Two Handle Widespread Lavatory Faucet



GT49-DFOC	Polished Chrome	3	\$357.00
GT49-DFOK	Brushed Nickel	3	\$493.00
T49-DFOC	Polished Chrome	3	\$347.00
T49-DFOK	Brushed Nickel	3	\$480.00

* T-SKUS also Water Sense Certified

Ashfield® Two Handle Widespread Lavatory Faucet



GT49-YPIC	Polished Chrome	3	\$341.00
GT49-YP1K	Brushed Nickel	3	\$405.00
GT49-YP1Y	Tuscan Bronze	3	\$456.00
GT49-YP1U	Rustic Bronze	3	\$483.00
T49-YPIC	Polished Chrome	3	\$338.00
T49-YP1K	Brushed Nickel	3	\$401.00
T49-YP1Y	Tuscan Bronze	3	\$453.00
T49-YP1U	Rustic Bronze	3	\$478.00

* T-SKUS also WaterSense Certified

Ashfield® Two Handle Widespread Lavatory Faucet



GT49-YPOC	Polished Chrome	3	\$334.00
GT49-YPOK	Brushed Nickel	3	\$355.00
GT49-YPOY	Tuscan Bronze	3	\$364.00
GT49-YPOU	Rustic Bronze	3	\$406.00
T49-YPOC	Polished Chrome	3	\$332.00
T49-YPOK	Brushed Nickel	3	\$352.00
T49-YPOY	Tuscan Bronze	3	\$362.00
T49-YPOU	Rustic Bronze	3	\$395.00

Marielle® Two Handle Widespread Lavatory Faucet



GT49-MOBC	Polished Chrome	3	\$329.00
GT49-MOBK	Brushed Nickel	3	\$426.00
GT49-MOBY	Tuscan Bronze	3	\$445.00
GT49-MOBU	Rustic Bronze	3	\$467.00
T49-MOBC	Polished Chrome	3	\$320.00
T49-MOBK	Brushed Nickel	3	\$414.00
T49-MOBY	Tuscan Bronze	3	\$433.00
T49-MOBU	Rustic Bronze	3	\$455.00

Catalina™ Two Handle Widespread Lavatory Faucet



GT49-EOBC	Polished Chrome	3	\$278.14
GT49-EOBK	Brushed Nickel	3	\$309.35
GT49-EOBY	Tuscan Bronze	3	\$318.19

Contempra® Two Handle Widespread Lavatory Faucet



GT49-NC00	Polished Chrome	3	\$283.00
GT49-NK00	Brushed Nickel	3	\$330.00

Portola® Two Handle Widespread Lavatory Faucet



GT49-RPOC	Polished Chrome	3	\$279.00
GT49-RPOK	Brushed Nickel	3	\$327.00
GT49-RPOY	Tuscan Bronze	3	\$343.00

Saxton™ Two Handle Centerset Lavatory Faucet



GT49-GLOC	Polished Chrome	3	\$262.00
GT49-GLOK	Brushed Nickel	3	\$365.00
GT49-GLOY	Tuscan Bronze	3	\$395.00
T49-GLOC	Polished Chrome	3	\$257.00
T49-GLOK	Brushed Nickel	3	\$358.00
T49-GLOY	Tuscan Bronze	3	\$387.00

* T-SKUS also WaterSense Certified

Santiago® Two Handle Widespread Lavatory Faucet



GT49-STOC	Polished Chrome	3	\$233.63
GT49-STOK	Brushed Nickel	3	\$295.95
GT49-STOY	Tuscan Bronze	3	\$333.78

Treviso® Two Handle Widespread Lavatory Faucet



GT49-DC00	Polished Chrome	3	\$233.75
GT49-DK00	Brushed Nickel	3	\$282.45

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Avalon™ Two Handle Widespread Lavatory Faucet



Model	Finish	Case Qty	List Price
GT49-CBOC	Polished Chrome	3	\$201.22
GT49-CBOK	Brushed Nickel	3	\$246.29
GT49-CBOY	Tuscan Bronze	3	\$296.86
T49-CBOC	Polished Chrome	3	\$201.22
T49-CBOK	Brushed Nickel	3	\$241.69
T49-CBOY	Tuscan Bronze	3	\$291.31

Portland® Two Handle Widespread Lavatory Faucet



Model	Finish	Case Qty	List Price
T49-PC00	Polished Chrome	3	\$182.00
T49-PK00	Brushed Nickel	3	\$218.00
T49-PY00	Tuscan Bronze	3	\$256.00

*Obsolete Q4 2011

Serrano™ Two Handle Widespread Lavatory Faucet



GT49-SROC	Polished Chrome	3	\$170.17
GT49-SROK	Brushed Nickel	3	\$204.18
GT49-SROY	Tuscan Bronze	3	\$239.16

Grid Strainers

With Overflow



T47-9GSC	Polished Chrome	1	\$41.00
T47-9GSK	Brushed Nickel	1	\$47.00
T47-9GSY	Tuscan Bronze	1	\$53.00
T47-9GSU	Rustic Bronze	1	\$58.00

Without Overflow



T47-7GLC	Polished Chrome	1	\$41.00
T47-7GLK	Brushed Nickel	1	\$47.00
T47-7GLY	Tuscan Bronze	1	\$53.00
T47-7GLU	Rustic Bronze	1	\$58.00

OX8 1/2" Pressure Balance Trims & Valves

Kenzo™ OX8 Series Tub & Shower Trim



R89-8DFC	Polished Chrome	3	\$272.00
R89-8DFK	Brushed Nickel	3	\$404.00

Kenzo™ OX8 Series Shower Trim




R89-7DFC	Polished Chrome	3	\$203.00
R89-7DFK	Brushed Nickel	3	\$318.00

Kenzo™ OX8 Series Tub Trim




R89-5DFC	Polished Chrome	3	\$203.00
R89-5DFK	Brushed Nickel	3	\$289.00

Ashfield® OX8 Series Tub & Shower Trim



R89-8YPC	Polished Chrome	3	\$190.00
R89-8YPK	Brushed Nickel	3	\$331.00
R89-8YPY	Tuscan Bronze	3	\$413.00
R89-8YPU	Rustic Bronze	3	\$445.00

Ashfield® OX8 Series Shower Trim



R89-7YPC	Polished Chrome	3	\$150.00
R89-7YPK	Brushed Nickel	3	\$232.00
R89-7YPY	Tuscan Bronze	3	\$344.00
R89-7YPU	Rustic Bronze	3	\$419.00

Marielle® OX8 Series Tub & Shower Trim



R89-8MBC	Polished Chrome	3	\$173.00
R89-8MBK	Brushed Nickel	3	\$293.00
R89-8MBY	Tuscan Bronze	3	\$309.00
R89-8MBU	Rustic Bronze	3	\$417.00

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Marielle® OX8 Series Shower Trim

	Model	Finish	Case Qty	List Price
	R89-7MBC	Polished Chrome	3	\$120.00
	R89-7MBK	Brushed Nickel	3	\$255.00
	R89-7MBY	Tuscan Bronze	3	\$266.00
	R89-7MBU	Rustic Bronze	3	\$353.00


Catalina™ OX8 Series Shower Trim

	Model	Finish	Case Qty	List Price
	R89-7EBC	Polished Chrome	3	\$103.44
	R89-7EBK	Brushed Nickel	3	\$191.23
	R89-7EBY	Tuscan Bronze	3	\$203.97

Contempra® OX8 Series Tub & Shower Trim

	R89-8NC1	Polished Chrome	3	\$209.00
	R89-8NK1	Brushed Nickel	3	\$307.00


Portola® OX8 Series Tub & Shower Trim

	R89-8RPC	Polished Chrome	3	\$122.00
	R89-8RPK	Brushed Nickel	3	\$203.00
	R89-8RPY	Tuscan Bronze	3	\$219.00

Contempra® OX8 Series Shower Trim

	R89-7NC1	Polished Chrome	3	\$147.00
	R89-7NK1	Brushed Nickel	3	\$221.00

Portola® OX8 Series Shower Trim

	R89-7RPC	Polished Chrome	3	\$92.00
	R89-7RPK	Brushed Nickel	3	\$173.00
	R89-7RPY	Tuscan Bronze	3	\$191.00

Contempra® OX8 Series Tub & Shower Trim

	R89-8NCO	Polished Chrome	3	\$159.00
	R89-8NKO	Brushed Nickel	3	\$249.00

Saxton™ OX8 Series Tub & Shower Trim

	R89-8GLC	Polished Chrome	3	\$99.00
	R89-8GLK	Brushed Nickel	3	\$196.00
	R89-8GLY	Tuscan Bronze	3	\$214.00


Contempra® OX8 Series Shower Trim

	R89-7NCO	Polished Chrome	3	\$118.00
	R89-7NKO	Brushed Nickel	3	\$193.00

Saxton™ OX8 Series Shower Trim

	R89-7GLC	Polished Chrome	3	\$69.00
	R89-7GLK	Brushed Nickel	3	\$145.00
	R89-7GLY	Tuscan Bronze	3	\$162.00

Catalina™ OX8 Series Tub & Shower Trim

	R89-8EBC	Polished Chrome	3	\$145.58
	R89-8EBK	Brushed Nickel	3	\$242.17
	R89-8EBY	Tuscan Bronze	3	\$250.53

Santiago® OX8 Series Tub & Shower Trim

	R89-8STC	Polished Chrome	3	\$98.90
	R89-8STK	Brushed Nickel	3	\$158.44
	R89-8STY	Tuscan Bronze	3	\$191.73

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Bath Reference

Santiago® OX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7STC	Polished Chrome	3	\$74.88
R89-7STK	Brushed Nickel	3	\$120.07
R89-7STY	Tuscan Bronze	3	\$145.29

Treviso® OX8 Series Tub & Shower Trim



R89-8DCO	Polished Chrome	3	\$80.52
R89-8DKO	Brushed Nickel	3	\$172.64

Treviso® OX8 Series Shower Trim



R89-7DCO	Polished Chrome	3	\$63.83
R89-7DKO	Brushed Nickel	3	\$152.59

Avalon™ OX8 Series Tub & Shower Trim



R89-8CBC	Polished Chrome	3	\$79.11
R89-8CBK	Brushed Nickel	3	\$165.71
R89-8CBY	Tuscan Bronze	3	\$258.71

Avalon™ OX8 Series Shower Trim



R89-7CBC	Polished Chrome	3	\$54.17
R89-7CBK	Brushed Nickel	3	\$155.24
R89-7CBY	Tuscan Bronze	3	\$209.55

Serrano™ OX8 Series Tub & Shower Trim



R89-8SRC	Polished Chrome	3	\$70.00
R89-8SRK	Brushed nickel	3	\$140.00
R89-8SRY	Tuscan Bronze	3	\$160.00

Serrano™ OX8 Series Shower Trim



Model	Finish	Case Qty	List Price
R89-7SRC	Polished Chrome	3	\$52.13
R89-7SRK	Brushed nickel	3	\$110.00
R89-7SRY	Tuscan Bronze	3	\$130.00

Serrano™ OX8 Series Valve Only Trim



R89-1SRC	Polished Chrome	3	\$35.00
R89-1SRK	Brushed nickel	3	\$70.00
R89-1SRY	Tuscan Bronze	3	\$90.00

Portland® OX8 Series Tub & Shower Trim



R89-8PCO	Polished Chrome	3	\$66.77
R89-8PKO	Brushed Nickel	3	\$139.17
R89-8PYO	Tuscan Bronze	3	\$163.01

*Obsolete Q4 2011

Portland® OX8 Series Shower Trim



R89-7PCO	Polished Chrome	3	\$49.65
R89-7PKO	Brushed Nickel	3	\$113.16
R89-7PYO	Tuscan Bronze	3	\$132.54

*Obsolete Q4 2011

Parisa® OX8 Series Tub & Shower Trim



R89-A85Q	Polished Chrome	3	\$67.12
----------	-----------------	---	---------

Parisa® OX8 Series Tub & Shower Trim



R89-A85O	Polished Chrome	3	\$74.24
----------	-----------------	---	---------

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Parisa®

OX8 Series Tub & Shower Trim



Model	Finish	Case Qty	List Price
R89-A750	Polished Chrome	3	\$51.37

Universal

OX8 Series Tub Trim - Less Handle(s)



R89-50XC	Polished Chrome	3	\$86.05
R89-50XK	Brushed Nickel	3	\$108.24
R89-50XY	Tuscan Bronze	3	\$145.49
R89-50XU	Rustic Bronze	3	\$156.35

OX8 Series Tub & Shower Rough



OX8-310A		1	\$89.01
JX8-310A		12	\$76.35
OX8-340A		1	\$111.01
JX8-340A		12	\$102.00

OX8 Series Tub & Shower Rough



JX8-110A		12	\$76.35
JX8-140A		12	\$91.63

OX8 Series Tub & Shower Rough PEX Ready



JX8-310P		12	\$76.35
JX8-340P		12	\$102.00

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

OX8 Series Tub & Shower Rough PEX Ready



Model	Finish	Case Qty	List Price
JV8-310P		12	\$51.50
JV8-340P		12	\$74.16

This Valve complies with ASTM F1807 and CSA B1375 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

OX8 Series Tub & Shower Rough



VB8-310A		1	\$56.50
VB8-340A		1	\$74.00

OX9 Series Tub & Shower Rough



OX9-010A		1	\$71.93
OX9-110A		1	\$71.93

OX8 Pressure Balance Cartridge



974-042		1	\$27.00
---------	--	---	---------

TX8 1/2" Thermostatic Trim & Valves

TX8 Series Tub & Shower Trim



R89-8TUC	Polished Chrome	3	\$231.00
R89-8TUK	Brushed Nickel	3	\$404.00
R89-8TUY	Tuscan Bronze	3	\$457.00

TX8 Series Shower Trim



R89-7TUC	Polished Chrome	3	\$196.00
R89-7TUK	Brushed Nickel	3	\$376.00
R89-7TUY	Tuscan Bronze	3	\$422.00

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

TX8 Series Valve Trim Only



Model	Finish	Case Qty	List Price
R89-1TUC	Polished Chrome	3	\$173.00
R89-1TUK	Brushed Nickel	3	\$347.00
R89-1TUY	Tuscan Bronze	3	\$393.00

Shower Body Jet



O15-BDOC	Polished Chrome	3	\$110.00
O15-BDOK	Brushed Nickel	3	\$162.00
O15-BDOY	Tuscan Bronze	3	\$185.00

TX8 Series Tub & Shower Rough



Model	Finish	Case Qty	List Price
TX8-310A		4	\$170.00
TX8-340A		4	\$193.00

TX8 Thermostatic Cartridge



TX8-0001		15	\$113.00
----------	--	----	----------

OT8 3/4" Thermostatic Custom Trim & Valves

OT8 Series Valve Trim



R89-9THC	Polished Chrome	1	\$208.00
R89-9THK	Brushed Nickel	1	\$289.00
R89-9THY	Tuscan Bronze	1	\$335.00

O14 Series Volume Control Valve Trim



R78-9VUC	Polished Chrome	1	\$150.00
R78-9VUK	Brushed Nickel	1	\$208.00
R78-9VUY	Tuscan Bronze	1	\$239.00

O16 Series Diverter Trim



R79-600C	Polished Chrome	1	\$231.00
R79-600K	Brushed Nickel	1	\$312.00
R79-600Y	Tuscan Bronze	1	\$381.00

Shower Body Jet



O15-HFOC	Polished Chrome	10	\$104.00
O15-HFOK	Brushed Nickel	10	\$127.00
O15-HFOY	Tuscan Bronze	10	\$147.00

Raincan Showerhead



O15-TH1C	Polished Chrome	4	\$116.00
O15-TH1K	Brushed Nickel	4	\$173.00
O15-TH1Y	Tuscan Bronze	4	\$196.00

Non-Diverging Tub Spout



O15-900C	Polished Chrome	10	\$87.00
O15-900K	Brushed Nickel	10	\$116.00
O15-900Y	Tuscan Bronze	10	\$133.00

3/4" Thermostatic Rough Valve



OT8-410A		10	\$462.00
----------	--	----	----------

3/4" Thermostatic Volume Control Rough Valve



O14-300A		10	\$92.00
----------	--	----	---------

Three Port Diverter Rough Valve



O16-600A		10	\$139.00
----------	--	----	----------

OT8 Series Valve Extension Kit

Image Not Available

900-008A	Polished Chrome	1	\$21.00
900-010J	Brushed Nickel	1	\$27.00
900-009Y	Tuscan Bronze	1	\$33.00

For Use with OT8-410A Valve Bodies Only, Requires 1 Kit per Valve Body

O16 Series Valve Extension Kit

Image Not Available

900-030A	Polished Chrome	1	\$26.50
900-032J	Brushed Nickel	1	\$34.00
900-031Y	Tuscan Bronze	1	\$40.00

For Use with O16-600A Valve Bodies Only, Requires 1 Kit per Valve Body

O14 Series Valve Extension Kit

Image Not Available

900-019A	Polished Chrome	1	\$17.00
900-021J	Brushed Nickel	1	\$21.50
900-020Y	Tuscan Bronze	1	\$27.00

For Use with O14-300A Valve Bodies Only, Requires 1 Kit per Valve Body

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Roman Tub Trim & Valves

Kenzo™ Roman Tub Trim with Handshower



Model	Finish	Case Qty	List Price
RT6-4DFC	Polished Chrome	1	\$491.00
RT6-4DFK	Brushed Nickel	1	\$693.00

Contempra® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5NXC	Polished Chrome	3	\$235.00
RT6-5NXK	Brushed Nickel	3	\$344.00

Kenzo™ Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5DFC	Polished Chrome	3	\$434.00
RT6-5DFK	Brushed Nickel	3	\$549.00

Portola® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5RPC	Polished Chrome	3	\$260.00
RT6-5RPK	Brushed Nickel	3	\$375.00
RT6-5RPY	Tuscan Bronze	3	\$424.00

Ashfield® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-YP5C	Polished Chrome	3	\$289.00
RT6-YP5K	Brushed Nickel	3	\$316.00
RT6-YP5Y	Tuscan Bronze	3	\$346.00
RT6-YP5U	Rustic Bronze	3	\$388.00

Portola® Roman Tub Trim with Handshower



Model	Finish	Case Qty	List Price
RT6-4RPC	Polished Chrome	3	\$399.00
RT6-4RPK	Brushed Nickel	3	\$503.00
RT6-4RPY	Tuscan Bronze	3	\$562.00

Ashfield® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5YPC	Polished Chrome	3	\$482.00
RT6-5YPK	Brushed Nickel	3	\$615.00
RT6-5YPY	Tuscan Bronze	3	\$653.00
RT6-5YPU	Rustic Bronze	3	\$700.00

Saxton™ Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5GLC	Polished Chrome	3	\$243.00
RT6-5GLK	Brushed Nickel	3	\$370.00
RT6-5GLY	Tuscan Bronze	3	\$411.00

Marielle® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5MXC	Polished Chrome	3	\$284.00
RT6-5MXK	Brushed Nickel	3	\$424.00
RT6-5MXY	Tuscan Bronze	3	\$424.00
RT6-5MXU	Rustic Bronze	3	\$424.00

Saxton™ Roman Tub Trim with Handshower



Model	Finish	Case Qty	List Price
RT6-4GLC	Polished Chrome	3	\$387.00
RT6-4GLK	Brushed Nickel	3	\$491.00
RT6-4GLY	Tuscan Bronze	3	\$549.00

Catalina™ Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5EXC	Polished Chrome	3	\$242.08
RT6-5EXK	Brushed Nickel	3	\$335.96
RT6-5EXY	Tuscan Bronze	3	\$337.54

Santiago® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5STC	Polished Chrome	3	\$207.95
RT6-5STK	Brushed Nickel	3	\$312.26
RT6-5STY	Tuscan Bronze	3	\$377.86

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Treviso® Roman Tub Trim



Model	Finish	Case Qty	List Price
RT6-5DXC	Polished Chrome	3	\$174.72
RT6-5DXK	Brushed Nickel	3	\$253.76

Avalon™ Roman Tub Trim



RT6-5CBC	Polished Chrome	3	\$172.22
RT6-5CBK	Brushed Nickel	3	\$239.37
RT6-5CBY	Tuscan Bronze	3	\$372.39

Serrano™ Roman Tub Trim



RT6-5SRC	Polished Chrome	3	\$170.00
RT6-5SRK	Brushed nickel	3	\$208.21
RT6-5SRY	Tuscan Bronze	3	\$242.77

Portland® Roman Tub Trim



RT6-POXC	Polished Chrome	3	\$170.39
RT6-POXK	Brushed Nickel	3	\$208.21
RT6-POXY	Tuscan Bronze	3	\$242.77

Parisa® Roman Tub Trim



RT6-AMCC	Polished Chrome	1	\$211.00
RT6-AMCK	Brushed Nickel	1	\$296.85

Roman Tub Valve Rough



Model	Finish	Case Qty	List Price
OX6-050R		1	\$122.49
JX6-050R		12	\$110.23

Adjustable Roman Tub Valve Rough



OX6-150R		1	\$109.45
JX6-150R		12	\$98.50

Adjustable Roman Tub Valve and Handshower Rough



OX6-440R		1	\$249.26
----------	--	---	----------

Single Control Roman Tub Rough



SX6-020R		1	\$63.05
JX6-020R		6	\$56.75

Roman Tub Handheld Shower Kit



R15-407C	Polished Chrome	1	\$275.55
R15-407K	Brushed Nickel	1	\$349.75
R15-407Y	Tuscan Bronze	1	\$397.45
R15-407U	Rustic Bronze	1	\$423.95

Bidet

Universal Bidet



O23-DFXC	Polished Chrome	3	\$446.00
O23-DFXK	Brushed Nickel	3	\$551.00
O23-DFXY	Tuscan Bronze	3	\$630.00

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Bath Reference

Handle Kits

Kenzo™ Handle Kit



Model	Finish	Case Qty	List Price
HHL-DFXC	Polished Chrome	1	\$81.00
HHL-DFXK	Brushed Nickel	1	\$101.00
SGL-DFXC	Polished Chrome	1	\$46.00
SGL-DFXK	Brushed Nickel	1	\$58.00

Ashfield® Handle Kit



HHL-YPLC	Polished Chrome	1	\$63.00
HHL-YPLK	Brushed Nickel	1	\$76.00
HHL-YPLY	Tuscan Bronze	1	\$92.00
HHL-YPLU	Rustic Bronze	1	\$92.00
SGL-YPLC	Polished Chrome	1	\$40.00
SGL-YPLK	Brushed Nickel	1	\$54.00
SGL-YPLY	Tuscan Bronze	1	\$64.00
SGL-YPLU	Rustic Bronze	1	\$64.00

Marielle® Handle Kit



HHL-MOBC	Polished Chrome	1	\$53.00
HHL-MOBK	Brushed Nickel	1	\$81.00
HHL-MOBY	Tuscan Bronze	1	\$81.00
HHL-MOBU	Rustic Bronze	1	\$91.00
SGL-MOBC	Polished Chrome	1	\$42.00
SGL-MOBK	Brushed Nickel	1	\$62.00
SGL-MOBY	Tuscan Bronze	1	\$62.00
SGL-MOBU	Rustic Bronze	1	\$65.00

Catalina™ Handle Kit



HHL-ELBC	Polished Chrome	1	\$44.80
HHL-ELBK	Brushed Nickel	1	\$68.05
HHL-ELBY	Tuscan Bronze	1	\$68.05
SGL-ELBC	Polished Chrome	1	\$36.02
SGL-ELBK	Brushed Nickel	1	\$52.03
SGL-ELBY	Tuscan Bronze	1	\$52.02

Contempra® Handle Kit



HHL-NCOO	Polished Chrome	1	\$77.00
HHL-NKOO	Brushed Nickel	1	\$105.00
SGL-NCOO	Polished Chrome	1	\$45.00
SGL-NKOO	Brushed Nickel	1	\$58.00

Portola® Handle Kit



HHL-RPOC	Polished Chrome	1	\$18.00
HHL-RPOK	Brushed Nickel	1	\$29.00
HHL-RPOY	Tuscan Bronze	1	\$41.00
SGL-RPOC	Polished Chrome	1	\$18.00
SGL-RPOK	Brushed Nickel	1	\$29.00
SGL-RPOY	Tuscan Bronze	1	\$41.00

Saxton™ Handle Kit



Model	Finish	Case Qty	List Price
940-704A	Polished Chrome	1	\$14.75
940-704J	Brushed Nickel	1	\$20.00
940-704Y	Tuscan Bronze	1	\$20.00
SGL-GLOC	Polished Chrome	1	\$29.00
SGL-GLOK	Brushed Nickel	1	\$41.00
SGL-GLOY	Tuscan Bronze	1	\$53.00

Santiago® Handle Kit



HHL-STOC	Polished Chrome	1	\$19.26
HHL-STOK	Brushed Nickel	1	\$22.88
HHL-STOY	Tuscan Bronze	1	\$23.92
SGL-STOC	Polished Chrome	1	\$19.76
SGL-STOK	Brushed Nickel	1	\$22.88
SGL-STOY	Tuscan Bronze	1	\$23.92

Treviso® Handle Kit



HHL-DLBC	Polished Chrome	1	\$38.22
HHL-DKMK	Brushed Nickel	1	\$43.68
SGL-DLBC	Polished Chrome	1	\$34.68
SGL-DKMK	Brushed Nickel	1	\$50.10

Avalon™ Handle Kit



HHL-CBLC	Polished Chrome	1	\$30.03
HHL-CBLK	Brushed Nickel	1	\$38.96
HHL-CBLK	Tuscan Bronze	1	\$38.96
SGL-CBLC	Polished Chrome	1	\$24.57
SGL-CBLK	Brushed Nickel	1	\$33.39
SGL-CBLY	Tuscan Bronze	1	\$42.41

Serrano™ Handle



940-146A	Polished Chrome	1	\$12.00
940-146J	Brushed Nickel	1	\$15.00
940-146Y	Tuscan Bronze	1	\$17.00
940-004A	Polished Chrome	1	\$21.54
940-004J	Brushed Nickel	1	\$36.00
940-004Y	Tuscan Bronze	1	\$38.00

Portland® Handle Kit




HHL-PCOO	Polished Chrome	1	\$22.00
HHL-PKOO	Brushed Nickel	1	\$28.83
HHL-PYOO	Tuscan Bronze	1	\$33.77
SGL-PCOO	Polished Chrome	1	\$25.68
SGL-PKOO	Brushed Nickel	1	\$33.64
SGL-PYOO	Tuscan Bronze	1	\$39.40

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

MULTI-HANDLE TUB & SHOWER COMPONENTS & SHOWERHEADS



Multi-Handle Tub & Shower

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-111	Polished Chrome	1	\$149.20

Technical Info

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



O1-311	Polished Chrome	1	\$156.29
--------	-----------------	---	----------

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



O1-321	Polished Chrome	1	\$177.72
--------	-----------------	---	----------

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets with By-Pass and Nipple Connection Bodies
• Union Nuts Included
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



O1-341	Polished Chrome	1	\$218.40
--------	-----------------	---	----------

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• With Screwdriver Stops
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Multi-Handle Tub & Shower

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-118	Polished Chrome	1	\$149.20

Technical Info

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Acrylic Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-318	Polished Chrome	1	\$156.29

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Acrylic Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-112	Polished Chrome	1	\$150.60

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Classic Verve Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-312	Polished Chrome	1	\$156.29

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Classic Verve Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-319	Polished Chrome	1	\$156.29

- Holes:** • 3-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Classic Acrylic Windsor Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Multi-Handle Tub & Shower

Three-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O1-81BC	Polished Chrome	1	\$210.00

Technical Info

Holes: • 3-Hole 8" Installation

Features: • Metal Lever Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O1-31XA Valve Separately

Three-Handle Tub & Shower



O1-81PC	Polished Chrome	1	\$210.00
---------	-----------------	---	----------

Holes: • 3-Hole 8" Installation

Features: • Porcelain Lever Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O1-31XA Valve Separately

Three-Handle Tub & Shower



O1-8CBC	Polished Chrome	1	\$226.47
---------	-----------------	---	----------

Holes: • 3-Hole 8" Installation

Features: • Metal Cross Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O1-31XA Valve Separately

Three-Handle Tub & Shower



O1-8CPC	Polished Chrome	1	\$210.00
---------	-----------------	---	----------

Holes: • 3-Hole 8" Installation

Features: • Porcelain Cross Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O1-31XA Valve Separately

Three-Handle Tub & Shower



O1-911	Polished Chrome	1	\$70.50
--------	-----------------	---	---------

Holes: • 3-Hole 8" Installation

Features: • Metal Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O1-31XA Valve Separately

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Multi-Handle Tub & Shower

Three-Handle Tub & Shower Rough



Model	Finish	Case Qty	List Price
O1-31XA		1	\$75.96

Technical Info

Holes: • 3-Hole 8" Installation

Features: • Complete Valve
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included

Three-Handle Tub & Shower



O1-912	Polished Chrome	1	\$70.50
--------	-----------------	---	---------

Holes: • 3-Hole 8" Installation

Features: • Classic Metal Verve Handle(s)
• Flanges, Showerhead and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout
• 2.5 gpm Showerhead
• Does Not Fit "X" Valve Bodies

Two-Handle Tub & Shower



O3-211	Polished Chrome	1	\$146.31
--------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Diverting Tub Spout
• 2.5 gpm Showerhead

Two-Handle Tub & Shower



O3-611	Polished Chrome	1	\$152.86
--------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Metal Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Diverting Tub Spout
• 2.5 gpm Showerhead

Two-Handle Tub & Shower



O3-618	Polished Chrome	3	\$152.86
--------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Acrylic Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Diverting Tub Spout
• 2.5 gpm Showerhead

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Multi-Handle Tub & Shower

Two-Handle Tub & Shower



Model	Finish	Case Qty	List Price
O3-612	Polished Chrome	1	\$49.13

Technical Info

Holes: • 2-Hole 8" Installation

Features: • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Classic Metal Verve Handles, Flanges, Showerhead and Tub Spout
• 5" IP Threaded Diverting Tub Spout
• 2.5 gpm Showerhead

Two-Handle Tub & Shower



O3-81BC	Polished Chrome	1	\$211.03
---------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Metal Lever Handle(s)
• 5" IP Threaded Diverting Tub Spout
• 2.5 gpm Bell Showerhead
• Must Order O3-61XA Valve Separately

Two-Handle Tub & Shower Rough



O3-61XA		1	\$64.63
---------	--	---	---------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included

Two-Handle Tub



O5-311	Polished Chrome	1	\$113.80
--------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Classic Verve Handles, Flanges and Tub Spout
• 5" IP Threaded Non-Diverting Tub Spout

Two-Handle Tub



O5-81BC	Polished Chrome	1	\$183.36
---------	-----------------	---	----------

Holes: • 2-Hole 8" Installation

Features: • Metal Lever Handle(s)
• 5" IP Threaded Non-Diverting Tub Spout
• Must Order O5-31XA Valve Separately

Two-Handle Tub Rough



O5-31XA		1	\$67.13
---------	--	---	---------

Holes: • 2-Hole 8" Installation

Features: • Complete Valve
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Multi-Handle Tub & Shower

Two-Handle Shower



Model	Finish	Case Qty	List Price
O7-111	Polished Chrome	1	\$108.81

Technical Info

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Metal Handles, Flanges and Showerhead
• 2.5 gpm Showerhead

Two-Handle Shower



O7-311	Polished Chrome	1	\$119.36
--------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Metal Handles, Flanges and Showerhead
• 2.5 gpm Showerhead

Two-Handle Shower



O7-118	Polished Chrome	1	\$108.81
--------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Sweat Inlets and Outlets
• Acrylic Handles, Flanges and Showerhead
• 2.5 gpm Showerhead

Two-Handle Shower



O7-318	Polished Chrome	1	\$119.36
--------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Acrylic Handles, Flanges and Showerhead
• 2.5 gpm Showerhead

Two-Handle Shower



O7-312	Polished Chrome	1	\$119.36
--------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve and Trim
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included
• Metal Handles, Flanges and Showerhead
• 2.5 gpm Showerhead

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Multi-Handle Tub & Shower

Two-Handle Shower



Model	Finish	Case Qty	List Price
O7-912	Polished Chrome	3	\$52.08

Technical Info

- Holes:** • 2-Hole 8" Installation
- Features:** • Classic Metal Verve Handle(s)
• Flanges and Showerhead
• 2.5 gpm Showerhead
• Does Not Fit "X" Valve Bodies

Two-Handle Shower Rough



O7-31XA		3	\$61.55
---------	--	---	---------

- Holes:** • 2-Hole 8" Installation
- Features:** • Complete Valve
• 1/2" Union Inlets and 1/2" IP Outlets
• Union Nuts Included

Two-Handle Shower



O7-81BC	Polished Chrome	3	\$172.13
---------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Metal Lever Handle(s)
• 2.5 gpm Bell Showerhead
• Must Order O7-31XA Valve Separately

Two-Handle Shower



O7-8CBC	Polished Chrome	3	\$185.65
---------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Metal Lever Handle(s)
• 2.5 gpm Bell Showerhead
• Must Order O7-31XA Valve Separately

Two-Handle Shower



O7-8CPC	Polished Chrome	3	\$172.13
---------	-----------------	---	----------

- Holes:** • 2-Hole 8" Installation
- Features:** • Porcelain Cross Handle(s)
• 2.5 gpm Bell Showerhead
• Must Order O7-31XA Valve Separately

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Handle Rebuild Kits

2- or 3-Handle Rebuilt Kit Acrylic Windsor® Handles



Model	Finish	Case Qty	List Price
S10-220	Polished Chrome	1	\$68.40
S10-200	Polished Chrome	1	\$55.56

Technical Info

- Features:**
- Acrylic Windsor Handle(s)
 - Compression Stems and Seats
 - S10-220 Kit Includes 3 Handles
 - S10-200 Kit Includes 2 Handles

2- or 3-Handle Rebuilt Kit Metal Verve® Handles



S10-230	Polished Chrome	1	\$65.82
S10-210	Polished Chrome	1	\$53.34

- Features:**
- Metal Verve Handle(s)
 - Compression Stems and Seats
 - S10-230 Kit Includes 3 Handles
 - S10-210 Kit Includes 2 Handles

3-Handle Rebuilt Kit Porcelain Cross Handles



S10-330	Polished Chrome	3	\$84.16
---------	-----------------	---	---------

- Features:**
- Porcelain Cross Handle(s)
 - Compression Stems and Seats
 - Kit Includes 3 Handles

3-Handle Rebuilt Kit Porcelain Lever Handles



S10-320	Polished Chrome	8	\$84.16
---------	-----------------	---	---------

- Features:**
- Porcelain Lever Handle(s)
 - Compression Stems and Seats
 - Kit Includes 3 Handles

2- or 3-Handle Rebuilt Kit Avalon Handles



S10-430K	Brushed Nickel	3	\$120.75
S10-430Y	Tuscan Bronze	3	\$120.75
S10-400K	Brushed Nickel	1	\$94.50
S10-400Y	Tuscan Bronze	1	\$94.50

- Features:**
- Avalon Lever Handle
 - Compression Stems and Seats
 - S10-430K & S10-430Y Kits Include 3 Handles
 - S10-400K & S10-400Y Kits Include 2 Handles
 - Includes Shower Arm & Flange
 - Showerhead & Tub Spout Sold Separately

5" Metal Tub Spout

Not-diverting



920-022A	Polished Chrome	1	\$27.46
920-022J	Brushed Nickel	1	\$35.00
920-022Y	Tuscan Bronze	1	\$40.00

Diverting



920-411A	Polished Chrome	1	\$20.62
920-411J	Brushed Nickel	1	\$27.49
920-411Y	Tuscan Bronze	1	\$28.45



STEP ONE: Remove old trim

STEP TWO: Unscrew valve stems, insert new stems

STEP THREE: Replace with new upgraded trim

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower Components

Handheld Shower Slide Bar Package



Model	Finish	Case Qty	List Price
O16-300C	Polished Chrome	1	\$197.00
O16-300K	Brushed Nickel	1	\$326.00
O16-300Y	Tuscan Bronze	1	\$415.00
O16-300U	Rustic Bronze	1	\$492.00

Technical Info

- Features:**
- Hand Shower, Hose, Slide Bar and Drop Elbow
 - 28" Metal Slide Bar - Not to be Used as a Support or Grab Bar
 - 60" Matching Finish Metal Hose
 - 3-Function Handshower with Dual Check Valves
 - Push Mechanism for Height Adjustment
 - 2.5 gpm Handshower

Handheld Shower Wall Mount Package



O16-200C	Polished Chrome	1	\$135.00
O16-200K	Brushed Nickel	1	\$241.00
O16-200Y	Tuscan Bronze	1	\$280.00
O16-200U	Rustic Bronze	1	\$361.00

- Features:**
- Handheld, Hose, Shower Arm, Wall Flange and Tub Spout
 - 60" Matching Finish Metal Hose
 - 3-Function Handshower with Dual Check Valves
 - 2.5 gpm Handshower

Handheld Shower Single Control Tub & Shower



R89-8HHC	Polished Chrome	1	\$120.32
R89-8HHK	Brushed Nickel	1	\$170.45
R89-8HHY	Tuscan Bronze	1	\$246.14

- Features:**
- Handheld, Hose, Shower Arm, Wall Flange and Tub Spout
 - 60" Matching Finish Metal Hose
 - 3-Function Handshower with Dual Check Valves
 - 5" IP Threaded Metal Diverting Tub Spout
 - 2.5 gpm Handshower
 - Handle(s) Sold Separately (SGL Kit)

Handheld Shower Single Control Shower Only



R89-7HHC	Polished Chrome	1	\$103.79
R89-7HHK	Brushed Nickel	1	\$139.11
R89-7HHY	Tuscan Bronze	1	\$200.94

- Features:**
- Handheld, Hose, Shower Arm, Wall Flange
 - 60" Matching Finish Metal Hose
 - 3-Function Handshower with Dual Check Valves
 - 2.5 gpm Handshower
 - Handle(s) Sold Separately (SGL Kit)

Kenzo™ Handshower Kit



O16-2DFC	Polished Chrome	1	\$203.00
O16-2DFK	Brushed Nickel	1	\$286.00

- Features:**
- Metal Lever Handle(s)
 - Diverter Trim, Wall mount Bracket and Drop Elbow
 - Self Cleaning Handheld Showerhead
 - 60" Metal Hose with Matching Finish
 - Back Flow Prevention
 - Must Order O15-3WDX Rough In Valve Separately

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower Components

Universal Handshower 3-Function



Model	Finish	Case Qty	List Price
O16-190C	Polished Chrome	1	\$46.00
O16-190K	Brushed Nickel	1	\$63.00
O16-190Y	Tuscan Bronze	1	\$83.00
O16-190U	Rustic Bronze	1	\$93.00

- Features:**
- 3-Function Handshower with Dual Check Valves
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray

Avalon Handshower 3-Function



O16-CBOC	Polished Chrome	4	\$79.00
O16-CBOK	Brushed Nickel	4	\$110.00
O16-CBOY	Tuscan Bronze	4	\$128.00

- Features:**
- 3-Function Handshower with Dual Check Valves
 - 72" Mylar Hose and Shower Arm Mount
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray

Sedona Handshower 3-Function



O16-LTOC	Polished Chrome	4	\$90.00
O16-LTOK	Brushed Nickel	4	\$120.00
O16-LTOY	Tuscan Bronze	4	\$140.00

- Features:**
- 3-Function Handshower with Dual Check Valves
 - 72" Mylar Hose and Shower Arm Mount
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray

Dream Handshower 6-Function



O16-DR1C	Polished Chrome	4	\$89.00
O16-DR1K	Brushed Nickel	4	\$120.00
O16-DR1Y	Tuscan Bronze	4	\$140.00

- Features:**
- 6-Function Handshower with Dual Check Valves
 - 72" Mylar Hose and Shower Arm Mount
 - Functions: Penetrating Massage, Rain Spray, Invigorating Spray, Champagne/Raincan Combo Spray, Champagne Spray and Pause

Explore Handshower 6-Function



O16-EX1C	Polished Chrome	4	\$90.00
O16-EX1K	Brushed Nickel	4	\$120.00
O16-EX1Y	Tuscan Bronze	4	\$140.00

- Features:**
- 6-Function Handshower with Dual Check Valves
 - Includes 72" Mylar Hose and Shower Arm Mount
 - Includes back flow prevention system
 - Functions: Penetrating Massage Champagne/Raincan, Combo Spray, Rain Spray, Champagne Spray, Invigorating Spray, Pause

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower

Components

Handheld Showerhead

3-Function



Model	Finish	Case Qty	List Price
O16-400C	Polished Chrome	4	\$95.00
O16-400K	Brushed Nickel	4	\$147.00
O16-400Y	Tuscan Bronze	4	\$239.00

Technical Info

- Features:**
- 3-Function Handshower with Dual Check Valves
 - 60" Metal Hose and Shower Arm Mount
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray

Metal Hose

Handheld Shower Hardware



O16-180C	Polished Chrome	1	\$37.00
O16-180K	Brushed Nickel	1	\$88.00
O16-180Y	Tuscan Bronze	1	\$119.00
O16-180U	Rustic Bronze	1	\$128.00

- Features:**
- 60" Anti-Twist Metal Hose
 - Matching Finish Metal Hose

Drop Elbow

Handheld Shower Hardware



O16-170C	Polished Chrome	1	\$31.00
O16-170K	Brushed Nickel	1	\$48.00
O16-170Y	Tuscan Bronze	1	\$61.00
O16-170U	Rustic Bronze	1	\$68.00

- Features:**
- 1/2" IP Connection
 - Matching Finish

Slide Bar

Handheld Shower Hardware



O16-160C	Polished Chrome	1	\$108.00
O16-160K	Brushed Nickel	1	\$180.00
O16-160Y	Tuscan Bronze	1	\$245.00
O16-160U	Rustic Bronze	1	\$272.00

- Features:**
- 28" Metal Slide Bar - Not to be Used as a Support or Grab Bar
 - Push Button Mechanism Adjusts Showerhead Height
 - Matching Finish

Wall Mount

Handheld Shower Hardware



O16-150C	Polished Chrome	1	\$32.00
O16-150K	Brushed Nickel	1	\$53.00
O16-150Y	Tuscan Bronze	1	\$70.00
O16-150U	Rustic Bronze	1	\$79.00

- Features:**
- Adjustable Wall Mount
 - Matching Finish

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Tub & Shower Components

Shower Arm Mount

Shower Hardware



Model	Finish	Case Qty	List Price
O16-140C	Polished Chrome	1	\$22.00
O16-140K	Brushed Nickel	1	\$32.00
O16-140Y	Tuscan Bronze	1	\$61.00
O16-140U	Rustic Bronze	1	\$71.00

Technical Info

- Features:**
- Shower Arm Mount
 - Matching Finish

Diverter Trim Kit

Shower Hardware



O16-DT1C	Polished Chrome	1	\$66.00
O16-DT1K	Brushed Nickel	1	\$90.00
O16-DT1Y	Tuscan Bronze	1	\$100.00
O16-DT1U	Rustic Bronze	1	\$115.00

- Features:**
- Metal Handle(s)
 - Sleeve and Flange
 - Matching Finish

Diverter Valve

2-Way Diverter Valve, 4 Port



O15-IWDX		1	\$77.85
----------	--	---	---------

- Features:**
- 4-Port, 2-Way Diverter Valve
 - 1/2" IP Female Threaded Inlets and Outlets
 - Does Not Support Shared Functionality
 - Supports Showerhead and/or Handshower

Diverter Valve

3-Way Diverter Valve, 4 Port



O15-3WDX		1	\$126.00
----------	--	---	----------

- Features:**
- 4-Port, 3-Way Diverter Valve
 - 1/2" Male IP Connection
 - Shared Functionality to Run 2 Items Simultaneously
 - Supports Showerhead and/or Handshower
 - For use with all HHL kits except: Ahsfield(HHL:YPL*) Contempra(HHL:NCO*) Marielle(HHL:MOB*)
 - For use with O16-DT1* Diverter Trims

11-13 Series Shower Valves

1/2" Union Inlet



11-411	Polished Chrome	1	\$91.71
--------	-----------------	---	---------

- Holes:** 2-Hole Adjustable Installation
- Features:**
- Complete Loose Body Valve and Trim
 - 1/2" Union Inlet (Corner)
 - Hot & Cold
 - Metal Verve Handles

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower Components

11-13 Series Shower Valves 1/2" Sweat Inlet & Outlet



Model	Finish	Case Qty	List Price
13-011	Polished Chrome	1	\$78.48

Technical Info

Holes: 2-Hole Adjustable Installation

Features:

- Complete Loose Body Valve and Trim
- 1/2" Union Inlet (Corner)
- Hot & Cold
- Metal Verve Handles

11-13 Series Shower Valves 1/2" I.P Inlet & Outlet



13-111	Polished Chrome	1	\$79.75
--------	-----------------	---	---------

Holes: 2-Hole Adjustable Installation

Features:

- Complete Loose Body Valve and Trim
- 1/2" IP Inlet and Outlet (Straight)
- Hot & Cold
- Metal Verve Handles

5" Quick Connect Spout With Diverter



15-150A	Polished Chrome	1	\$23.00
---------	-----------------	---	---------

Features:

- Decorative Metal Tub/Shower Diverter Spout
- Core Knob

5" Quick Connect Spout With Diverter



15-250A	Polished Chrome	1	\$33.00
15-250k	Brushed Nickel	1	\$65.00

Features:

- Decorative Metal Tub/Shower Diverter Spout
- With Decorative Knob, Includes Flange

Shower Elbow For Fiberglass Installation



15-130		1	\$19.00
--------	--	---	---------

Features:

- Fiber-Lok
- 1/2" 2-Way Connection Male IP or Direct Sweat for Fiberglass Installation

Diverter Valve 4-Port



15-38BC	Polished Chrome	1	\$96.00
15-38BK	Brushed Nickel	1	\$202.00

Features:

- Complete Valve and Trim
- Lever Handle, Sleeve and Flange
- 4-Port, 2-Way Diverter
- 1/2" IP Female Threaded Inlets and Outlets
- Does Not Support Shared Functionality
- Supports Showerhead and/or Handshower

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower Components

Chain & Stopper Type Waste & Overflow



Model	Finish	Case Qty	List Price
17-010	Polished Chrome	1	\$72.62

Technical Info

- Features:**
- Chain & Stopper
 - 1 3/8" 22 Gauge

Turnstop Type Waste & Overflow



18-310C	Polished Chrome	3	\$126.00
18-310K	Brushed Nickel	3	\$147.00
18-310Y	Tuscan Bronze	3	\$168.00
18-310U	Rustic Bronze	3	\$168.00

- Features:**
- Turnstop
 - 1/2" 20 Gauge

Trip Lever Type Waste & Overflow



19-020	Polished Chrome	1	\$81.93
--------	-----------------	---	---------

- Features:**
- Trip Lever
 - 1 1/2" 20 Gauge

Trip Lever Type Waste & Overflow



19-110	Polished Chrome	1	\$88.98
--------	-----------------	---	---------

- Features:**
- Trip Lever
 - 1 1/2" 17 Gauge with Brass Nuts

Trip Lever Type Waste & Overflow



19-112	Polished Chrome	1	\$94.93
--------	-----------------	---	---------

- Features:**
- Trip Lever
 - 1 1/2" 17 Gauge with Brass Nuts
 - Cast Iron Tub Applications

Extension Kit For Deep Tubs & Spas



19-170K	Polished Chrome	1	\$20.89
---------	-----------------	---	---------

- Features:**
- Extension kit for 19 Series Waste and Overflow

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Tub & Shower Components

Trip Lever Type Waste & Overflow



Model	Finish	Case Qty	List Price
19-2100	Polished Chrome	1	\$41.98
19-210K	Brushed Nickel	1	\$144.10

Technical Info

- Features:**
- Strainer
 - 1 1/2" 20 Gauge
 - Metal Face Plate
 - Accepts Schedule 40 Solvent Weld Tailpiece

19 Series Extension Kit



19-AKO	N/A		\$18.20
--------	-----	--	---------

- Features:**
- ABS Extension Kit for 19-210* Waste and Overflow

Roman Tub Handheld Shower Kit



R15-407C	Polished Chrome		\$275.55
R15-407K	Brushed Nickel		\$349.75
R15-407Y	Tuscan Bronze		\$397.45
R15-407U	Rustic Bronze		\$423.95

- Features:**
- Complete Valve, Trim and Handshower
 - 1/2" 2-Way Connection: IP or Direct Sweat
 - Flexible Supply Needed for IP Connection

Converts Push-Pull Type To Twist-Turn Type



974-800			\$96.20
---------	--	--	---------

- Features:**
- Converts Push-Pull Diverter to Twist-Turn
 - For Use with 15-38B* Diverter Only

OX6 Extension Kit



974-375			\$34.95
---------	--	--	---------

- Features:**
- 1" Extension Kit for OX6 Ceramic Valve Bodies
 - 1 Kit Per Handle

OX6 Extension Kit Spout Shank



974-015			\$16.60
---------	--	--	---------

- Features:**
- 4 1/2" Max. Depth Spout Shank
 - 1 Shank Per Valve

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Tub & Shower

Components

Available As Parts

	Description	Handle Compatability	Finish	Part No.	List Price
01 Series 1" Ext. Kit	For Three-Handle Mixing Valve Bodies Utilizing Ceramic Disc Valves. Includes Stem Extensions, Sleeve Extensions and Screw Adapters.	For Use with Acrylic Windsor®, Metal Verve®, Round Acrylic, Deco Lever, French Lever and Cross Handles. Requires One Kit per Valve Body.	Unfinished	910-005	\$50.34
	For Two or Three-Handle Mixing Valve Bodies Utilizing Compression Valves. Includes Stem Extensions, Sleeve Extensions and Screw Adapters.	For Use with Acrylic Windsor, Metal Verve, Round Acrylic, Deco Lever, French Lever and Cross Handles. Requires One Kit per Handle.	Unfinished	910-862	\$17.33
		For Use with Classic Windsor and Classic Verve Handles. Requires One Kit per Handle.	Unfinished	910-561	\$13.72
02 Series 1" Ext. Kit	For Two-Handle Pressure Balanced Valve Bodies. Includes Stem Extensions, Sleeve Extensions, Screw Adapter and Nut Adapter.	For Use with All 02 Series Handles. Requires One Kit per Valve Body.	Polished Chrome	910-654A	\$36.80
			Brushed Nickel	910-654K	\$40.04
03, 05 & 07 Series 1" Ext. Kit	For Two-Handle Mixing Valve Bodies Utilizing Ceramic Disc Valves. Includes Stem Extensions, Sleeve Extensions, Screw Adapters.	For Use with Acrylic Windsor, Metal Verve, Round Acrylic, Deco Lever, French Lever and Cross Handles. Requires One Kit per Valve Body.	Unfinished	910-007	\$35.03
	For Two or Three-Handle Mixing Valve Bodies Utilizing Compression Valves. Includes Stem Extensions, Sleeve Extensions and Screw Adapters.	For Use with Acrylic Windsor, Metal Verve, Round Acrylic, Deco Lever, French Lever and Cross Handles. Requires One Kit per Handle.	Unfinished	910-862	\$17.33
	For Two or Three-Handle Mixing Valve Bodies Utilizing Compression Valves. Includes Stem Extensions, Sleeve Extensions and Screw Adapters.	For Use with Classic Windsor and Classic Verve Handles. Requires One Kit per Handle.	Unfinished	910-561	\$13.72
04 Series 1" Ext. Kit	For Three-Handle Pressure Balanced Valve Bodies. Includes Stem Extensions, Sleeve Extensions, Screw Adapter and Nut Adapter.	For Use with All 04 Series Handles. Requires One Kit per Valve Body.	Polished Chrome	910-655A	\$48.59
			Brushed Nickel	910-655K	\$54.34
08 & 09 Series 1" Ext. Kit	For Single Control Valve Bodies, Pressure Balanced and Mixing, Utilizing Quick Trim System.	For Use with Round Acrylic, Loop, Round Crystal, Cross, Deco Lever and Genesis Lever Handles. Requires One Kit per Valve Body.	Polished Chrome	910-563A	\$17.28
			Brushed Nickel	910-563K	\$22.85
			Tuscan Bronze	910-563Y	\$22.75
			Rustic Pewter	910-563E	\$23.75
			Rustic Bronze	910-563U	\$23.25
OT8 Series 2" Ext. Kit	For Single Control 3/4" Thermostatic Valve Bodies	For Use with OT8-410A Valve Bodies Only, Requires 1 Kit per Valve Body	Polished Chrome	910-008A	\$21.00
			Brushed Nickel	910-010J	\$27.00
			Tuscan Bronze	910-009Y	\$33.00
O14 Series 2" Ext. Kit	For Single Control 3/4" Volume Control Valve Bodies	For Use with O14-300A Valve Bodies Only, Requires 1 Kit per Valve Body	Polished Chrome	900-019A	\$17.00
			Brushed Nickel	900-021J	\$21.50
			Tuscan Bronze	910-020Y	\$27.00
O16 Series 2" Ext. Kit	For Single Control 3/4" 3 Port Diverter Valve Bodies	For Use with O16-600A Valve Bodies Only, Requires 1 Kit per Valve Body	Polished Chrome	900-030A	\$26.50
			Brushed Nickel	900-032J	\$34.00
			Tuscan Bronze	900-031Y	\$40.00

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Showerheads

MULTI-FUNCTION SHOWER SPRAY PATTERNS

Penetrating Massage



Rain Spray




Invigorating Spray



Champagne/RainCan
Combo Spray



Champagne Spray



Pause
(Less than 0.5 gpm Flowrate)



Water Saving Showerhead 3/4" Raincan, 1.5 gpm



Model	Finish	Case Qty	List Price
O15-HV1C	Polished Chrome	4	\$81.00
O15-HV1K	Brushed Nickel	4	\$97.00
O15-HV1Y	Tuscan Bronze	4	\$139.00

Technical Info

- Features:**
- High Efficiency 1.5 gpm 6 3/4" Raincan Showerhead
 - 6 3/4" Raincan Showerhead
 - Shower Arm and Flange Sold Separately

Water Saving Showerhead 3/4" Raincan, 2.0 gpm



O15-HVOC	Polished Chrome	4	\$81.00
O15-HVOK	Brushed Nickel	4	\$97.00
O15-HVOY	Tuscan Bronze	4	\$139.00

- Features:**
- High Efficiency 2.0 gpm Showerhead
 - 6 3/4" Raincan Showerhead
 - Shower Arm and Flange Sold Separately

Water Saving Showerhead 6 7/8" Raincan, 1.5 gpm



O15-NC11	Polished Chrome	6	\$76.00
O15-NK11	Brushed Nickel	6	\$87.00

- Features:**
- High Efficiency 1.5 gpm Showerhead
 - 6 7/8" Raincan Showerhead
 - Shower Arm and Flange Sold Separately

Water Saving Showerhead 6 7/8" Raincan, 2.0 gpm



O15-NC10	Polished Chrome	6	\$76.00
O15-NK10	Brushed Nickel	6	\$87.00

- Features:**
- High Efficiency 2.0 gpm Showerhead
 - 6 7/8" Raincan Showerhead
 - Shower Arm and Flange Sold Separately

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

Showerheads

Water Saving Showerhead 1.5 gpm



Model	Finish	Case Qty	List Price
O15-PC01	Polished Chrome	6	\$36.80
O15-PK01	Brushed Nickel	6	\$52.50
O15-PY01	Tuscan Bronze	6	\$57.80

Technical Info

- Features:**
- High Efficiency 1.5 gpm Showerhead
 - Bell Showerhead
 - Shower Arm and Flange Sold Separately

Water Saving Showerhead 2.0 gpm



O15-PC00	Polished Chrome	6	\$36.80
O15-PK00	Brushed Nickel	6	\$52.50
O15-PY00	Tuscan Bronze	6	\$57.80

- Features:**
- High Efficiency 1.5 gpm Showerhead
 - Bell Showerhead
 - Shower Arm and Flange Sold Separately

Water Saving Showerhead 1.5 gpm



O15-LCOC	Polished Chrome	24	\$19.78
----------	-----------------	----	---------

- Features:**
- High Efficiency 1.5 gpm Showerhead
 - Bell Showerhead
 - Variable Air Infused Technology
 - Shower Arm and Flange Sold Separately

Sedona Showerhead 3-Function



O15-LTOC	Polished Chrome	1	\$49.00
O15-LTOK	Brushed Nickel	1	\$69.00
O15-LTOY	Tuscan Bronze	1	\$89.00

- Features:**
- 3-Function Showerhead
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Explore Showerhead 3-Function



O15-EXIC	Polished Chrome	4	\$49.00
O15-EXIK	Brushed Nickel	4	\$69.00
O15-EXIY	Tuscan Bronze	4	\$80.00

- Features:**
- 3-Function Showerhead
 - Variable Air Infused Technology
 - Functions: Penetrating Massage, Rain Spray and Invigorating Spray
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Showerheads

Dream Showerhead 6-Function



Model	Finish	Case Qty	List Price
O15-DR1C	Polished Chrome	3	\$49.00
O15-DR1K	Brushed Nickel	3	\$69.00
O15-DR1Y	Tuscan Bronze	3	\$80.00

Technical Info

- Features:**
- 6-Function Showerhead
 - Shower Arm and Flange Sold Separately
 - Functions: Penetrating Massage, Rain Spray, Invigorating Spray, Champagne/Raincan Combo Spray, Champagne Spray and Pause
 - 2.5 gpm Showerhead
 - Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Bell Showerhead Bell Showerhead



O15-O600	Polished Chrome	1	\$48.00
O15-O6CK	Brushed Nickel	1	\$63.00

- Features:**
- Bell Showerhead
 - Shower Arm and Flange Sold Separately
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Bell Showerhead Showerhead with Shower Arm



O15-O700	Polished Chrome	1	\$59.00
O15-O70K	Brushed Nickel	1	\$111.00

- Features:**
- Bell Showerhead
 - Shower Arm and Flange Sold Separately
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Marielle Showerhead Showerhead



O15-M90C	Polished Chrome	1	\$74.00
O15-M90K	Brushed Nickel	1	\$88.00
O15-M90Y	Tuscan Bronze	1	\$153.00

- Features:**
- Decorative 6 1/16" Self Cleaning Raincan Showerhead
 - Shower Arm and Flange Sold Separately
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

Marielle Raincan Showerhead with Shower Arm



O15-M95C	Polished Chrome	1	\$98.00
O15-M95K	Brushed Nickel	1	\$118.00
O15-M95Y	Tuscan Bronze	1	\$176.00

- Features:**
- Decorative 6 1/16" Self Cleaning Raincan Showerhead
 - Shower Arm and Flange
 - 2.5 gpm Showerhead
 - Order 941-055 for 1.5 gpm Showerhead Insert or 941-046 for 2.0 gpm Showerhead Insert

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

= ADA Compliance

Showerheads

Shower Arm 6" Ceiling Mount



Model	Finish	Case Qty	List Price
O15-06CC	Polished Chrome	3	\$42.00
O15-06CK	Brushed Nickel	3	\$63.00
O15-06CY	Tuscan Bronze	3	\$84.00
O15-06CU	Rustic Bronze	3	\$94.50

Technical Info

- Features:**
- 6" Ceiling Mount Shower Arm and Flange
 - Matching Finish

Shower Arm 12" Ceiling Mount



O15-12CC	Polished Chrome	3	\$52.50
O15-12CK	Brushed Nickel	3	\$73.50
O15-12CY	Tuscan Bronze	3	\$94.50
O15-12CU	Rustic Bronze	3	\$105.00

- Features:**
- 12" Ceiling Mount Shower Arm and Flange
 - Matching Finish

GT = Meets NSF 61/9 Annex G Lead Requirements & WaterSense Certified

T = Meets the NSF 61/9 Requirements

 = ADA Compliance

BATH ACCESSORIES



Bath Accessories

Ashfield® 24" Towel Bar



Model	Finish	Case Qty	List Price
BTB-YP2C	Polished Chrome	4	\$54.00
BTB-YP2K	Brushed Nickel	4	\$80.00
BTB-YP2Y	Tuscan Bronze	4	\$81.00
BTB-YP2U	Rustic Bronze	4	\$92.00

Technical Info

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® 24" Double Towel Bar



BTB-YP5C	Polished Chrome	4	\$101.00
BTB-YP5K	Brushed Nickel	4	\$150.00
BTB-YP5Y	Tuscan Bronze	4	\$150.00
BTB-YP5U	Rustic Bronze	4	\$181.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® Towel Hook



BRB-YPOC	Polished Chrome	4	\$38.00
BRB-YPOK	Brushed Nickel	4	\$57.00
BRB-YPOY	Tuscan Bronze	4	\$58.00
BRB-YPOU	Rustic Bronze	4	\$67.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® Robe Hook



BRH-YPOC	Polished Chrome	4	\$24.00
BRH-YPOK	Brushed Nickel	4	\$34.00
BRH-YPOY	Tuscan Bronze	4	\$35.00
BRH-YPOU	Rustic Bronze	4	\$41.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Ashfield® Paper Holder



BPH-YP1C	Polished Chrome	4	\$41.00
BPH-YP1K	Brushed Nickel	4	\$62.00
BPH-YP1Y	Tuscan Bronze	4	\$63.00
BPH-YP1U	Rustic Bronze	4	\$82.00

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Conical 18" Towel Bar



BTB-C1CC	Polished Chrome	4	\$45.31
BTB-C1KK	Brushed Nickel	4	\$68.40
BTB-C1YY	Tuscan Bronze	4	\$68.40

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Bath Accessories

Conical 24" Towel Bar



Model	Finish	Case Qty	List Price
BTB-C2CC	Polished Chrome	4	\$47.34
BTB-C2KK	Brushed Nickel	4	\$70.42
BTB-C2YY	Tuscan Bronze	4	\$70.42
BTB-C2UU	Rustic Bronze	4	\$78.90

Technical Info

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Conical 30" Towel Bar



BTB-C3CC	Polished Chrome	4	\$49.36
BTB-C3KK	Brushed Nickel	4	\$72.45
BTB-C3YY	Tuscan Bronze	4	\$72.45

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Conical Towel Ring



BRB-COCC	Polished Chrome	4	\$33.41
BRB-COKK	Brushed Nickel	4	\$50.02
BRB-COYY	Tuscan Bronze	4	\$50.02
BRB-COUU	Rustic Bronze	4	\$58.25

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Conical Paper Holder



BPH-COCC	Polished Chrome	4	\$35.18
BPH-COKK	Brushed Nickel	4	\$54.42
BPH-COYY	Tuscan Bronze	4	\$53.72
BPH-COUU	Rustic Bronze	4	\$70.60

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Conical Robe Hook



BRH-COCC	Polished Chrome	4	\$21.28
BRH-COKK	Brushed Nickel	4	\$30.01
BRH-COYY	Tuscan Bronze	4	\$30.01
BRH-COUU	Rustic Bronze	4	\$35.96

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ 24" Towel Bar



BTB-E2CC	Polished Chrome	4	\$46.73
BTB-E2KK	Brushed Nickel	4	\$69.52
BTB-E2YY	Tuscan Bronze	4	\$69.52

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ 24" Double Towel Bar



BTB-E5CC	Polished Chrome	4	\$86.44
BTB-E5KK	Brushed Nickel	4	\$128.61
BTB-E5YY	Tuscan Bronze	4	\$128.61

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Bath Accessories

Catalina™ Towel Hook



Model	Finish	Case Qty	List Price
BRB-EOCC	Polished Chrome	4	\$32.98
BRB-EOKK	Brushed Nickel	4	\$49.38
BRB-EOYY	Tuscan Bronze	4	\$49.38

Technical Info

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ Paper Holder



BPH-E1CC	Polished Chrome	4	\$35.18
BPH-E1KK	Brushed Nickel	4	\$53.72
BPH-E1YY	Tuscan Bronze	4	\$53.72

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Catalina™ Robe Hook



BRH-EOCC	Polished Chrome	4	\$21.01
BRH-EOKK	Brushed Nickel	4	\$29.62
BRH-EOYY	Tuscan Bronze	4	\$29.62

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ 24" Towel Bar



BTB-CB2C	Polished Chrome	4	\$42.05
BTB-CB2K	Brushed Nickel	4	\$62.55
BTB-CB2Y	Tuscan Bronze	4	\$62.55

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ Towel Hook



BRB-CBOC	Polished Chrome	4	\$29.65
BRB-CBOK	Brushed Nickel	4	\$44.45
BRB-CBOY	Tuscan Bronze	4	\$44.45

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Avalon™ Paper Holder



BPH-CB1C	Polished Chrome	4	\$31.65
BPH-CB1K	Brushed Nickel	4	\$48.35
BPH-CB1Y	Tuscan Bronze	4	\$48.36

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Bath Accessories

Avalon™ Robe Hook



Model	Finish	Case Qty	List Price
BRH-CBOC	Polished Chrome	4	\$18.90
BRH-CBOK	Brushed Nickel	4	\$26.65
BRH-CBOY	Tuscan Bronze	4	\$26.65

Technical Info

- Features:**
- Premium Metal Construction
 - Superior Mounting Posts
 - Concealed Screw Installation
 - Mounting Hardware Included

Redmond® 24" Towel Bar



BTB-R2CC	Polished Chrome	6	\$29.00
BTB-R2KK	Brushed Nickel	6	\$41.00
BTB-R2YY	Tuscan Bronze	6	\$41.00

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Redmond® Towel Ring



BRB-ROCC	Polished Chrome	6	\$17.00
BRB-ROKK	Brushed Nickel	6	\$24.00
BRB-ROYY	Tuscan Bronze	6	\$24.00

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Redmond® Paper Holder



BPH-ROCC	Polished Chrome	6	\$19.00
BPH-ROKK	Brushed Nickel	6	\$26.00
BPH-ROYY	Tuscan Bronze	6	\$26.00

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Redmond® Robe Hook



BRH-ROCC	Polished Chrome	6	\$9.50
BRH-ROKK	Brushed Nickel	6	\$11.00
BRH-ROYY	Tuscan Bronze	6	\$11.00

- Features:**
- All Metal Construction
 - Standard Mounting Bracket
 - Concealed Screw Installation
 - Mounting Hardware Included

Tub & Shower • Roman Tub**ON-SITE INSTALLATION MADE EASY**

Pfister Job Packs are designed and packaged with the new work contractor's needs in mind. Our faucets are packaged in quantities suited to multiple installations on the job site.

- Includes Roman Tub Valves, Shower Valves & Shower Trim.
- Our packaging is secure. It comes in a master carton with separators and unit dividers that meet the needs of you, the installer, in new work situations.
- Best of all, you get great pricing along with the superior benefits of Pfister ceramic disc technology.
- Pfister extends the Pforever Warranty® to all Job Pack products.

CERAMIC DISC VALVING

Ceramic Disc Valves last eight times longer than the industry standard. They are the ultimate in durability and reliability.


Tests show that our Ceramic Disc Valves operate flawlessly for more than 4 million cycles. That is the equivalent of 80 years of normal use, or 8 times the industry standard. Ceramic is the hardest material on earth next to diamonds, withstanding even the harshest of water conditions.

Why is this so important to you? Because the biggest reason for call-backs is leaks. Our ceramic disc valving is guaranteed to be leak-free for life. Homeowners love it because the self-lubricating ceramic discs provide easier operation.

EASY ORDERING

Job Pack ordering gives you the ease and convenience for multiple installations. To order, contact your wholesale customer service representative at (800) 422-4278 or fax your order to (800) 847-4288. Job Pack product is available in case quantities only.

Tub & shower and roman tub valves require at least two separate boxes to complete installations.

**Pressure Balance
Universal Fittings**

Model	Stops	Case Qty	List Price
JX8-310A	Less Stops	12	\$76.35
JX8-340A	With Stops	12	\$102.00

Features

- Rough In Valve and Pressure Balance Cartridge
- Ceramic Disc Valve(s)
- 1/2" Universal Inlets to Accept 1/2" Copper, 1/2" Iron Pipe, PEX or CPVC Adapters
- Back-to-Back Compatible
- 340A= with Screwdriver Stops

**Pressure Balance
Female IP x Female IP**

Model	Stops	Case Qty	List Price
JX8-110A	Less Stops	12	\$76.35
JX8-140A	With Stops	12	\$91.63

Features

- Rough In Valve and Pressure Balance Cartridge
- Ceramic Disc Valve(s)
- 1/2" Female IP Inlet and Outlets to Accept PEX or CPVC Fittings
- Back-to-Back Compatible
- Job Pack Quantity Ships in Master Carton of 12
- 140A= with Screwdriver Stops



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Job Pack

Pressure Balance Pex Fittings Valve



Model	Stops	Case Qty	List Price
JX8-310P	Less Stops	12	\$76.35
JX8-340P	With Stops	12	\$102.00

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Features

- Rough In Valve and Pressure Balance Cartridge
- Ceramic Disc Valve(s)
- 1/2" PEX Inlets and Universal Male Threaded Outlets
- Back-to-Back Compatible
- Job Pack Quantity Ships in Master Carton of 12
- 340P= with Screwdriver Stops
- Valve Body Only
- Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
- 1/2" PEX Inlets and Universal Male Threaded Outlets
- Test Plug
- Back-to-Back Compatible when Using 974-042 Cartridge
- Job Pack Quantity Ships in Master Carton of 12
- 340P= with Screwdriver Stops

Single Control Pex Ready



Model	Stops	Case Qty	List Price
JV8-310P	Less Stops	12	\$51.50
JV8-340P	With Stops	12	\$74.16

This Valve complies with ASTM F1807 and CSA B137.5 and is to be used with the SDR9 PEX tubing using the crimp ring system of joining. It cannot be used with Cold Expansion fittings and joining system.

Features

- Rough In Valve and Pressure Balance Cartridge
- Ceramic Disc Valve(s)
- 1/2" PEX Inlets and Universal Male Threaded Outlets
- Back-to-Back Compatible
- Job Pack Quantity Ships in Master Carton of 12
- 340P= with Screwdriver Stops
- Valve Body Only
- Accepts 974-042 Pressure Balance Cartridge or TX8-0001 Thermostatic Cartridge
- 1/2" PEX Inlets and Universal Male Threaded Outlets
- Test Plug
- Back-to-Back Compatible when Using 974-042 Cartridge
- Job Pack Quantity Ships in Master Carton of 12
- 340P= with Screwdriver Stops

OX8 Pressure Balance Cartridge



974-042	One Piece	1	\$27.00
---------	-----------	---	---------

- Features:**
- Pressure Balance Cartridge
 - Ceramic Disc Valve(s)
 - Can be used with VB8 & JV8 Valve Bodies

Single Control Roman Tub Rough



JX6-020R		6	\$56.75
----------	--	---	---------

- Dims:**
- 2 1/2" Max Deck Thickness
- Features:**
- Rough In Valve Body Only
 - Cartridge Ships with Trim
 - Test Caps
 - Not Compatible with Handshower
 - 1/2" Sweat Inlets
 - 13 gpm @ 60 psi

Roman Tub Valve Rough



JX6-050R		12	\$110.23
----------	--	----	----------

- Holes:**
- 3-Hole 10" Installation
- Dims:**
- 2 3/4" Max Deck Thickness
- Features:**
- Rough In Valve Body & Cartridge
 - Ceramic Disc Valve(s)
 - 10" Fixed Valve Body
 - Thin and Thick Deck Mounting Hardware
 - 1/2" Sweat Inlets
 - 18 gpm @ 60 psi



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Job Pack

Adjustable Roman Tub Valve Rough



Model	Finish	Case Qty	List Price
JX6-150R		12	\$98.50

Technical Info

- Holes:** • 3-Hole Adjustable Installation
- Dims:** • 2 3/4" Max Deck Thickness
- Features:** • Rough In Valve Body & Cartridge
• Ceramic Disc Valve(s)
• Adjustable Installation
• Thin and Thick Deck Mounting Hardware
• Order 974-375 1" Extension Kit if Deck Thickness Exceeds 2 3/4", Requires 1 Kit Per Handle, Stackable to Reach Desired Height up to 4 1/2"
• Order 975-015 Long Spout Shank if Deck Thickness Exceeds 2 3/4", Increases Max. Deck Thickness to 4 1/2"
• 1/2" Universal IP Male Threaded Inlets and 1/2" IPS Male Threaded Outlets
• 18 gpm @ 60 psi

Parisa® Single Control Center Set Lavatory Faucet



J42-AMFC	Polished Chrome	12	\$118.13
J42-AMFK	Brushed Nickel	12	\$166.59

- Holes:** • 1 or 3-Hole 4" Installation
- Dims:** • 4 11/16" Spout Height
• 3 7/16" Deck to Aerator
• 4 7/16" Spout Reach
• 2 1/2" Max Deck Thickness

- Features:** • Ceramic Disc Valve(s)
• Metal Lever Handle(s)
• Fixed Spout
• Installs with or without Deckplate
• All Metal Pop-Up
• 2.2 gpm @ 60 psi
• Order 941-785 for 1.5 gpm Aerator Insert

Parisa® OX8 Series Tub & Shower Trim



J89-A850	Polished Chrome	12	\$66.81
----------	-----------------	----	---------

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" IP Threaded Metal Diverted Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately

Parisa® OX8 Series Tub & Shower Trim



J89-A85Q	Polished Chrome	12	\$60.91
----------	-----------------	----	---------

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• 5" Quick Connect Metal Diverted Tub Spout
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately

Parisa® OX8 Series Shower Trim



J89-A750	Polished Chrome	12	\$46.23
----------	-----------------	----	---------

- Features:** • Metal Lever Handle(s)
• Hot/Cold Indicator
• Quick Trim Wall Flange
• 2.5 gpm Showerhead
• Must Order OX8 Rough In Valve Separately



= Meets EPA WaterSense Standards



= NSF Lead-Free Certified



= ADA Compliance

Pfister Pforever Warranty®



Covers Pfinish and Pfunction for Life

Pfister provides the following warranty for its products. Proof of product purchase or of original home ownership is required in order to obtain any of the benefits set forth below. **(Commercial applications limit duration of warranty, as provided below).**

Limited Warranties: Pfister warrants that all Pfister faucets produced after January 1, 1997 (the "Product") will be free of all defects in material and workmanship that would impair the intended and proper use of the Product as well as warrants against deterioration of the Product's finish for as long as the original purchaser owns the home in which the Product is originally installed. If the Product is installed in a commercial application, the above warranty shall be limited to a period of ten (10) years for mechanical and five (5) years for finish from the date of purchase of the Product.

Regular use of a soft cloth rinsed in warm water and/or typical non-abrasive dishwashing soap (i.e. Dawn, Palmolive) will keep a Pfister finish looking clean and new. The use of abrasive cleaners, organic solvents or acid to clean, shine or polish such finishes will nullify the Pfister warranty as to such finishes.

Exclusive Remedy: In the event of any defect in the Product that breaches the foregoing warranties, Pfister, at its option, will have you send, prepaid, the defective part or product to us for inspection, or we may elect to send the replacement part. Repair or replacement of the Product is the exclusive remedy. Damage to the product caused by accident, misuse or abuse is not covered by this warranty.

For any remedy under this warranty, Pfister is to be notified. To receive assistance or service under this warranty, be prepared with description of the problem, model number, purchaser contact information and date of purchase. Have proof of purchase and be prepared to return product for inspection if requested.

- **Log on-line** @ www.pfisterfaucetspro.com to send an email to Consumer Support;
- **Call** 1-800 PFAUCET (732-8238) to talk to a Consumer Support representative;
- **Fax** 1-800-713-7080 to Consumer Support; or
- **Write** Consumer Support at Pfister, 19701 DaVinci, Lake Forest CA 92610.

Limitations and Exclusions:

PFISTER WILL NOT BE LIABLE FOR OTHER DAMAGES OR LOSSES, INCLUDING, BUT NOT LIMITED TO:

LABOR CHARGES, INSTALLATION, INCIDENTAL AND/OR CONSEQUENTIAL DAMAGES REGARDLESS OF THE LEGAL THEORY ASSERTED, INCLUDING ANY CLAIM OR BREACH OF WARRANTY HEREUNDER OR ANY OTHER CAUSE, AND WHETHER ARISING IN CONTRACT OR IN TORT (including negligence and strict liability).

Pfister has the right to discontinue or modify any product at any time. This warranty gives specific legal rights, and other rights, which may vary from state to state. For those states that do not allow limitations or exclusions of incidental or consequential damages, the above limitations or exclusions may not apply.

The above warranties do not cover labor charges or damage resulting from improper maintenance, repair, cleaning or installation, misuse, abuse, alterations, accidents, or Acts of God.

Copyright ©2011 Pfister, Inc.

In the US:

www.pfisterfaucetspro.com

1-800-PFAUCET (732-8238)

Pfister Consumer Service

19701 DaVinci

Lake Forest, CA 92610

In Canada:

www.pfisterfaucetspro.com

1-800-340-7608

Pfister Canada

100 Central Avenue

Brockville, Ontario K6V 5W6 Canada

Pfister Terms and Conditions

THE FOLLOWING TERMS AND CONDITIONS ARE DEEMED TO BE INCORPORATED BY REFERENCE IN ANY ORDER FOR THE SALE OF PFISTER PRODUCTS EFFECTIVE 3/1/11

PRICES	INSPECTION
All prices are subject to change without notice and are not guaranteed. All taxes, duties or other charges are the responsibility of the Purchaser.	Purchaser shall, at its sole expense, submit all products shipped to a careful inspection upon arrival at the delivery point. All claims for damages, defects, errors, shortages or other failure of the products to conform to this agreement or their catalog description shall be delivered to Pfister in writing within ten (10) days after such arrival. Failure to make any such claim within said period shall constitute acceptance of all products so delivered as conforming to the terms, conditions and specifications hereof, and in no event may such acceptance be thereafter revoked by Purchaser. Any claims by Purchaser shall be subject to inspection by Pfister or its authorized agent, to whom Purchaser shall make available access to such products and all relevant information relating to the claim. In the event Purchaser notifies Pfister of a claim within the above period and Pfister determines the claim to be valid, Purchaser's sole remedy shall be to have Pfister replace the defective or missing products within a reasonable time or authorize Purchaser to return the defective products to Pfister for credit or give Purchaser a credit for the missing products.
CHANGE OR CANCELLATIONS	TAXES
Beyond 5 working days of our acknowledgement date no changes can be made. Additions to an order will be handled as a separate order and must meet applicable minimum order requirements.	All prices are exclusive of, and may be increased by the amount of, any and all applicable excise, sales, use, manufacturer's, value added and other taxes, levies, or imposts of a governmental nature, whether federal, state or local.
Order cancellation on regular stock items only, or any portion thereof is allowed only upon prior written consent from Pfister, and the payment of cancellation charges deemed appropriate.	COLLECTION CHARGES
MINIMUM ANNUAL SALES VOLUME	In the event it becomes necessary to incur any expense for collection of any overdue account, reasonable collection charges, including reasonable attorneys' fees, will be added to the balance due and Purchaser shall pay any said charges.
Pfister reserves the right to discontinue direct sales to any customer who does not meet the minimum annual sales volume requirement. The current annual requirement is \$25,000.00.	MODIFICATION
Your annual purchases are determined by accepted, non-cancelled, and shipped orders received during each calendar year. This requirement is necessary because the administration, sales, and service costs to keep an account open may exceed any profit which might be realized below the level of this minimum.	These terms and conditions express the entire understanding of the parties here to with respect to the subject matter here of. No variation hereof and no agreement modifying or supplementing the terms hereof shall be valid unless in writing and signed by an authorized officer of Purchaser and Pfister.
Pfister reserves the right to change any or all minimum annual sales volume requirements at any time.	SECURITY INTEREST
Any customer who does not meet the annual sales volume requirements may continue to purchase Pfister products through a Pfister distributor.	Purchaser undertakes to execute such further documentation, including but not limited to financing statements, as may be required by Pfister to grant or perfect such security interest. In the event of default, Pfister will have rights provided a secured party under the Uniform Commercial Code and Pfister is hereby authorized to file with any governmental authority or agency any documentation required to perfect such security interest.
ORDERS AND ACCEPTANCE	NON-WAIVER
Pfister reserves the right to refuse to accept any order, and no purchase order or indication of acceptance shall create a contract or otherwise be binding upon Pfister unless and until the same is accepted in writing at the Pfister offices located in Lake Forest, California. In the event Pfister accepts an order from Purchaser, it is expressly understood and agreed that the terms and conditions herein set forth shall prevail, notwithstanding the fact that the same may conflict with or vary from the terms and conditions set forth on any purchase order or other form which Purchaser may use to place such order, and the placing of such order by Purchaser shall be deemed to note Purchaser's assent to the foregoing.	Any failure on the part of Pfister to insist upon the strict performance of any term or condition set forth herein shall not be deemed a waiver of any Pfister rights or remedies hereunder, nor of its right to insist upon the strict performance of the same or any other term hereof in the future. No waiver of any term or condition hereunder shall be valid unless in writing and signed by an authorized officer of Pfister.
TERMS	EXPORT SALES
2% 45 days, net 46 days. Pfister reserves the right to alter credit terms up to and including cash-in-advance. Terms are F.O.B. Pfister distribution centers.	The above terms and conditions do not apply to original equipment manufacturers or export sales or purchases made in the United States of America for export purposes. Please contact the international group for further details.
FREIGHT ALLOWANCE	SPECIAL FINISHES
For net minimum order of \$1000 or more, F.O.B. Pfister distribution centers with full freight allowed, as agreed in writing, or prepaid on shipments within the continental United States.	Regular use of a soft cloth rinsed in warm, soapy water will keep a Pfister finish looking clean and new. The use of polish, detergents, abrasive cleaners, organic solvents or acid to clean, shine or polish such finishes will nullify the Pfister warranty as to such finishes.
PROMISES OF SHIPMENT	PRICE PFISTER WARRANTY STATEMENT
Pfister does not guarantee shipping dates notwithstanding anything contained herein to the contrary Pfister will not be responsible for any consequential, special or indirect damages of any nature, or any damages that include loss of profits suffered by Purchaser because of late shipping or delivery by Pfister. Pfister is not responsible for delays due to reasons beyond its reasonable control such as fire, earthquake, strikes, material shortages, government regulations, etc.	The Product Warranty, attached hereto, is incorporated herein by reference.
LOSS OR DAMAGE IN TRANSIT	DEFAULT
All products are sold F.O.B. nPfister distribution centers, with risk of loss passing to Purchaser at that point Purchaser is responsible for arranging and paying for all insurance against risk of loss of or damage to the products after Pfister delivers the products into the possession of the carrier.	If Purchaser is in default under any order or contract with Pfister or any of its affiliated divisions or companies, or if Pfister at any time shall not be satisfied with Purchaser's financial conditions or responsibility, Pfister shall have the right, without prejudice to any other legal remedy, of suspending deliveries until such default or condition is remedied.
RETURNED GOODS	ASSIGNMENT
No products may be returned without our prior written authorization. If a product return is authorized, our representative will provide you with a Return Goods Authorization form (RGA) for the returnable products. The RGA form must accompany the shipment of the returned products to us.	Purchaser shall not assign its orders nor any of its rights or obligations thereunder without Pfister's prior written consent.
If products were defective or were shipped in error a credit at the invoice price will be issued or replacement products will be shipped only after a thorough inspection of the returned products has been made by our representative and such inspection confirms that the products were defective or shipped in error. Please return defective products in their original packaging.	APPLICABLE LAW
We have no obligation to agree to the return of non-defective products properly shipped. If, in our discretion, we agree to the return of non-defective, properly shipped products: (a) you will be issued a credit based on the price in effect when the products are returned or at the invoice price, whichever is lower, less the cost of return freight; (b) a 25% restocking charge will apply; and (c) returned products must be in their original package (master carton).	These Terms and Conditions and any subsequent sales agreements between Pfister and Purchaser shall be construed in accordance with the laws of the State of Delaware.
PRODUCT MODIFICATION	
The right is reserved to deliver modified products in fulfillment of any accepted order unless Purchaser indicates otherwise in writing, placed conspicuously on the face of his/her purchase order.	

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
01-111	170	\$149.20	015-EX1K	187	\$69.00
01-112	171	\$150.60	015-EX1Y	187	\$80.00
01-118	171	\$149.20	015-HFOC	30, 40, 48, 54, 63, 70, 78, 86, 92, 100, 109, 115, 123, 165	\$104.00
01-311	170	\$156.29	015-HFOK	30, 40, 48, 54, 63, 70, 78, 86, 92, 100, 109, 115, 123, 165	\$127.00
01-312	171	\$156.29	015-HFOY	30, 40, 48, 54, 70, 78, 86, 100, 109, 115, 165	\$147.00
01-318	171	\$156.29	015-HVOC	186	\$81.00
01-319	171	\$156.29	015-HVOK	186	\$97.00
01-31XA	173	\$75.96	015-HVOY	186	\$139.00
01-321	170	\$177.72	015-HVIC	186	\$81.00
01-341	170	\$218.40	015-HV1K	186	\$97.00
014-300A	29, 39, 47, 53, 62, 69, 77, 85, 92, 99, 108, 115, 123, 165	\$92.00	015-HV1Y	186	\$139.00
015-0600	188	\$48.00	015-IWDX	181	\$77.85
015-06CC	189	\$42.00	015-LCOC	187	\$19.78
015-06CK	188	\$63.00	015-LTOC	187	\$49.00
015-06CK	189	\$63.00	015-LTOK	187	\$69.00
015-06CU	189	\$94.50	015-LTOY	187	\$89.00
015-06CY	189	\$84.00	015-M9OC	188	\$74.00
015-0700	188	\$59.00	015-M9OK	188	\$88.00
015-070K	188	\$111.00	015-M9OY	188	\$153.00
015-12CC	189	\$52.50	015-M95C	188	\$98.00
015-12CK	189	\$73.50	015-M95K	188	\$118.00
015-12CU	189	\$105.00	015-M95Y	188	\$176.00
015-12CY	189	\$94.50	015-NC10	186	\$76.00
015-1300	182	\$19.00	015-NC11	186	\$76.00
015-150A	182	\$23.00	015-NK10	186	\$87.00
015-250A	182	\$33.00	015-NK11	186	\$87.00
015-250K	182	\$65.00	015-PC00	187	\$36.80
015-38BC	182	\$96.00	015-PC01	187	\$36.80
015-38BK	182	\$202.00	015-PK00	187	\$52.50
015-3WDX	26, 181	\$126.00	015-PK01	187	\$52.50
015-900C	30, 40, 48, 54, 63, 70, 78, 86, 93, 100, 109, 116, 124, 165	\$87.00	015-PY00	187	\$57.80
015-900K	30, 40, 48, 54, 63, 70, 78, 86, 93, 100, 109, 116, 124, 165	\$116.00	015-PY01	187	\$57.80
015-900Y	30, 40, 48, 54, 70, 78, 86, 100, 109, 116, 165	\$133.00	015-TH1C	30, 40, 48, 54, 63, 70, 78, 86, 92, 100, 109, 116, 123, 165	\$116.00
015-BDOC	28, 38, 46, 53, 61, 68, 76, 84, 91, 98, 107, 114, 122, 165	\$110.00	015-TH1K	30, 40, 48, 54, 63, 70, 78, 86, 92, 100, 109, 116, 123, 165	\$173.00
015-BDOK	28, 38, 46, 53, 61, 68, 76, 84, 91, 98, 107, 114, 122, 165	\$162.00	015-TH1Y	30, 40, 48, 54, 70, 78, 86, 100, 109, 116, 165	\$196.00
015-BDOY	28, 38, 46, 53, 68, 76, 84, 98, 107, 114, 165	\$185.00	016-140C	181	\$22.00
015-DR1C	188	\$49.00	016-140K	181	\$32.00
015-DR1K	188	\$69.00	016-140U	181	\$71.00
015-DR1Y	188	\$80.00	016-140Y	181	\$61.00
015-EX1C	187	\$49.00	016-150C	180	\$32.00

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
O16-150K	180	\$53.00	O16-DT1K	181	\$90.00
O16-150U	180	\$79.00	O16-DT1U	181	\$115.00
O16-150Y	180	\$70.00	O16-DT1Y	181	\$100.00
O16-160C	180	\$108.00	O16-EX1C	179	\$90.00
O16-160K	180	\$180.00	O16-EX1K	179	\$120.00
O16-160U	180	\$272.00	O16-EX1Y	179	\$140.00
O16-160Y	180	\$245.00	O16-LTOC	179	\$90.00
O16-170C	180	\$31.00	O16-LTOK	179	\$120.00
O16-170K	180	\$48.00	O16-LTOY	179	\$140.00
O16-170U	180	\$68.00	O1-81BC	172	\$210.00
O16-170Y	180	\$61.00	O1-81PC	172	\$210.00
O16-180C	180	\$37.00	O18-310C	183	\$126.00
O16-180K	180	\$88.00	O18-310K	183	\$147.00
O16-180U	180	\$128.00	O18-310U	183	\$168.00
O16-180Y	180	\$119.00	O18-310Y	183	\$168.00
O16-190C	179	\$46.00	O1-8CBC	172	\$226.47
O16-190K	179	\$63.00	O1-8CPC	172	\$210.00
O16-190U	179	\$93.00	O1-911	172	\$70.50
O16-190Y	179	\$83.00	O1-912	173	\$70.50
O16-200C	178	\$135.00	O23-DFXC	32, 55, 71, 79, 87, 93, 101, 110, 117, 167	\$446.00
O16-200K	178	\$241.00	O23-DFXK	32, 55, 71, 79, 87, 93, 101, 110, 117, 167	\$551.00
O16-200U	178	\$361.00	O23-DFXY	55, 71, 79, 87, 101, 110, 117, 167	\$630.00
O16-200Y	178	\$280.00	O3-211	173	\$146.31
O16-2DFC	26, 178	\$203.00	O3-611	173	\$152.86
O16-2DFK	26, 178	\$286.00	O3-612	174	\$152.86
O16-300C	178	\$197.00	O3-618	173	\$152.86
O16-300K	178	\$326.00	O3-61XA	174	\$64.63
O16-300U	178	\$492.00	O3-81BC	174	\$211.03
O16-300Y	178	\$415.00	O5-311	174	\$113.80
O16-400C	180	\$95.00	O5-31XA	174	\$67.13
O16-400K	180	\$147.00	O5-81BC	174	\$183.36
O16-400Y	180	\$239.00	O7-111	175	\$108.81
O16-600A	30, 39, 47, 54, 62, 69, 77, 85, 92, 100, 109, 115, 123, 165	\$139.00	O7-118	175	\$108.81
O16-CBOC	179	\$79.00	O7-311	175	\$119.36
O16-CBOK	179	\$110.00	O7-312	175	\$119.36
O16-CBOY	179	\$128.00	O7-318	175	\$119.36
O16-DR1C	179	\$89.00	O7-31XA	176	\$61.55
O16-DR1K	179	\$120.00	O7-81BC	176	\$172.13
O16-DR1Y	179	\$140.00	O7-8CBC	176	\$185.65
O16-DT1C	181	\$66.00	O7-8CPC	176	\$172.13

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
O7-912	176	\$49.13	143-6000	140	\$44.72
OT8-410A	29, 38, 47, 53, 61, 68, 77, 84, 91, 99, 108, 114, 122, 165	\$462.00	143-6002	142	\$44.72
OW8-0100	25, 160	\$156.00	143-6005	144	\$46.80
OX6-050R	31, 40, 48, 55, 63, 70, 78, 86, 93, 101, 110, 116, 156, 167	\$122.49	143-6100	144	\$72.80
OX6-150R	31, 41, 49, 55, 64, 71, 79, 87, 93, 101, 110, 116, 156, 167	\$109.45	143-610K	144	\$88.40
OX6-440R	32, 71, 79, 167	\$249.26	149-6000	148	\$98.80
OX8-310A	27, 36, 45, 51, 59, 66, 74, 82, 89, 97, 106, 112, 120, 152, 164	\$89.01	149-6002	148	\$98.80
OX8-340A	27, 36, 45, 51, 59, 66, 74, 82, 89, 97, 106, 112, 120, 152, 164	\$111.01	149-6100	150	\$130.00
OX9-010A	164	\$71.93	149-610K	150	\$166.40
OX9-110A	164	\$71.93	17-010	183	\$72.62
11-411	181	\$91.71	171-1000	138	\$41.60
115-250A	152	\$7.00	171-2000	138	\$46.80
115-250K	152	\$10.00	171-4000	136	\$31.20
127-1000	136	\$72.80	19-020	183	\$81.93
127-100S	136	\$104.00	19-110	183	\$88.98
13-011	182	\$78.48	19-112	183	\$94.93
13-111	182	\$79.75	19-170K	183	\$20.89
133-10CC	126	\$124.80	19-210	184	\$41.98
133-10SS	126	\$150.80	19-210K	184	\$144.10
133-10WW	126	\$135.20	19-AKO	184	\$18.20
134-1444	128	\$52.00	1T6-4100	154	\$70.72
134-144S	128	\$78.00	1T6-4105	154	\$70.72
134-3444	128	\$57.20	1T6-410K	154	\$114.40
134-4444	130	\$57.20	1T6-5100	154	\$104.00
134-444S	130	\$85.28	1T6-510K	154	\$142.48
135-1000	130	\$41.60	1T6-510Y	154	\$172.40
135-100S	130	\$67.60	69-020	21	\$94.30
135-1100	132	\$41.60	900-008A	165, 185	\$21.00
135-2000	134	\$43.68	900-009Y	165, 185	\$33.00
135-4000	130	\$49.92	900-010J	165, 185	\$27.00
135-4100	132	\$49.92	900-019A	165, 185	\$17.00
135-5000	134	\$53.04	900-020Y	165, 185	\$27.00
136-1000	134	\$72.80	900-021J	165, 185	\$21.50
136-4000	136	\$81.12	900-030A	165, 185	\$26.50
142-5000	140	\$41.60	900-031Y	165, 185	\$40.00
142-6000	140	\$53.04	900-032J	165, 185	\$34.00
142-600K	140	\$83.20	910-005	185	\$50.34
143-5000	142	\$33.28	910-007	185	\$35.03
143-5002	144	\$33.28	910-561	185	\$13.72
143-5100	146	\$61.36			

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
910-561	185	\$13.72	BPH-E1YY	56, 193	\$53.72
910-563A	185	\$17.28	BPH-YP1C	42, 191	\$41.00
910-563E	185	\$23.75	BPH-YP1K	42, 191	\$62.00
910-563K	185	\$22.85	BPH-YP1U	42, 191	\$82.00
910-563U	185	\$23.25	BPH-YP1Y	42, 191	\$63.00
910-563Y	185	\$22.75	BRB-COCC	192	\$33.41
910-654A	185	\$36.80	BRB-COKK	192	\$50.02
910-654K	185	\$40.04	BRB-COUU	192	\$58.25
910-655A	185	\$48.59	BRB-COYY	192	\$50.02
910-655K	185	\$54.34	BRB-CBOC	102, 193	\$29.65
910-862	185	\$17.33	BRB-CBOK	102, 193	\$44.45
910-862	185	\$17.33	BRB-CBOY	102, 193	\$44.45
920-022A	177	\$27.46	BRB-EOCC	56, 193	\$32.98
920-022J	177	\$35.00	BRB-EOKK	56, 193	\$49.38
920-022Y	177	\$40.00	BRB-EOYY	56, 193	\$49.38
920-411A	177	\$20.62	BRB-ROCC	194	\$17.00
920-411J	177	\$27.49	BRB-ROKK	194	\$24.00
920-411Y	177	\$28.45	BRB-ROYY	194	\$24.00
940-004A	110, 168	\$21.54	BRB-YPOC	42, 191	\$38.00
940-004J	110, 168	\$36.00	BRB-YPOK	42, 191	\$57.00
940-004Y	110, 168	\$38.00	BRB-YPOU	42, 191	\$67.00
940-146A	110, 168	\$12.00	BRB-YPOY	42, 191	\$58.00
940-146J	110, 168	\$15.00	BRH-COCC	192	\$21.28
940-146Y	110, 168	\$17.00	BRH-COKK	192	\$30.01
940-704A	80, 168	\$14.75	BRH-COUU	192	\$35.96
940-704J	80, 168	\$20.00	BRH-COYY	192	\$30.01
940-704Y	80, 168	\$20.00	BRH-CBOC	102, 194	\$18.90
974-015	184	\$16.60	BRH-CBOK	102, 194	\$26.65
974-042	28, 37, 45, 52, 60, 67, 75, 83, 90, 98, 107, 113, 121, 154, 164, 196	\$27.00	BRH-CBOY	102, 194	\$26.65
974-375	184	\$34.95	BRH-EOCC	56, 193	\$21.01
974-8000	184	\$96.20	BRH-EOKK	56, 193	\$29.62
BPH-COCC	192	\$35.18	BRH-EOYY	56, 193	\$29.62
BPH-COKK	192	\$54.42	BRH-ROCC	194	\$9.50
BPH-COUU	192	\$70.60	BRH-ROKK	194	\$11.00
BPH-COYY	192	\$53.72	BRH-ROYY	194	\$11.00
BPH-CB1C	102, 193	\$31.65	BRH-YPOC	42, 191	\$24.00
BPH-CB1K	102, 193	\$48.35	BRH-YPOK	42, 191	\$34.00
BPH-CB1Y	102, 193	\$48.36	BRH-YPOU	42, 191	\$41.00
BPH-E1CC	56, 193	\$35.18	BRH-YPOY	42, 191	\$35.00
BPH-E1KK	56, 193	\$53.72	BTB-C1CC	191	\$45.31

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
G134-5000	126	\$85.00	GT26-3NCC	15	\$364.00
G134-500S	126	\$145.00	GT26-3NSS	15	\$433.00
G134-6000	126	\$98.00	GT26-3NYY	15	\$524.00
G134-600S	126	\$155.00	GT26-4CBC	16	\$279.60
G134-7000	126	\$105.00	GT26-4CBS	16	\$321.52
G134-700S	126	\$155.00	GT26-4CBY	16	\$360.06
G135-1000	130	\$41.60	GT26-4DCC	16	\$307.78
G135-100S	130	\$67.60	GT26-4DSS	16	\$347.24
G135-1100	132	\$41.60	GT26-4DYY	16	\$370.41
G135-2000	132	\$43.68	GT26-4NCC	14	\$403.00
G135-4000	130	\$49.92	GT26-4NSS	14	\$461.00
G135-4100	132	\$49.92	GT26-4NUU	14	\$572.00
G135-5000	134	\$53.04	GT26-4NYY	14	\$561.00
G136-1000	134	\$72.80	GT26-4YPC	15	\$364.00
G136-4000	136	\$81.12	GT26-4YPK	15	\$433.00
G142-5000	140	\$41.60	GT26-4YPU	15	\$501.00
G142-6000	138	\$53.04	GT26-4YPY	15	\$467.00
G142-600K	138	\$83.20	GT34-1NCC	18	\$124.88
G142-7000	138	\$72.00	GT34-1NSS	18	\$189.87
G142-8000	138	\$84.00	GT34-1PCO	17	\$135.00
G142-800K	138	\$105.00	GT34-1PSO	17	\$181.33
G142-800Y	138	\$135.00	GT34-1PYO	17	\$223.24
G143-5000	142	\$33.28	GT34-1TCC	17	\$194.00
G143-5002	142	\$33.28	GT34-3NCC	18	\$143.11
G143-5100	146	\$61.36	GT34-3NSS	18	\$195.60
G143-6000	140	\$44.72	GT34-3PCO	18	\$156.60
G143-6002	142	\$44.72	GT34-3PSO	18	\$212.32
G143-6005	144	\$46.80	GT34-3PYO	18	\$263.30
G143-6100	144	\$72.80	GT34-3TCC	17	\$224.00
G143-610K	144	\$88.40	GT34-3TSS	17	\$258.00
G143-610Y	144	\$120.00	GT34-3TYY	17	\$340.00
G148-5000	146	\$75.00	GT34-4NCC	19	\$145.88
G148-6000	146	\$86.00	GT34-4NSS	19	\$198.16
G148-600K	146	\$107.00	GT34-4PCO	18	\$156.60
G149-6000	148	\$98.80	GT34-4PSO	18	\$214.90
G149-6002	148	\$98.80	GT34-4PYO	18	\$263.30
G149-6100	148	\$130.00	GT34-4TCC	17	\$224.00
G149-610K	148	\$166.40	GT34-4TSS	17	\$258.00
G149-610Y	148	\$205.00	GT34-4TYY	17	\$340.00
G171-4000	136	\$31.20	GT34-PTCC	17	\$236.00

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
GT34-PTSS	17	\$288.00	GT46-MOBC	43, 159	\$240.00
GT34-PTYT	17	\$379.00	GT46-MOBK	43, 159	\$324.00
GT36-4CBC	20	\$214.44	GT46-MOBU	43, 159	\$353.00
GT36-4CBS	20	\$285.16	GT46-MOBY	43, 159	\$340.00
GT36-4DCC	19	\$229.17	GT48-CBOC	95, 159	\$122.92
GT36-4DSS	19	\$298.99	GT48-CBOK	95, 159	\$169.41
GT40-DFOC	23, 158	\$309.00	GT48-CBOY	95, 159	\$202.63
GT40-DFOK	23, 158	\$410.00	GT48-DCOO	88, 159	\$131.48
GT40-NCOO	57, 158	\$297.00	GT48-DKOO	88, 159	\$210.07
GT40-NKOO	57, 158	\$396.00	GT48-EOBC	50, 159	\$184.87
GT40-YPOC	33, 158	\$322.00	GT48-EOBK	50, 159	\$265.50
GT40-YPOK	33, 158	\$354.00	GT48-EOBY	50, 159	\$277.95
GT40-YPOU	33, 158	\$405.00	GT48-GLOC	73, 159	\$150.00
GT40-YPOY	33, 158	\$379.00	GT48-GLOK	73, 159	\$224.00
GT42-AMCC	118, 158	\$118.13	GT48-GLOY	73, 159	\$248.00
GT42-AMCK	118, 158	\$166.59	GT48-NCOO	58, 159	\$185.00
GT42-ANCC	118, 158	\$108.35	GT48-NKOO	58, 159	\$254.00
GT42-DFOC	23, 158	\$256.00	GT48-RPOC	65, 159	\$162.00
GT42-DFOK	23, 158	\$357.00	GT48-RPOK	65, 159	\$271.00
GT42-NCOO	57, 158	\$231.00	GT48-RPOY	65, 159	\$295.00
GT42-NKOO	57, 158	\$330.00	GT48-SROC	104, 159	\$100.00
GT42-RPOC	65, 158	\$201.00	GT48-SROK	104, 159	\$125.00
GT42-RPOK	65, 158	\$232.00	GT48-SROY	104, 159	\$145.00
GT42-RPOY	65, 158	\$269.00	GT48-SR5C	104, 159	\$90.00
GT42-SROC	103, 158	\$105.00	GT48-SRLC	104, 159	\$74.00
GT42-SROK	103, 158	\$130.00	GT48-STOC	81, 159	\$133.48
GT42-SROY	103, 158	\$160.00	GT48-STOK	81, 159	\$184.06
GT42-SR5C	103, 158	\$95.00	GT48-STOY	81, 159	\$222.72
GT42-SRLC	103, 158	\$90.00	GT49-CBOC	95, 161	\$201.22
GT42-STOC	81, 158	\$152.80	GT49-CBOK	95, 161	\$246.29
GT42-STOK	81, 158	\$185.84	GT49-CBOY	95, 161	\$296.86
GT42-STOY	81, 158	\$220.33	GT49-DCOO	88, 160	\$233.75
GT42-YPOC	34, 158	\$235.00	GT49-DFOC	24, 160	\$357.00
GT42-YPOK	34, 158	\$295.00	GT49-DFOK	24, 160	\$493.00
GT42-YPOU	34, 158	\$327.00	GT49-DFIC	24, 160	\$268.00
GT42-YPOY	34, 158	\$341.00	GT49-DFIK	24, 160	\$410.00
GT43-YPOC	34, 159	\$237.00	GT49-DKOO	88, 160	\$282.45
GT43-YPOK	34, 159	\$311.00	GT49-EOBC	50, 160	\$278.14
GT43-YPOU	34, 159	\$345.00	GT49-EOBK	50, 160	\$309.35
GT43-YPOY	34, 159	\$318.00	GT49-EOBY	50, 160	\$318.19

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
GT49-GLOC	73, 160	\$262.00	GT531-YPC	19	\$622.00
GT49-GLOK	73, 160	\$365.00	GT531-YPK	19	\$700.00
GT49-GLOY	73, 160	\$395.00	GT531-YPY	19	\$778.00
GT49-MOBC	43, 160	\$329.00	GT532-7CC	13	\$400.00
GT49-MOBK	43, 160	\$426.00	GT532-7SS	13	\$426.00
GT49-MOBU	43, 160	\$467.00	GT532-7YY	13	\$438.00
GT49-MOBY	43, 160	\$445.00	GT533-5CC	14	\$235.24
GT49-NCOO	58, 160	\$283.00	GT533-5SS	14	\$299.93
GT49-NKOO	58, 160	\$330.00	GT533-5WW	14	\$254.06
GT49-RPOC	65, 160	\$279.00	GT534-7CC	14	\$304.83
GT49-RPOK	65, 160	\$327.00	GT534-7SS	14	\$364.87
GT49-RPOY	65, 160	\$343.00	GT534-CMC	14	\$280.80
GT49-SROC	105, 161	\$170.17	GT534-CMS	14	\$326.27
GT49-SROK	105, 161	\$204.18	GT72-M1CC	20	\$222.00
GT49-SROY	105, 161	\$239.16	GT72-MISS	20	\$281.00
GT49-STOC	81, 160	\$233.63	GT72-MIUU	20	\$310.00
GT49-STOK	81, 160	\$295.95	GT72-MIYY	20	\$310.00
GT49-STOY	81, 160	\$333.78	GT72-YP2C	20	\$218.00
GT49-YPOC	35, 160	\$334.00	GT72-YP2K	20	\$256.00
GT49-YPOK	35, 160	\$355.00	GT72-YP2U	20	\$294.00
GT49-YPOU	35, 160	\$406.00	GT72-YP2Y	20	\$282.00
GT49-YPOY	35, 160	\$364.00	HHL-CBLC	101, 168	\$30.03
GT49-YPIC	35, 160	\$341.00	HHL-CBLK	101, 168	\$38.96
GT49-YPIK	35, 160	\$405.00	HHL-CBLY	101, 168	\$59.19
GT49-YPIU	35, 160	\$483.00	HHL-DFXC	32, 168	\$81.00
GT49-YPIY	35, 160	\$456.00	HHL-DFXK	32, 168	\$101.00
GT526-TMC	12	\$341.00	HHL-DKMK	94, 168	\$43.68
GT526-TMS	12	\$403.00	HHL-DLBC	94, 168	\$38.22
GT526-TMY	12	\$443.00	HHL-ELBC	56, 168	\$44.80
GT529-DCC	13	\$324.15	HHL-ELBK	56, 168	\$68.05
GT529-DSS	13	\$382.49	HHL-ELBY	56, 168	\$68.05
GT529-MDC	12	\$358.00	HHL-MOBC	49, 168	\$53.00
GT529-MDS	12	\$418.00	HHL-MOBK	49, 168	\$81.00
GT529-TMC	13	\$372.00	HHL-MOBU	49, 168	\$91.00
GT529-TMS	13	\$439.00	HHL-MOBY	49, 168	\$81.00
GT529-TMY	13	\$483.00	HHL-NCOO	64, 168	\$77.00
GT529-YPC	12	\$407.00	HHL-NKOO	64, 168	\$105.00
GT529-YPK	12	\$443.00	HHL-PCOO	117, 168	\$22.00
GT529-YPU	12	\$543.00	HHL-PKOO	117, 168	\$28.83
GT529-YPY	12	\$517.00	HHL-PYOO	117, 168	\$33.77

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
HHL-RPOC	72, 168	\$29.00	KSD-MICC	21	\$65.00
HHL-RPOK	72, 168	\$41.00	KSD-MISS	21	\$83.00
HHL-RPOY	72, 168	\$41.00	KSD-MIUU	21	\$100.00
HHL-STOC	87, 168	\$26.00	KSD-MIYY	21	\$89.00
HHL-STOK	87, 168	\$33.28	R15-407C	167, 184	\$275.55
HHL-STOY	87, 168	\$39.52	R15-407K	167, 184	\$349.75
HHL-YPLC	41, 168	\$63.00	R15-407U	167, 184	\$423.95
HHL-YPLK	41, 168	\$76.00	R15-407Y	167, 184	\$397.45
HHL-YPLU	41, 168	\$92.00	R78-9VUC	30, 39, 47, 54, 62, 69, 77, 85, 92, 99, 108, 115, 123, 165	\$150.00
HHL-YPLY	41, 168	\$92.00	R78-9VUK	30, 39, 47, 54, 62, 69, 77, 85, 92, 99, 108, 115, 123, 165	\$208.00
J42-AMFC	197	\$118.13	R78-9VUY	30, 39, 47, 54, 69, 77, 85, 99, 108, 115, 165	\$239.00
J42-AMFK	197	\$166.59	R79-600C	30, 39, 48, 54, 62, 69, 78, 85, 92, 100, 109, 115, 123, 165	\$231.00
J89-A75O	197	\$46.23	R79-600K	30, 39, 48, 54, 62, 69, 78, 85, 92, 100, 109, 115, 123, 165	\$312.00
J89-A85O	197	\$66.81	R79-600Y	30, 39, 48, 54, 69, 78, 85, 100, 109, 115, 165	\$381.00
J89-A85Q	197	\$60.91	R89-010O	150	\$31.20
JV8-31OP	27, 37, 45, 52, 60, 67, 75, 83, 90, 97, 106, 113, 121, 154, 164, 196	\$51.50	R89-010K	150	\$67.60
JV8-34OP	27, 37, 45, 52, 60, 67, 75, 83, 90, 97, 106, 113, 121, 154, 164, 196	\$74.16	R89-010Y	150	\$100.00
JX6-02OR	124, 167, 196	\$56.75	R89-020O	150	\$31.20
JX6-05OR	31, 40, 48, 55, 63, 70, 78, 86, 93, 101, 110, 116, 156, 167, 196	\$110.23	R89-020K	150	\$67.60
JX6-15OR	31, 41, 49, 55, 64, 71, 79, 86, 93, 101, 110, 116, 156, 167, 197	\$98.50	R89-020Y	150	\$100.00
JX8-110A	27, 36, 45, 51, 59, 66, 75, 82, 89, 97, 106, 112, 120, 152, 164, 195	\$76.35	R89-025O	152	\$31.20
JX8-140A	27, 36, 45, 51, 59, 66, 75, 82, 89, 97, 106, 112, 120, 152, 164, 195	\$91.63	R89-030O	150	\$38.48
JX8-310A	27, 36, 45, 51, 59, 66, 74, 82, 89, 97, 106, 112, 120, 152, 164, 195	\$76.35	R89-030K	150	\$78.00
JX8-310P	27, 37, 45, 51, 60, 67, 75, 83, 89, 97, 106, 113, 120, 152, 164, 196	\$76.35	R89-030Y	150	\$125.00
JX8-340A	27, 36, 45, 51, 66, 74, 82, 89, 106, 112, 120, 152, 164, 195	\$102.00	R89-035O	150	\$38.48
JX8-340P	27, 37, 45, 51, 60, 67, 75, 83, 89, 97, 106, 113, 120, 152, 164, 196	\$102.00	R89-ISRC	105, 163	\$35.00
KAG-K1BK	21	\$20.54	R89-ISRK	105, 163	\$70.00
KAG-K1CC	21	\$17.09	R89-ISRY	105, 163	\$90.00
KAG-K1KK	21	\$19.56	R89-1TUC	28, 38, 46, 52, 61, 68, 76, 84, 91, 107, 114, 122, 165	\$173.00
KAG-K1SS	21	\$20.54	R89-1TUK	28, 38, 46, 52, 61, 68, 76, 84, 91, 107, 114, 122, 165	\$347.00
KAG-K1UU	21	\$33.71	R89-1TUY	28, 38, 46, 52, 68, 76, 84, 107, 114, 165	\$393.00
KAG-K1WW	21	\$18.73	R89-50XC	36, 44, 51, 59, 66, 74, 82, 89, 96, 105, 112, 120, 164	\$86.05
KAG-K1YY	21	\$33.71	R89-50XK	36, 44, 51, 59, 66, 74, 82, 89, 96, 105, 112, 164	\$108.24
KSD-K1BK	21	\$83.38	R89-50XU	36, 44, 164	\$156.35
KSD-K1CC	21	\$58.66	R89-50XY	36, 44, 51, 66, 74, 82, 96, 105, 112, 164	\$145.49
KSD-K1SS	21	\$83.38	R89-5DFC	26, 161	\$203.00
KSD-K1WW	21	\$61.96	R89-5DFK	26, 161	\$289.00
KSD-LCCC	21	\$19.64	R89-7CBC	96, 163	\$54.17
KSD-LCSS	21	\$24.55	R89-7CBK	96, 163	\$155.24
KSD-LCWW	21	\$22.10	R89-7CBY	96, 163	\$209.55

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
R89-7DCO	89, 163	\$63.83	R89-8CBC	96, 163	\$79.11
R89-7DFC	26, 161	\$203.00	R89-8CBK	96, 163	\$165.71
R89-7DFK	26, 161	\$318.00	R89-8CBY	96, 163	\$258.71
R89-7DKO	89, 163	\$152.59	R89-8DCO	88, 163	\$80.52
R89-7EBC	50, 162	\$103.44	R89-8DFC	26, 161	\$272.00
R89-7EBK	50, 162	\$191.23	R89-8DFK	26, 161	\$404.00
R89-7EBY	50, 162	\$203.97	R89-8DKO	88, 163	\$172.64
R89-7GLC	74, 162	\$69.00	R89-8EBC	50, 162	\$145.58
R89-7GLK	74, 162	\$145.00	R89-8EBK	50, 162	\$242.17
R89-7GLY	74, 162	\$162.00	R89-8EBY	50, 162	\$250.53
R89-7HHC	178	\$103.79	R89-8GLC	74, 162	\$99.00
R89-7HHK	178	\$139.11	R89-8GLK	74, 162	\$196.00
R89-7HHY	178	\$200.94	R89-8GLY	74, 162	\$214.00
R89-7MBC	44, 162	\$120.00	R89-8HHC	178	\$120.32
R89-7MBK	44, 162	\$255.00	R89-8HHK	178	\$170.45
R89-7MBU	44, 162	\$353.00	R89-8HHY	178	\$246.14
R89-7MBY	44, 162	\$266.00	R89-8MBC	44, 161	\$173.00
R89-7NCO	59, 162	\$118.00	R89-8MBK	44, 161	\$293.00
R89-7NC1	58, 162	\$147.00	R89-8MBU	44, 161	\$417.00
R89-7NKO	59, 162	\$193.00	R89-8MBY	44, 161	\$309.00
R89-7NK1	58, 162	\$221.00	R89-8NCO	59, 162	\$159.00
R89-7PCO	112, 163	\$49.65	R89-8NC1	58, 162	\$209.00
R89-7PKO	112, 163	\$113.16	R89-8NKO	59, 162	\$249.00
R89-7PYO	112, 163	\$132.54	R89-8NK1	58, 162	\$307.00
R89-7RPC	66, 162	\$92.00	R89-8PCO	112, 163	\$66.77
R89-7RPK	66, 162	\$173.00	R89-8PKO	112, 163	\$139.17
R89-7RPY	66, 162	\$191.00	R89-8PYO	112, 163	\$163.01
R89-7SRC	105, 163	\$52.13	R89-8RPC	66, 162	\$122.00
R89-7SRK	105, 163	\$110.00	R89-8RPK	66, 162	\$203.00
R89-7SRY	105, 163	\$130.00	R89-8RPY	66, 162	\$219.00
R89-7STC	82, 163	\$74.88	R89-8SRC	105, 163	\$70.00
R89-7STK	82, 163	\$120.07	R89-8SRK	105, 163	\$140.00
R89-7STY	82, 163	\$145.29	R89-8SRY	105, 163	\$160.00
R89-7TUC	28, 38, 46, 52, 61, 68, 76, 84, 90, 98, 107, 114, 121, 164	\$196.00	R89-8STC	82, 162	\$98.80
R89-7TUK	28, 38, 46, 52, 61, 68, 76, 84, 90, 98, 107, 114, 121, 164	\$376.00	R89-8STK	82, 162	\$158.44
R89-7TUY	28, 38, 46, 52, 68, 76, 84, 98, 107, 114, 164	\$422.00	R89-8STY	82, 162	\$191.73
R89-7YPC	36, 161	\$150.00	R89-8TUC	28, 37, 46, 52, 60, 67, 76, 83, 90, 98, 107, 113, 121, 164	\$231.00
R89-7YPK	36, 161	\$232.00	R89-8TUK	28, 37, 46, 52, 60, 67, 76, 83, 90, 98, 107, 113, 121, 164	\$404.00
R89-7YPU	36, 161	\$419.00	R89-8TUY	28, 37, 46, 52, 67, 76, 83, 98, 107, 113, 164	\$457.00
R89-7YPY	36, 161	\$344.00	R89-8YPC	36, 161	\$190.00

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
R89-8YPK	36, 161	\$331.00	RT6-5SRK	109, 167	\$208.21
R89-8YPU	36, 161	\$445.00	RT6-5SRY	109, 167	\$242.77
R89-8YPY	36, 161	\$413.00	RT6-5STC	86, 166	\$207.95
R89-9THC	29, 39, 47, 53, 62, 69, 77, 85, 91, 99, 108, 115, 122, 165	\$208.00	RT6-5STK	86, 166	\$312.26
R89-9THK	29, 39, 47, 53, 62, 69, 77, 85, 91, 99, 108, 115, 122, 165	\$289.00	RT6-5STY	86, 166	\$377.86
R89-9THY	29, 39, 47, 53, 69, 77, 85, 99, 108, 115, 165	\$335.00	RT6-5YPC	40, 166	\$482.00
R89-A750	120, 164	\$51.37	RT6-5YPK	40, 166	\$615.00
R89-A850	119, 163	\$74.24	RT6-5YPU	40, 166	\$700.00
R89-A85Q	119, 163	\$67.12	RT6-5YPY	40, 166	\$653.00
RT6-4DFC	31, 166	\$491.00	RT6-AMCC	124, 167	\$211.00
RT6-4DFK	31, 166	\$693.00	RT6-AMCK	124, 167	\$296.85
RT6-4GLC	79, 166	\$387.00	RT6-POXC	116, 167	\$170.39
RT6-4GLK	79, 166	\$491.00	RT6-POXK	116, 167	\$208.21
RT6-4GLY	79, 166	\$549.00	RT6-POXY	116, 167	\$242.77
RT6-4RPC	71, 166	\$399.00	RT6-YP5C	40, 166	\$289.00
RT6-4RPK	71, 166	\$503.00	RT6-YP5K	40, 166	\$316.00
RT6-4RPY	71, 166	\$562.00	RT6-YP5U	40, 166	\$388.00
RT6-5CBC	100, 167	\$172.22	RT6-YP5Y	40, 166	\$346.00
RT6-5CBK	100, 167	\$239.37	S10-200	177	\$55.56
RT6-5CBY	100, 167	\$372.39	S10-210	177	\$53.34
RT6-5DFC	31, 166	\$434.00	S10-220	177	\$68.40
RT6-5DFK	31, 166	\$549.00	S10-230	177	\$65.82
RT6-5DXC	93, 167	\$174.72	S10-320	177	\$84.16
RT6-5DXK	93, 167	\$253.76	S10-330	177	\$84.16
RT6-5EXC	55, 166	\$242.08	S10-400K	177	\$94.50
RT6-5EXK	55, 166	\$335.96	S10-400Y	177	\$94.50
RT6-5EXY	55, 166	\$337.34	S10-430K	177	\$120.75
RT6-5GLC	78, 166	\$243.00	S10-430Y	177	\$120.75
RT6-5GLK	78, 166	\$370.00	SGL-CBLC	101, 168	\$24.57
RT6-5GLY	78, 166	\$411.00	SGL-CBLK	101, 168	\$33.39
RT6-5MXC	48, 166	\$284.00	SGL-CBLY	101, 168	\$42.41
RT6-5MXK	48, 166	\$424.00	SGL-DFXC	32, 168	\$46.00
RT6-5MXU	48, 166	\$424.00	SGL-DFXK	32, 168	\$58.00
RT6-5MXY	48, 166	\$424.00	SGL-DKMK	94, 168	\$50.10
RT6-5NXC	63, 166	\$235.00	SGL-DLBC	94, 168	\$34.68
RT6-5NXK	63, 166	\$344.00	SGL-ELBC	56, 168	\$36.02
RT6-5RPC	70, 166	\$260.00	SGL-ELBK	56, 168	\$52.03
RT6-5RPK	70, 166	\$375.00	SGL-ELBY	56, 168	\$52.02
RT6-5RPY	70, 166	\$424.00	SGL-GLOC	80, 168	\$29.00
RT6-5SRC	109, 167	\$170.00	SGL-GLOK	80, 168	\$41.00

Index

Model No.	Page No.	List Price	Model No.	Page No.	List Price
SGL-GLOY	80, 168	\$53.00	T40-YPOK	33, 158	\$344.00
SGL-MOBC	49, 168	\$42.00	T40-YPOU	33, 158	\$394.00
SGL-MOBK	49, 168	\$62.00	T40-YPOY	33, 158	\$369.00
SGL-MOBU	49, 168	\$65.00	T42-AMFC	118, 158	\$118.13
SGL-MOBY	49, 168	\$62.00	T42-AMFK	118, 158	\$166.59
SGL-NCOO	64, 168	\$45.00	T42-ANFC	119, 158	\$132.50
SGL-NKOO	64, 168	\$58.00	T42-DFOC	24, 158	\$249.00
SGL-PCOO	117, 168	\$25.68	T42-DFOK	24, 158	\$347.00
SGL-PKOO	117, 168	\$33.64	T42-PCOO	111, 158	\$113.07
SGL-PYOO	117, 168	\$39.40	T42-PKOO	111, 158	\$147.15
SGL-RPOC	72, 168	\$18.00	T42-PYOO	111, 158	\$172.36
SGL-RPOK	72, 168	\$29.00	T42-YPOC	34, 158	\$229.00
SGL-RPOY	72, 168	\$41.00	T42-YPOK	34, 158	\$287.00
SGL-STOC	87, 168	\$19.76	T42-YPOU	34, 158	\$318.00
SGL-STOK	87, 168	\$22.88	T42-YPOY	34, 158	\$332.00
SGL-STOY	87, 168	\$23.92	T43-YPOC	34	\$230.00
SGL-YPLC	41, 168	\$40.00	T43-YPOK	34	\$302.00
SGL-YPLK	41, 168	\$54.00	T43-YPOU	34	\$330.00
SGL-YPLU	41, 168	\$64.00	T43-YPOY	34	\$310.00
SGL-YPLY	41, 168	\$64.00	T46-MOBC	43, 159	\$233.00
SX6-O2OR	124, 167	\$63.05	T46-MOBK	43, 159	\$315.00
T26-3NCC	15	\$354.00	T46-MOBU	43, 159	\$344.00
T26-3NSS	15	\$421.00	T46-MOBY	43, 159	\$331.00
T26-3NYY	15	\$509.00	T47-GLC	25, 33, 57, 104, 119, 161	\$41.00
T26-4CBC	16	\$274.38	T47-GLK	25, 33, 57, 104, 161	\$47.00
T26-4CBS	16	\$315.51	T47-GLU	33, 161	\$58.00
T26-4CBY	16	\$353.33	T47-GLY	33, 104, 161	\$53.00
T26-4NCC	15	\$392.00	T47-9GSC	25, 33, 57, 104, 119, 161	\$41.00
T26-4NSS	15	\$448.00	T47-9GSK	25, 33, 57, 104, 161	\$47.00
T26-4NUU	15	\$557.00	T47-9GSU	33, 161	\$58.00
T26-4NYY	15	\$546.00	T47-9GSY	33, 104, 161	\$53.00
T26-4YPC	16	\$354.00	T48-CBOC	95, 159	\$122.92
T26-4YPK	16	\$420.00	T48-CBOK	95, 159	\$166.24
T26-4YPU	16	\$487.00	T48-CBOY	95, 159	\$198.85
T26-4YPY	16	\$454.00	T48-GLOC	73, 159	\$147.00
T36-4CBC	20	\$210.43	T48-GLOK	73, 159	\$219.00
T36-4CBS	20	\$279.83	T48-GLOY	73, 159	\$243.00
T40-DFOC	23, 158	\$300.00	T48-PCOO	111, 159	\$104.81
T40-DFOK	23, 158	\$399.00	T48-PKOO	111, 159	\$130.48
T40-YPOC	33, 158	\$313.00	T48-PYOO	111, 159	\$152.83

Index

Model No.	Page No.	List Price
T49-CBOC	96, 161	\$201.22
T49-CBOK	96, 161	\$241.69
T49-CBOY	96, 161	\$291.31
T49-DFOC	24, 160	\$347.00
T49-DFOK	24, 160	\$480.00
T49-DF1C	25, 160	\$260.00
T49-DF1K	25, 160	\$399.00
T49-GLOC	74, 160	\$257.00
T49-GLOK	74, 160	\$358.00
T49-GLOY	74, 160	\$387.00
T49-MOBC	44, 160	\$320.00
T49-MOBK	44, 160	\$414.00
T49-MOBU	44, 160	\$455.00
T49-MOBY	44, 160	\$433.00
T49-PCOO	111, 161	\$182.00
T49-PKOO	111, 161	\$218.00
T49-PYOO	111, 161	\$256.00
T49-YPOC	35, 160	\$332.00
T49-YPOK	35, 160	\$352.00
T49-YPOU	35, 160	\$395.00
T49-YPOY	35, 160	\$362.00
T49-YP1C	35, 160	\$338.00
T49-YP1K	35, 160	\$401.00
T49-YP1U	35, 160	\$478.00
T49-YP1Y	35, 160	\$453.00
T529-YPC	12	\$404.00
T529-YPK	12	\$443.00
T529-YPU	12	\$543.00
T529-YPY	12	\$517.00
T531-YPC	19	\$616.00
T531-YPK	19	\$693.00
T531-YPY	19	\$770.00
T532-7CC	13	\$400.00
T532-7SS	13	\$426.00
T532-7YY	13	\$438.00
T72-MICC	21	\$215.25
T72-MISS	21	\$273.00
T72-MIUU	21	\$301.35
T72-MIYY	21	\$301.35
T72-YP2C	20	\$216.00

Model No.	Page No.	List Price
T72-YP2K	20	\$254.00
T72-YP2U	20	\$292.00
T72-YP2Y	20	\$280.00
TX8-0001	29, 38, 46, 53, 61, 68, 76, 84, 91, 99, 108, 114, 122, 165	\$113.00
TX8-0001		\$113.00
TX8-310A	29, 38, 46, 53, 61, 68, 76, 84, 91, 98, 108, 114, 122, 165	\$170.00
TX8-310A	29, 46, 68	\$170.00
TX8-340A	38, 53, 61, 76, 84, 91, 98, 108, 114, 122, 165	\$193.00
TX8-340A		\$193.00
VB8-310A	27, 37, 45, 51, 60, 67, 75, 83, 90, 97, 106, 113, 121, 152, 164	\$56.50
VB8-340A	27, 37, 45, 51, 60, 67, 75, 83, 90, 97, 106, 113, 121, 152, 164	\$74.00

Notes

Pfister™



A century of success. For years you've known us as Price Pfister. We've simplified our name to Pfister. But our 100 year legacy and commitment to providing high quality and innovative faucets backed by a Lifetime Warranty remains the same.

As we begin a new century as Pfister, we are both proud to continue our traditions and committed to discovering new ways of enhancing your experience with our brand and products. It's the experience that matters. Yours and ours.

Trusted Quality

Lifetime Warranty on all products guarantees finish & function for life.

Pforever Seal™

Advanced Ceramic Disc Valve Technology delivers a Never Leak Guarantee.

Easy Installation



Easy to install supply lines & hoses **saves 50% on install time.**



SERRANO™ | GT48-SROY



ASHFIELD® | GT49-YP1K



MYSTIQUE™ | GT529-MDS

SALES & DISTRIBUTION CENTERS:

Main Office

19701 DaVinci
Lake Forest, CA 92610
800.422.4278

Canada

100 Central Ave.
Brockville, Ontario K6V5W6

pfisterfaucetspro.com
1.888.333.8481

PfisterTM
PROFESSIONAL GRADE