

Wall Plates & Specialties

Pass & Seymour



Molded of rugged .065" thick polycarbonate.

An extra 1/8" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.

Seamless, sleek, super smooth construction provides no dirt-catching channel around plate's perimeter.

Oversized opening to accommodate all NEMA 26 decorator-style openings.

SWP26W

Two-piece plastic subplate bridges recessed boxes and uneven sheet rock. Fixes floating installations.

Automatic alignment pins ensure that devices are properly positioned so that wall plates fit perfectly.

Index

Style	Page Number
Specifications	S-2
Dimensions	S-3, S-4
Screwless Decorator Openings	S-5, S-6
Toggle Switch Openings	S-7
Duplex Receptacle Openings & Decorator Openings	S-8
Decorator Openings	S-9
Blank Plates	S-10, S-11
Single Receptacle Openings & Power Outlet Openings	S-12, S-13
Combination Openings	S-14 – S-17
Despard® Openings	S-18
Two Gang with Center Opening & Locking Switch Plates	S-19
Louver & Biplex/Triplex Openings	S-20
Junior-Jumbo & Jumbo Toggle, Duplex, Single Receptacle, Decorator, Blank & Combination Openings	S-21, S-23
Sectional Wall Plates	S-24
Tandem & Handy Box Plates	S-25
Narrow Metal	S-26
Dustproof Stainless Steel Covers	S-27
Communication Devices & Plates	S-28 – S-33
Mounting Straps, Yokes & Jewels	S-34
Decorator Hallway Lights & Combination Devices	S-35
Decorator Combination Tamper-Resistant Nightlight/GFCI Receptacles	S-36
PlugTail™ Nightlight/GFCI Receptacles	S-37
Incandescent Lampholders, Neon Pilot Lights & Panelites	S-38
Screws & Screwdrivers	S-39
Engraved & Pad Printed	S-40, S-41
Custom Metal Wall Plates	S-42 – S-44
Custom Panel Plates	S-45, S-46
Style Selector Guide	S-47 – S-59

Pass & Seymour

Thermoset
SP SeriesNylon
TP SeriesScrewless
Polycarbonate
SWP & SW Series

Wall Plates Specifications

Application

Pass & Seymour/Legrand's broad line of Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Pass & Seymour/Legrand devices.

Thermoset Plastic Wall Plates Features

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available – Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

TradeMaster® Thermoplastic Wall Plates Features

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only.)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"

Screwless Polycarbonate Wall Plates Features


- Molded of .065" thick polycarbonate with matte finish.
- 2-piece plastic subplate made of polycarbonate ("SWP" Series only).
- Metal subplate made of .042" zinc-plated steel ("SW" Series only).
- Extra 1/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black, and Light Almond.
- Oversized opening to accommodate all NEMA 26 decorator-style openings.

Metal Wall Plates Features

- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel.
- Standard, Jumbo, and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes. Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

Materials

- Type 302 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome, Brushed and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion.

302
Stainless Steel

Polished Brass



Brushed Brass




Aluminum

Wall Plates Specifications

Pass & Seymour




Standard Size Wall Plates					
■ Standard size wall plates for all applications.			■ Available in plastic and metal only.		
■ Best fit for surface mount boxes.					
Dimensions					
1 gang	2.75" x 4.5"	4 gang	8.125" x 4.5"	7 gang	13.62" x 4.5"
2 gang	4.56" x 4.5"	5 gang	10" x 4.5"	8 gang	15.44" x 4.5"
3 gang	6.375" x 4.5"	6 gang	11.812" x 4.5"		




STANDARD

TradeMaster® Wall Plates					
■ Extra 3/16" width and height than Standard size wall plates. ■ Provide better sheet rock coverage with standard size appearance. ■ Available in unbreakable nylon 6 construction only. ■ Screws pre-installed in the duplex, toggle, and decorator single gang plates.					
Dimensions					
1 gang	2.9375" x 4.6875"	3 gang	6.563" x 4.6875"	5 gang	10.188" x 4.6875"
2 gang	4.75" x 4.6875"	4 gang	8.375" x 4.6875"	6 gang	12" x 4.6875"




TRADEMASTER STANDARD

Screwless Polycarbonate Wall Plates					
■ Extra 1/8" width and height than Standard size wall plates. ■ Provide better sheet rock coverage with standard size appearance. ■ Molded of .065" thick polycarbonate. ■ 2-piece plastic subplate made of polycarbonate ("SWP" Series only). ■ Metal subplate made of .042" zinc-plated steel ("SW" Series only). ■ Available in 5 metallic and 3 wood finishes. ■ Oversized opening to accommodate all NEMA 26 decorator-style openings.					
Wall Plate Dimensions					
1 gang	3.10" x 4.87"	3 gang	6.724" x 4.87"	5 gang	10.348" x 4.87"
2 gang	4.912" x 4.87"	4 gang	8.536" x 4.87"	6 gang	12.16" x 4.87"
Subplate Dimensions					
1 gang	2.85" x 4.62"	3 gang	6.474" x 4.62"	5 gang	10.098" x 4.62"
2 gang	4.662" x 4.62"	4 gang	8.286" x 4.62"	6 gang	11.910" x 4.62"




SCREWLESS

Junior-Jumbo Wall Plates					
■ Extra 3/8" width and height than Standard size wall plates. ■ Additional coverage for sheet rock gaps.			■ Available in plastic and metal only.		
Dimensions					
1 gang	3.125" x 4.87"	3 gang	6.75" x 4.87"		
2 gang	4.93" x 4.87"	4 gang	8.56" x 4.87"		




JUNIOR-JUMBO

TradeMaster Jumbo Wall Plates			
■ Extra 3/16" width and height than Junior-Jumbo size wall plates. ■ Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates. ■ Available in unbreakable nylon 6 construction only. ■ Screws pre-installed in the duplex, toggle, and decorator single gang plates.			
Dimensions			
1 gang	3.3125" x 5.0625"	3 gang	6.9375" x 5.0625"
2 gang	5.125" x 5.0625"	4 gang	8.75" x 5.0625"



TRADEMASTER JUMBO

Jumbo Wall Plates					
■ Extra 3/4" width and height than Standard size wall plates. ■ Largest size wall plates to cover larger wall damage.			■ Available in plastic and metal only.		
Dimensions					
1 gang	3.5" x 5.25"	3 gang	7.12" x 5.25"		
2 gang	5.31" x 5.25"	4 gang	8.93" x 5.25"		




JUMBO

Pass & Seymour



Wall Plates Dimensions




Sectional Wall Plates Features









- End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.

Wall Plate Mountings


Illustrated are the five standard methods of plate mounting. There are many other non-standard methods which depend upon the special device used. Exact mounting hole specifications for every device appear in the Selector Guide.



Wall Plate Sizes




Tandem Wall Plates




Metal only. Plate mounting dimensions are non-standard. Refer to Page S-25 for details and devices that can be used.

Screwless Wall Plate Metal Subplate



For Screwless Wall Plate dimensions refer to Page S-3.

Screwless Wall Plate Plastic Subplate



Wall Plates & Specialties

Decorative Finish Screwless Wall Plates

Polycarbonate

Pass & Seymour




One Gang
Brushed Nickel



Two Gang
Brushed Copper





Three Gang
Stainless Steel



Four Gang
Brass

NEW

Description	Color	Metal Subplate	Plastic Subplate
Screwless Decorator Openings — subplate included			
One Gang 	Brushed Nickel	SW26BN	SWP26BN
	Brushed Copper	SW26BC	SWP26BC
	Stainless Steel	SW26SS	SWP26SS
	Brass	SW26BR	SWP26BR
	Brushed Bronze	SW26BB	SWP26BB
	Maple	SW26MA	SWP26MA
	Mahogany	SW26MH	SWP26MH
	Walnut	SW26WA	SWP26WA
Two Gang 	Brushed Nickel	SW262BN	SWP262BN
	Brushed Copper	SW262BC	SWP262BC
	Stainless Steel	SW262SS	SWP262SS
	Brass	SW262BR	SWP262BR
	Brushed Bronze	SW262BB	SWP262BB
	Maple	SW262MA	SWP262MA
	Mahogany	SW262MH	SWP262MH
	Walnut	SW262WA	SWP262WA
Three Gang 	Brushed Nickel	SW263BN	SWP263BN
	Brushed Copper	SW263BC	SWP263BC
	Stainless Steel	SW263SS	SWP263SS
	Brass	SW263BR	SWP263BR
	Brushed Bronze	SW263BB	SWP263BB
	Maple	SW263MA	SWP263MA
	Mahogany	SW263MH	SWP263MH
	Walnut	SW263WA	SWP263WA
Four Gang 	Brushed Nickel	SW264BN	SWP264BN
	Brushed Copper	SW264BC	SWP264BC
	Stainless Steel	SW264SS	SWP264SS
	Brass	SW264BR	SWP264BR
	Brushed Bronze	SW264BB	SWP264BB
	Maple	SW264MA	SWP264MA
	Mahogany	SW264MH	SWP264MH
	Walnut	SW264WA	SWP264WA




One Gang
Brushed Bronze



Two Gang
Maple



Three Gang
Mahogany



Four Gang
Walnut

For Screwless Wall Plate, Metal Subplate, and Plastic Subplate dimensions, see Page S-6.

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.


Pass & Seymour




Wall Plates

Screwless Decorator Openings

Polycarbonate



One Gang




Two Gang

Description	Height	Width
Screwless Wall Plate Dimensions		
One Gang	4.87"	3.10"
Two Gang	4.87"	4.912"
Three Gang	4.87"	6.724"
Four Gang	4.87"	8.536"
Five Gang	4.87"	10.348"
Six Gang	4.87"	12.16"

Description	Color	Metal Subplate	Plastic Subplate
Screwless Decorator Openings — subplate included			
One Gang 	Ivory White Brown Gray Black Light Almond	SW26I SW26W SW26 SW26GRY SW26BK SW26LA	SWP26I SWP26W SWP26 SWP26GRY SWP26BK SWP26LA
Two Gang 	Ivory White Brown Gray Black Light Almond	SW262I SW262W SW262 SW262GRY SW262BK SW262LA	SWP262I SWP262W SWP262 SWP262GRY SWP262BK SWP262LA
Three Gang 	Ivory White Brown Gray Black Light Almond	SW263I SW263W SW263 SW263GRY SW263BK SW263LA	SWP263I SWP263W SWP263 SWP263GRY SWP263BK SWP263LA
Four Gang 	Ivory White Brown Gray Black Light Almond	SW264I SW264W SW264 SW264GRY SW264BK SW264LA	SWP264I SWP264W SWP264 SWP264GRY SWP264BK SWP264LA
Five Gang 	Ivory White Brown Gray Black Light Almond	SW265I SW265W SW265 SW265GRY SW265BK SW265LA	
Six Gang 	Ivory White Brown Gray Black Light Almond	SW266I SW266W SW266 SW266GRY SW266BK SW266LA	

NEW



Description	Height	Width
Screwless Subplate Dimensions		
One Gang	4.62"	2.85"
Two Gang	4.62"	4.662"
Three Gang	4.62"	6.474"
Four Gang	4.62"	8.286"
Five Gang	4.62"	10.098"
Six Gang	4.62"	11.910"

Wall Plates

Toggle Switch Openings

Standard Size Plastic & Metal

Pass & Seymour


Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Toggle Switch Openings					
One Gang 	Ivory White Brown Gray Black Red Light Almond	TP1I TP1W TP1 TP1GRY TP1BK TP1RED TP1LA	SP1I SP1W SP1 SP1GRY SP1LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA1 SB1 SB1PB SL1 SS1 SB1BZ SB1CH
Two Gang 	Ivory White Brown Gray Black Red Light Almond	TP2I TP2W TP2 TP2GRY TP2BK TP2RED TP2LA	SP2I SP2W SP2 SP2GRY SP2LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA2 SB2 SB2PB SL2 SS2 SB2BZ SB2CH
Three Gang 	Ivory White Brown Gray Black Red Light Almond	TP3I TP3W TP3 TP3GRY TP3BK TP3RED TP3LA	SP3I SP3W SP3 SP3GRY SP3LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA3 SB3 SB3PB SL3 SS3 SB3BZ SB3CH
Four Gang 	Ivory White Brown Gray Black Red Light Almond	TP4I TP4W TP4 TP4GRY TP4BK TP4RED TP4LA	SP4I SP4W SP4 SP4GRY SP4LA	Aluminum Brass Polished Brass 430S/S 302S/S	SA4 SB4 SB4PB SL4 SS4
Five Gang 	Ivory White Brown Gray Black Light Almond	TP5I TP5W TP5 TP5GRY TP5BK TP5LA	SP5I SP5W SP5 SP5GRY SP5LA	Brass Polished Brass 302S/S	SB5 SB5PB SS5
Six Gang 	Ivory White Brown Gray Black Light Almond	TP6I TP6W TP6 TP6GRY TP6BK TP6LA	SP6I SP6W SP6GRY SP6LA	Polished Brass 302S/S	SB6PB SS6
Seven Gang 				302S/S 302S/S Painted Ivory 302S/S Painted White	SS601 SS601I SS601W
Eight Gang 				302S/S 302S/S Painted Ivory 302S/S Painted White	SS602 SS602I SS602W

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.




Pass & Seymour



Wall Plates

Duplex Receptacle & Decorator Openings

Standard Size Plastic & Metal

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Duplex Receptacle Openings					
One Gang 	Ivory White Brown Gray Black Red Light Almond Blue Orange	TP8I TP8W TP8 TP8GRY TP8BK TP8RED TP8LA TP8BL TP8OR	SP8I SP8W SP8 SP8GRY SP8LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA8 SB8 SB8PB SL8 SS8 SB8BZ SB8CH
Two Gang 	Ivory White Brown Gray Black Red Light Almond Orange	TP82I TP82W TP82 TP82GRY TP82BK TP82RED TP82LA TP82OR	SP82I SP82W SP82 SP82GRY SP82LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA82 SB82 SB82PB SL82 SS82 SB82BZ SB82CH
Three Gang 	Ivory White Brown Gray Light Almond		SP83I SP83W SP83 SP83GRY SP83LA	Brass Polished Brass 302S/S	SB83 SB83PB SS83
Four Gang 	Ivory White Brown Gray		SP84I SP84W SP84 SP84GRY	Polished Brass 302S/S	SB84PB SS84
Five Gang 				302S/S	SS85
Six Gang 				302S/S	SS86
Decorator Openings					
One Gang 	Ivory White Brown Gray Black Red Light Almond Blue Orange	TP26I TP26W TP26 TP26GRY TP26BK TP26RED TP26LA TP26BL TP26OR	SP26I SP26W SP26 SP26GRY SP26BK SP26LA	Aluminum Brass Polished Brass 430S/S 302S/S Brushed Bronze Chrome	SA26 SB26 SB26PB SL26 SS26 SB26BZ SB26CH

Wall Plates Decorator Openings

Standard Size Plastic & Metal

Pass & Seymour
legrand

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Decorator Openings					
Two Gang 	Ivory White Brown Gray Black Red Light Almond Blue Orange	TP262I TP262W TP262 TP262GRY TP262BK TP262RED TP262LA TP262BL TP262OR	SP262I SP262W SP262 SP262GRY SP262BK SP262LA	Aluminum Brass Polished Brass 430S/S 302S/S	SA262 SB262 SB262PB SL262 SS262
Three Gang 	Ivory White Brown Gray Black Red Light Almond	TP263I TP263W TP263 TP263GRY TP263BK TP263RED TP263LA	SP263I SP263W SP263GRY SP263BK SP263LA	Brass Polished Brass 302S/S	SB263 SB263PB SS263
Four Gang 	Ivory White Brown Gray Black Red Light Almond	TP264I TP264W TP264 TP264GRY TP264BK TP264RED TP264LA	SP264I SP264W SP264 SP264GRY SP264BK SP264LA	Brass Polished Brass 302S/S	SB264 SB264PB SS264
Five Gang 	Ivory White Brown Gray Black Red Light Almond	TP265I TP265W TP265 TP265GRY TP265BK TP265LA	SP265I SP265W SP265GRY SP265BK SP265RED SP265LA	302S/S	SS265
Six Gang 	Ivory White Brown Gray Black Light Almond	TP266I TP266W TP266 TP266GRY TP266BK TP266LA	SP266I SP266W SP266 SP266GRY SP266BK SP266LA	302S/S	SS266
Seven Gang 				302S/S 302S/S Painted Ivory 302S/S Painted White	SS267 SS267I SS267W
Eight Gang 				302S/S 302S/S Painted Ivory 302S/S Painted White	SS268 SS268I SS268W

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.


Pass & Seymour



Wall Plates

Blank Plates – Box Mounted

Standard Size Plastic & Metal

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Blank Plates – Box Mounted					
One Gang Blank – Box Mtd. 	Ivory White Brown Gray Black Red Light Almond	TP13I TP13W TP13 TP13GRY TP13BK TP13RED TP13LA	SP13I SP13W SP13 SP13GRY SP13LA	Aluminum Brass Polished Brass 430S/S 302S/S 302S/S (1/2" Screws) Brushed Bronze Chrome	SA13 SB13 SB13PB SL13 SS13 SS13.5 SB13BZ SB13CH
Two Gang Blank – Box Mtd. 	Ivory White Brown Gray Black Light Almond	TP23I TP23W TP23 TP23GRY TP23BK TP23LA	SP23I SP23W SP23 SP23GRY SP23LA	Aluminum Brass Polished Brass 430S/S 302S/S 302S/S (1/2" Screws) Brushed Bronze Chrome	SA23 SB23 SB23PB SL23 SS23 SS23.5 SB23BZ SB23CH
Three Gang Blank – Box Mtd. 	Ivory White Brown Gray Light Almond		SP33I SP33W SP33 SP33GRY SP33LA	Polished Brass 302S/S 302S/S (1/2" Screws)	SB33PB SS33 SS33.5
Four Gang Blank – Box Mtd. 	Ivory White Brown Gray		SP43I SP43W SP43 SP43GRY	302S/S	SS43
Five Gang Blank – Box Mtd. 				302S/S	SS53
Six Gang Blank – Box Mtd. 				302S/S	SS63
Seven Gang Blank – Box Mtd. 				302S/S	SS6013
Eight Gang Blank – Box Mtd. 				302S/S	SS6023



Wall Plates

Blank Plates – Strap Mounted

Standard Size Plastic & Metal

Pass & Seymour



Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Blank Plates – Strap Mounted with Adjustment Yoke					
One Gang Blank – Strap Mtd. 	Ivory White Brown Gray Black Red Light Almond	TP14I TP14W TP14 TP14GRY TP14BK TP14LA	SP14I SP14W SP14 SP14GRY SP14BK SP14RED SP14LA	Aluminum Brass 430S/S 302S/S 302S/S (1/2" Screws)	SA14 SB14 SL14 SS14 SS14.5
Two Gang Blank – Strap Mtd. 	Ivory White Brown Gray Black Red Light Almond	TP24I TP24W TP24 TP24GRY TP24BK TP24LA	SP24I SP24W SP24 SP24GRY SP24BK SP24RED SP24LA	Aluminum Brass 430S/S 302S/S 302S/S (1/2" Screws)	SA24 SB24 SL24 SS24 SS24.5
Three Gang Blank – Strap Mtd. 	Ivory White Brown Gray		SP34I SP34W SP34 SP34GRY	302S/S	SS34
Four Gang Blank – Strap Mtd. 	Ivory White Brown Gray		SP44I SP44W SP44 SP44GRY	302S/S	SS44

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

S-11


Pass & Seymour



Wall Plates

Single Receptacle & Power Outlet Openings

Standard Size Plastic & Metal

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Single Receptacle Openings					
One Gang 	Ivory White Brown Gray Black Red Light Almond	TP7I TP7W TP7 TP7GRY TP7BK TP7RED TP7LA	SP7I SP7W SP7 SP7GRY SP7LA	Aluminum Brass Polished Brass 430S/S 302S/S	SA7 SB7 SB7PB SL7 SS7
Two Gang 	Ivory White Brown		SP72I SP72W SP72	302S/S	SS72
Three Gang 				302S/S 302S/S Painted Ivory 302S/S Painted White 302S/S Painted Gray	SS73 SS73I SS73W SS73GRY
Power Outlet Receptacle Openings – One Gang					
 1.5938" hole for 1.5625" dia. device – 2 mtg. holes	Ivory White Brown Gray Light Almond	TP720I TP720W TP720 TP720GRY TP720LA	SP720I SP720W SP720 SP720GRY SP720LA	302S/S	SS720
 1.625" hole for 1.5938" dia. device – 2 mtg. holes				302S/S	SS721
 1.75" hole for 1.7186" dia. device-2 mtg. holes				302S/S	SS725
 2.125" hole for 2.094" dia. device – 2 mtg. holes				302S/S	SS723
 2.156" hole for 2.125" dia. device – 2 mtg. holes	Ivory White Brown Gray Black Light Almond	TP724I TP724W TP724 TP724GRY TP724BK TP724LA	384I 384	Chrome 302S/S	S384C SS724

Wall Plates

Power Outlet Receptacle Openings

Standard Size Plastic & Metal

Pass & Seymour


Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Power Outlet Receptacle Openings – Two Gang					
 2.4688" hole for 2.375" dia. device – 4 mtg. holes				Chrome 302S/S	S3863C SS701
 2.1563" hole for 2.125" dia. device – 2 mtg. holes				302S/S	SS702
 2.1563" hole for 2.125" dia. device – 4 mtg. holes	Ivory Ivory White Brown Brown Gray Black Light Almond	TP703I TP703W TP703 TP703GRY TP703BK TP703LA	SP703I 3862I SP703 3862 SP703LA	Chrome 302S/S	S3862C SS703
 2.2813" hole for 2.125" dia. device – 4 mtg. holes				Aluminum 302S/S	SA716 SS716
 2.1563" hole for 2.125" dia. device – 4 mtg. holes				302S/S	SS705
 1.5938" hole for 1.5625" dia. device – 2 mtg. holes				302S/S	SS710

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

S-13

Pass & Seymour



Wall Plates

Combination Openings

Standard Size Plastic & Metal

		Nylon	Thermoset	Metal	
Description	Color	TradeMaster® Plates	Smooth	Material	Smooth
Toggle Switch & Duplex Receptacle Openings					
Two Gang 1 Toggle, 1 Duplex 	Ivory White Brown Gray Black Red Light Almond	TP18I TP18W TP18 TP18GRY TP18BK TP18RED TP18LA	SP18I SP18W SP18 SP18GRY SP18LA	Brass Polished Brass 302S/S	SB18 SB18PB SS18
Three Gang 2 Toggles, 1 Duplex 	Ivory White Brown Gray Black Red Light Almond	TP28I TP28W TP28 TP28GRY TP28BK TP28RED TP28LA	SP28I SP28W SP28 SP28GRY SP28LA	Brass Polished Brass 302S/S	SB28 SB28PB SS28
Four Gang 3 Toggles, 1 Duplex 	Ivory White Brown Gray Light Almond		SP38I SP38W SP38 SP38GRY SP38LA	Polished Brass 302S/S	SB38PB SS38
Five Gang 4 Toggles, 1 Duplex 				302S/S 302S/S Painted Ivory 302S/S Painted White	SS48 SS48I SS48W
Toggle Switch & Decorator Openings					
Two Gang 1 Toggle, 1 Decorator 	Ivory White Brown Gray Black Light Almond	TP126I TP126W TP126 TP126GRY TP126BK TP126LA	SP126I SP126W SP126 SP126GRY SP126BK SP126LA	Aluminum Brass Polished Brass 302S/S	SA126 SB126 SB126PB SS126
Three Gang 2 Toggles, 1 Decorator 	Ivory White Brown Gray Light Almond Black	TP226I TP226W TP226 TP226GRY TP226LA TP226BK	SP226I SP226W SP226 SP226GRY SP226LA	302S/S	SS226
Three Gang 1 Toggle, 2 Decorator 	Ivory White Brown Gray Black Light Almond		SP1262I SP1262W SP1262 SP1262GRY SP1262BK SP1262LA	302S/S	SS1262
Four Gang 3 Toggles, 1 Decorator 	Ivory White Brown Gray Light Almond		SP326I SP326W SP326 SP326GRY SP326LA	302S/S	SS326

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates Combination Openings

Standard Size Plastic & Metal

Pass & Seymour



Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Toggle Switch & Decorator Openings (cont.)					
Four Gang 2 Toggles, 2 Decorator 	Ivory White Brown Light Almond		SP2262I SP2262W SP2262 SP2262LA		
Toggle Switch & Blank Strap Mounted Openings					
Two Gang 1 Toggle, 1 Blank 				302S/S	SS114
Three Gang 2 Toggles, 1 Blank 				302S/S	SS214
Four Gang 3 Toggles, 1 Blank 				302S/S	SS314

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

S-15

Pass & Seymour



Wall Plates

Combination Openings

Standard Size Plastic & Metal

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Two Gang Combination Openings					
Two Gang 1 Toggle, 1 Single 	Ivory White Brown Gray		SP17I SP17W SP17 SP17GRY	302S/S	SS17
Two Gang Single/Duplex 	Ivory White Brown Gray		SP78I SP78W SP78 SP78GRY	Aluminum 302S/S	SA78 SS78
Two Gang Duplex/Decorator 	Ivory White Brown Gray Black Red Light Almond	TP826I TP826W TP826 TP826GRY TP826BK TP826RED TP826LA	SP826I SP826W SP826 SP826GRY SP826LA	Polished Brass 302S/S	SB826PB SS826
Two Gang Telephone/Toggle 	Ivory White Brown		SP112I SP112W SP112		
Two Gang Telephone/Duplex 	Ivory White Brown Gray		SP128I SP128W SP128 SP128GRY	302S/S	SS128
Two Gang Telephone/Blank (Strap Mtd) 	Ivory White		SP1214I SP1214W	302S/S	SS1214
Two Gang Telephone/Decorator 	Ivory White Brown		SP1226I SP1226W SP1226	302S/S	SS1226
Two Gang Blank (Box Mtd)/Duplex 	Ivory White Brown Gray Black Red Light Almond	TP138I TP138W TP138 TP138GRY TP138BK TP138RED TP138LA	SP138I SP138W SP138 SP138GRY	302S/S	SS138
Two Gang Toggle/Blank (Box Mtd) 	Ivory White Brown Gray Black Light Almond	TP113I TP113W TP113 TP113GRY TP113BK TP113LA		302S/S	SS113

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates Combination Openings

Standard Size Plastic & Metal

Pass & Seymour



Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Two Gang Combination Openings (cont.)					
Two Gang Blank (Strap Mtd)/Duplex 	Ivory White Brown Gray		SP148I SP148W SP148 SP148GRY	302S/S	SS148
Two Gang Blank (Strap Mtd)/Single 	Ivory White		SP147I SP147W	302S/S	SS147
Two Gang Blank (Strap Mtd)/Decorator 	Ivory White Brown Gray Light Almond		SP1426I SP1426W SP1426 SP1426GRY SP1426LA	302S/S	SS1426
Three & Four Gang Combination Openings					
Three Gang Toggle/Duplex/Duplex 	Ivory White Brown Gray Light Almond		SP182I SP182W SP182 SP182GRY SP182LA	Polished Brass 302S/S	SB182PB SS182
Three Gang Duplex/Blank (Strap Mtd)/Duplex 				302S/S	SS8148
Three Gang Blank (Strap Mtd)/Toggle/Blank (Strap Mtd) 				302S/S	SS14114
Three Gang Blank (Strap Mtd)/Duplex/Blank (Strap Mtd) 				302S/S	SS14814
Four Gang 2 Toggles, 2 Duplex 				302S/S	SS282

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Pass & Seymour




Wall Plates

Despard® Openings

Standard Size Plastic & Metal

Despard Interchangeable Plate Supplied with Mounting Straps

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
One Horizontal Opening Per Gang					
One Gang 	Ivory White Brown		K1I K1W K1	302S/S	SSK1
Two Gang 				302S/S	SSK12
Three Gang 				302S/S	SSK13
Two Horizontal Openings Per Gang					
One Gang 	Ivory White Brown		K2I K2W K2	302S/S	SSK2
Two Gang 				302S/S	SSK22
Three Horizontal Openings Per Gang					
One Gang 	Ivory White Brown		K3I K3W K3	302S/S	SSK3
Two Gang 				302S/S	SSK32
Three Gang 				302S/S	SSK33
One Vertical Opening Per Gang					
One Gang 	Ivory White Brown		K4I K4W K4		

See Page T-11 for Devices.

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates

Two Gang with Center Opening

Standard Size Metal

Pass & Seymour


Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Two Gang with Center Opening					
Toggle Switch 				302S/S	SS740
Blank-Box Mount 				302S/S	SS743
Decorator 				302S/S	SS746
Single Receptacle 				302S/S	SS747
Duplex Receptacle 				302S/S	SS748

KL Series Locking Switch Plates					
One Gang  .906 diameter Reference Page A-3 for device				302S/S	SS717
Two Gang  .906 diameter Reference Page A-3 for device				302S/S	SS727

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

S-19

Pass & Seymour



Wall Plates

Louwer & Bipler/Tripler Openings


Standard Size Metal

Description		Nylon	Thermoset	Metal	
	Color	TradeMaster® Plates	Smooth	Material	Smooth
Louver Plates					
One Gang Horizontal 				Brass 302S/S 302S/S Painted Ivory 302S/S Painted White 302S/S Painted Light Almond	SB760 SS760 SS760I SS760W SS760LA
One Gang Vertical 				Brass 302S/S 302S/S Painted Ivory 302S/S Painted White 302S/S Painted Brown 302S/S Painted Gray 302S/S Painted Light Almond	SB771 SS771 SS771I SS771W SS771X SS771GRY SS771LA
Two Gang Vertical 				302S/S	SS772
Biplex/Triplex Receptacle					
One Gang 1 Biplex/Triplex 				302S/S	SS9

Wall Plates Toggle Switch, Duplex & Single Receptacle Openings

Junior-Jumbo & Jumbo Plastic & Metal

Pass & Seymour
legrand

Description		Nylon	Thermoset		Metal		
	Color	TradeMaster® Jumbo	Junior-Jumbo	Jumbo	Material	Junior-Jumbo	Jumbo
			Smooth	Smooth		Smooth	Smooth
Toggle Switch Openings							
One Gang 	Ivory White Brown Gray Light Almond	TPJ1I TPJ1W TPJ1 TPJ1GRY TPJ1LA	SPJ1I SPJ1W SPJ1 SPJ1LA	SP01I SP01W SP01	Brass 302S/S	SBJ1 SSJ1	SB01 SS01
Two Gang 	Ivory White Brown Gray Light Almond	TPJ2I TPJ2W TPJ2 TPJ2GRY TPJ2LA	SPJ2I SPJ2W SPJ2 SPJ2LA	SP02I SP02W SP02	Brass 302S/S	SBJ2 SSJ2	SS02
Three Gang 	Ivory White Brown Gray Light Almond	TPJ3I TPJ3W TPJ3 TPJ3GRY TPJ3LA	SPJ3I SPJ3W SPJ3 SPJ3LA		302S/S	SSJ3	SS03
Four Gang 	Ivory White Brown Gray Light Almond	TPJ4I TPJ4W TPJ4 TPJ4GRY TPJ4LA	SPJ4I SPJ4W SPJ4 SPJ4LA		302S/S		SS04
Duplex Receptacle Openings							
One Gang 	Ivory White Brown Gray Light Almond	TPJ8I TPJ8W TPJ8 TPJ8GRY TPJ8LA	SPJ8I SPJ8W SPJ8 SPJ8LA	SP08I SP08W SP08 SP08LA	Brass 302S/S	SBJ8 SSJ8	SB08 SS08
Two Gang 	Ivory White Brown Gray Light Almond	TPJ82I TPJ82W TPJ82 TPJ82GRY TPJ82LA	SPJ82I SPJ82W SPJ82 SPJ82GRY SPJ82LA	SP082I SP082W SP082	302S/S	SSJ82	SS082
Three Gang 					302S/S		SS083
Single Receptacle Openings							
One Gang 	Ivory White Brown Gray Light Almond	TPJ7I TPJ7W TPJ7 TPJ7GRY TPJ7LA	SPJ7I SPJ7W SPJ7 SPJ7LA		302S/S	SSJ7	SS07

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

S-21

Pass & Seymour



Wall Plates

Decorator Openings & Blank Plates

Junior-Jumbo & Jumbo Plastic & Metal

Description		Nylon	Thermoset		Metal		
	Color	TradeMaster® Jumbo	Junior-Jumbo	Jumbo	Material	Junior-Jumbo	Jumbo
			Smooth	Smooth		Smooth	Smooth
Decorator Openings							
One Gang 	Ivory White Brown Gray Red Light Almond	TPJ26I TPJ26W TPJ26 TPJ26GRY TPJ26RED TPJ26LA	SPJ26I SPJ26W SPJ26 SPJ26LA	SPO26I SPO26W SPO26 SPO26LA	Brass 302S/S	SBJ26 SSJ26	SBO26 SSO26
Two Gang 	Ivory White Brown Gray Light Almond	TPJ262I TPJ262W TPJ262 TPJ262GRY TPJ262LA	SPJ262I SPJ262W SPJ262 SPJ262LA	SPO262I SPO262W SPO262	302S/S	SSJ262	SSO262
Three Gang 	Ivory White Brown Gray Light Almond	TPJ263I TPJ263W TPJ263 TPJ263GRY TPJ263LA	SPJ263I SPJ263W SPJ263 SPJ263LA		302S/S	SSJ263	
Four Gang 	Ivory White Brown Gray Light Almond	TPJ264I TPJ264W TPJ264 TPJ264GRY TPJ264LA	SPJ264I SPJ264W SPJ264 SPJ264LA				
Blank Plates – Box & Strap Mounted							
One Gang Blank – Box Mtd. 	Ivory White Brown Gray Light Almond	TPJ13I TPJ13W TPJ13 TPJ13GRY TPJ13LA	SPJ13I SPJ13W SPJ13 SPJ13LA	SPO13I SPO13W SPO13	302S/S	SSJ13	SSO13
Two Gang Blank – Box Mtd. 	Ivory White Brown			SPO23I SPO23W SPO23	302S/S		SSO23
Three Gang Blank – Box Mtd. 					302S/S		SSO33
One Gang Blank – Strap Mtd. 					302S/S		SSO14
Two Gang Blank – Strap Mtd. 					302S/S		SSO24
Three Gang Blank – Strap Mtd. 					302S/S		SSO34

Wall Plates Combination Openings

Junior-Jumbo & Jumbo Plastic & Metal

Pass & Seymour
legrand

Description		Nylon	Thermoset		Metal		
	Color	TradeMaster® Jumbo	Junior-Jumbo	Jumbo	Material	Junior-Jumbo	Jumbo
			Smooth	Smooth		Smooth	Smooth
Two Gang Combination Openings							
Two Gang Toggle/Duplex 	Ivory White Brown Gray Light Almond	TPJ18I TPJ18W TPJ18 TPJ18GRY TPJ18LA	SPJ18I SPJ18W SPJ18 SPJ18LA	SPO18I SPO18W SPO18	302S/S	SSJ18	SSO18
Two Gang Toggle/Decorator 	Ivory White Brown Gray Light Almond	TPJ126I TPJ126W TPJ126 TPJ126GRY TPJ126LA	SPJ126I SPJ126W SPJ126 SPJ126LA		302S/S	SSJ126	SSO126
Two Gang Toggle/Blank (Strap Mtd) Supplied with 340 Yoke 					302S/S		SSO114
Two Gang Toggle/Blank (Box Mtd) 	Ivory White Brown Gray Light Almond	TPJ113I TPJ113W TPJ113 TPJ113GRY TPJ113LA	SPJ113I SPJ113W SPJ113	SPO113I SPO113			
Two Gang Blank (Box Mtd)/Duplex 	Ivory White Brown		SPJ138I SPJ138W SPJ138	SPO138I SPO138	302S/S		SSO138
Two Gang Duplex/Decorator 	Ivory White Brown Gray Light Almond	TPJ826I TPJ826W TPJ826 TPJ826GRY TPJ826LA	SPJ826I SPJ826W SPJ826LA				
Two Gang Blank/Decorator  ** strap mounted * box mounted	Ivory White Brown		SPJ1426I** SPJ1426W** SPJ1426**	SPO1326I* SPO1326W* SPO1326*			
Three Gang 2 Toggles/Duplex 					302S/S		SSO28

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Pass & Seymour



Wall Plates Sectional

Thermoplastic

Description	Semi-Jumbo	
	Color	Smooth Nylon
Sectional Wall Plates – End Sections		
Toggle Switch 	Ivory White Light Almond	PJSE1I PJSE1W PJSE1LA
Duplex Receptacle 	Ivory White Light Almond	PJSE8I PJSE8W PJSE8LA
Single Receptacle 	Ivory White Light Almond	PJSE7I PJSE7W PJSE7LA
Blank, Strap Mounted supplied with #340 Yoke 	Ivory White Light Almond	PJSE14I PJSE14W PJSE14LA
Decorator 	Ivory White Light Almond	PJSE26I PJSE26W PJSE26LA

3rd Party Compliance.
Reference Page S-4 for Features and Dimensions on Sectional Wall Plates.

Thermoplastic

Description	Semi-Jumbo	
	Color	Smooth Nylon
Sectional Wall Plates – Center Sections		
Toggle Switch 	Ivory White Light Almond	PJSC1I PJSC1W PJSC1LA
Duplex Receptacle 	Ivory White Light Almond	PJSC8I PJSC8W PJSC8LA
Single Receptacle 	Ivory White Light Almond	PJSC7I PJSC7W PJSC7LA
Blank, Strap Mounted supplied with #340 Yoke 	Ivory White Light Almond	PJSC14I PJSC14W PJSC14LA
Decorator 	Ivory White Light Almond	PJSC26I PJSC26W PJSC26LA

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates Tandem & Handy Box Plates

Pass & Seymour



Features

- Tandem wall plates are ideal for curtain wall and movable partitions or wherever limited wiring exists.
- Note: Write factory for availability of other tandem sizes, materials, and openings.


Description	Material	Catalog Number
Tandem Wall Plates		
1-3/4" W x 6-1/8" H 2 Vertical Devices Supplied with #342 Strap	302S/S	SSTK424



Features

- Handy Box Plates give a finished appearance and style to surface mounted boxes.
- Plate conceals rough edge of box.
- Available in the five most-used openings, they have a bright corrosion-resistant zinc-plated finish.

Description	Material	Catalog Number
Galvanized Steel Handy Box Plates		
One Gang Toggle Switch 	Plated	SH1
One Gang Single Receptacle 	Plated	SH7
One Gang Duplex Receptacle 	Plated	SH8
One Gang Blank (Box Mounted) 	Plated	SH13
One Gang Decorator/GFCI 	Plated	SH26



342 Strap

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Pass & Seymour



Wall Plates

Narrow Metal

Made to Order – Consult factory for price and availability

Made to Order Wall Plates							
		1-3/8"	1-1/2"	1-11/16"	1-3/4"	2"	2-1/2"
Description	Material	Catalog Numbers					
 Toggle Switch	Aluminum 302S/S	SAN11 SSN11			SAN14 SSN14	SSN15	
 Telephone Outlet 13/32" Hole – Box Mounted	302S/S						SSN117
 Telephone Outlet 13/32" Hole – Strap Mounted	302S/S	SSN121					
 Blank Strap Mounted, 1 #340 Yoke	Aluminum 302S/S		SSN142		SAN144 SSN144		
 Duplex Receptacle	Aluminum 302S/S					SAN85 SSN85	
 1 Despard® Interchangeable Horizontal Opening Supplied With #348 Mounting Strap	Aluminum 302S/S				SANK14 SSNK14		
 2 Despard Interchangeable Horizontal Openings Supplied With #348 Mounting Strap	Aluminum 302S/S				SANK24 SSNK24		
 3 Despard Interchangeable Horizontal Openings Supplied With #348 Mounting Strap	302S/S				SSNK34		
 1 Despard Interchangeable Vertical Opening Supplied With #347 Mounting Strap	Aluminum 302S/S	SANK41 SSNK41		SANK43 SSNK43	SANK44 SSNK44		
 1 Despard Interchangeable Vertical Opening Device Mounted Use with #347 Strap	Aluminum 302S/S	SANK51 SSNK51		SANK53 SSNK53	SANK54 SSNK54		

Note: All narrow plates are 4-1/2" high.

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates

Dustproof Stainless Steel Covers

Specification Grade


Pass & Seymour
legrand

Stainless Steel Covers are dustproof only and do not meet NEC 406.8(A) or (B).


Features

- Exclusive – Spec-grade stainless steel dust covers.
- Aesthetically pleasing.
- Ideal for hard-use and corrosive applications.


Catalog Number		Description	3rd Party Compliance	
			UL	SP
Dustproof Stainless Steel Covers				
 	WP1	1 Toggle Switch 1 Small Cover, Vertical 1 Gang Plate Available for Four Screw Mount – add suffix -FS	•	•
 	WP2	2 Toggle Switches 2 Small Covers, Vertical 2 Gang Plate	•	•
 	WP7	1 Single Receptacle 1 Small Cover, Vertical 1 Gang Plate Available for Four Screw Mount – add suffix -FS	•	•
 	WP8	1 Duplex Receptacle 1 Long Cover, Vertical 1 Gang Plate	•	•
 	WPH8	1 Duplex Receptacle 1 Long Cover, Horizontal 1 Gang Plate	•	•
 	WPD8	1 Duplex Receptacle 2 Small Covers, Horizontal 1 Gang Plate	•	•
 	WP26	1 Decorator/GFCI 1 Long Cover, Vertical 1 Gang Plate	•	•
 	WPH26	1 Decorator/GFCI 1 Long Cover, Horizontal 1 Gang Plate	•	•
Dustproof Locking Stainless Steel Covers				
 	WPH1L	Toggle Opening Horizontal	•	•
 	WPH7L	Single Receptacle Opening Horizontal	•	•
 	WPH8L	Duplex Receptacle Opening Horizontal	•	•
 	WP26L	Decorator/GFCI Vertical	•	•



WP1
WP7



WP2



WP8
WP26



WP26L



WPH1L, WPH7L



WPH8, WPH26

Catalog Number WP255K.
Replacement key for all
Dustproof Locking Covers.
(Two keys furnished with
each unit.)

Note: All locks
keyed the same.

For Weatherproof Stainless Steel Covers, see Page R-14.


Pass & Seymour




Wall Plates

Communication Devices


Telephone Wiring Devices



TPTE1



TPTE2

26TE14
26TE16

Features

- RJ11 modular jack.
- Mar-resistant wall plate.
- Wall plate dimension is Standard size.
- Fits standard size single gang electrical box.
- Meets FCC Part 68 requirements.

Catalog Number	Color	Configuration	3rd Party Compliance
			 UL1863
Single Gang Opening Modular Telephone Jack with Wall Plate			
TPTE1I	Ivory	4 Conductor	
TPTE1W	White	4 Conductor	
TPTE1	Brown	4 Conductor	
TPTE1GRY	Gray	4 Conductor	
TPTE1BK	Black	4 Conductor	
TPTE1LA	Light Almond	4 Conductor	
Single Gang, Two Modular RJ11 Telephone Jacks with Wall Plate			
TPTE2I	Ivory	4 Conductor	
TPTE2W	White	4 Conductor	
TPTE2	Brown	4 Conductor	
TPTE2BK	Black	4 Conductor	
TPTE2LA	Light Almond	4 Conductor	

Features

- Decorator-style rectangular design.
- RJ11 modular jack.
- Fits standard single gang electrical box.
- May be used in multigang applications.
- Face constructed of high-impact thermoplastic.
- Brass terminals with nickel-plated steel screws and washers.
- Meets FCC Part 68 requirements.

Catalog Number	Color	Configuration	3rd Party Compliance
			 UL1863
Decorator Modular Jack			
Single Gang, 1 Opening Modular Jack			
26TE14I	Ivory	4 Conductor	•
26TE14W	White	4 Conductor	•
26TE14LA	Light Almond	4 Conductor	•
26TE16I	Ivory	6 Conductor	•
26TE16W	White	6 Conductor	•

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates


Communication Devices

Telephone Wiring Devices


Pass & Seymour
legrand

Features


- One piece molded plate Decorator outline.
- Two RJ11 modular jacks.
- Fits standard single gang electrical box.
- Face constructed of high-impact thermoplastic.
- Brass terminals with nickel-plated steel screws and washers.
- Wall plate dimension is standard size.
- Meets FCC Part 68 requirements.



26TE24



WMTE14



SMTE14

Catalog Number

Color

Configuration

3rd Party Compliance



Decorator Duplex Modular Jack with Smooth Plate

Single Gang, 2 Openings

26TE24I	Ivory	4 Conductor	•
26TE24W	White	4 Conductor	•
26TE24LA	Light Almond	4 Conductor	•
26TE26I	Ivory	6 Conductor	•
26TE26W	White	6 Conductor	•

Features

- RJ-11 modular jack.
- High-impact thermoplastic face plate and back body.
- Nickel-plated steel screw terminals.
- Zinc-plated mounting lugs.

Catalog Number

Color

Configuration

3rd Party Compliance



Modular Wall Mount Telephone Jack for Hanging Phones

WMTE14I	Ivory	4 Conductor	•
WMTE14W	White	4 Conductor	•
WMTE14LA	Light Almond	4 Conductor	•

Features

- Nickel-plated steel screws and washers.
- Brass terminals.
- Comes with mounting screws and adhesive pad.
- Snap-on cover and base constructed of high-impact thermoplastic.

Catalog Number

Color

Configuration

3rd Party Compliance




Surface Mount Modular RJ-11 Telephone Jack


SMTE14I	Ivory	4 Conductor	•
---------	-------	-------------	---

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.


Pass & Seymour




TPCATV




TPCATV2



26CATV



TPTELTV



26TELTVCC10

Wall Plates Communication Devices

Telephone & CATV Wiring Devices

Features

- Mar-resistant wall plate.
- Fits standard size single gang electrical box.
- Wall plate dimension is Standard size.
- Nickel-plated steel.
- Connector is threaded at each end.

Catalog Number	Color	Configuration	3rd Party Compliance
			 UL1863
“F” Type with One Coaxial Connector & Wall Plate, Single Gang			
TPCATVI	Ivory	F-type COAX Connector	•
TPCATVW	White	F-type COAX Connector	•
TPCATV	Brown	F-type COAX Connector	•
TPCATVBK	Black	F-type COAX Connector	•
TPCATVLA	Light Almond	F-type COAX Connector	•
“F” Type with Two Coaxial Connectors & Wall Plate, Single Gang			
TPCATV2I	Ivory	2 F-type COAX Connectors	•
TPCATV2W	White	2 F-type COAX Connectors	•
TPCATV2	Brown	2 F-type COAX Connectors	•
TPCATV2BK	Black	2 F-type COAX Connectors	•
TPCATV2LA	Light Almond	2 F-type COAX Connectors	•

Features

- Decorator outline.
- Face constructed of high-impact thermoplastic.
- Zinc-plated steel strap.
- Nickel-plated "F" type connector.
- Threaded on each end.

Catalog Number	Color	Configuration	3rd Party Compliance
			 UL1863
Decorator “F” Type Coaxial Connector Single Gang with 1 COAX Connector			
26CATVI	Ivory	F-type COAX Connector	•
26CATVW	White	F-type COAX Connector	•
26CATVLA	Light Almond	F-type COAX Connector	•

Features

- Decorator outline.
- RJ11 modular jack.
- Face constructed of high-impact thermoplastic.
- Zinc-plated steel strap.
- Nickel-plated "F" type connector.
- Threaded on each end.

Catalog Number	Color	Configuration	3rd Party Compliance
			 UL1863
Combination Coaxial Connector & Telephone Jack			
TPTELTVI	Ivory	F-type COAX Connector with 4 Conductor RJ-11 jack	•
TPTELTVW	White		•
TPTELTV	Brown		•
TPTELTVBK	Black		•
TPTELTVLA	Light Almond		•
26TELTVICC10	Ivory	Same as TPTELTV with one-piece molded plate Decorator outline.	•
26TELTVWCC10	White		•
26TELTVLACC10	Light Almond		•

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates Communication Plates

Standard Size Plastic & Metal

Pass & Seymour



		Nylon	Thermoset	Metal	
Description	Color	TradeMaster® Plates	Smooth	Material	Smooth
Telephone or Cable Outlet 13/32" Hole, Box Mounted					
 One Gang 1 Outlet (Metal plates have removable 13/32" I.D. grommet in 17/32" hole.)	Ivory White Brown Gray Black Red Light Almond	TP11I TP11W TP11 TP11GRY TP11BK TP11RED TP11LA	SP11I SP11W SP11	Brass 302S/S	SB11 SS11
 Two Gang 2 Outlets	Ivory White Gray		SP21I SP21W SP21GRY	302S/S	SS21
Telephone or Cable Outlet 13/32" Hole, Strap Mounted, With Adjustment Yoke					
 One Gang 1 Outlet 1 #340 Yoke (Metal plates have removable 13/32" I.D. grommet in 17/32" hole.)	Ivory White Brown Gray Black Red Light Almond	TP12I TP12W TP12 TP12GRY TP12BK TP12LA	SP12I SP12W SP12 SP12BK SP12RED SP12LA	Brass 430S/S 302S/S	SB12 SL12 SS12
 Two Gang 2 Outlets				302S/S 302S/S Painted Ivory 302S/S Painted White 302S/S Painted Gray	SS22 SS22I SS22W SS22GRY
Telephone or Cable Outlet 5/8" Hole, Strap Mounted					
 One Gang 1 Outlet 1 #340 Yoke (Metal plates have removable 5/8" I.D. grommet in 7/8" hole.)				302S/S	SS730
Telephone or Cable Outlet 13/32" Hole With Knockout, Strap Mounted					
 One Gang 1 Outlet 1 #340 Yoke	Ivory White Brown Gray		SP732I SP732W SP732 SP732GRY		
Telephone or Cable Outlet 5/8" ID, Box Mounted					
 One Gang 1 Outlet	Ivory White Brown Black Light Almond	TP60I TP60W TP60LA	SP60I SP60W SP60 SP60BK SP60LA	    	
Telephone or Cable Outlet 1 1/4" Hole, Strap Mounted					
 One Gang 1 Outlet Supplied With #340 Yoke				302S/S	SS736

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Pass & Seymour



Wall Plates

Communication Plates

Description	Metal	
	Material	Smooth
Horizontal-Split Wall Plates for Television or Cable Lead-In*		
 One Gang 1 Outlet Box Mounted. Removable 13/32" I.D. grommet in 1/2" hole.	302S/S	SS751
 One Gang 1 Outlet Supplied With #340 Yoke Strap Mounted. Removable 13/32" I.D. grommet in 17/32" hole.	302S/S	SS752
 One Gang 1 Outlet Box Mounted. Removable 5/8" I.D. grommet in 7/8" hole.	302S/S	SS753
 One Gang 1 Outlet Supplied With #340 Yoke Strap Mounted. Removable 5/8" I.D. grommet in 7/8" hole.	302S/S	SS754
 Two Gang 1 Centered Outlet (Also Furnished for Strap Mounting Cat. # SS786 with 2 #340 Yokes. Box Mounted. Removable 13/32" I.D. grommet in 17/32" hole.)	302S/S**	SS785
 Two Gang 1 Centered Outlet (Also Furnished for Strap Mounting Cat. # SS788 with 2 #340 Yokes. Box Mounted. Removable 5/8" I.D. grommet in 7/8" hole.)	302S/S**	SS787

* For telephone, security systems, FM and cable TV antennas or wherever cable interconnections are required.

** Strap Mounted with 2 #340 Yokes.

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Wall Plates Communication Plates

Pass & Seymour



Description	Thermoset		Metal	
	Color	Smooth	Material	Smooth
Two Gang with Centered Openings**				
 1 Centered Outlet Box Mounted			302S/S	SS741
 1 Centered Outlet Strap Mounted Supplied with #340 Yoke			302S/S	SS742
Computer Jack Plates for RS-232 Connectors**				
 One Gang One Jack Opening			302S/S	SS791
 One Gang Two Jack Opening			302S/S	SS792
Standard Combination Two Gang*				
 Two Gang Telephone/Duplex	Ivory White Brown Gray	SP128I SP128W SP128 SP128GRY	302S/S	SS128
 Two Gang Telephone/Blank (Strap Mtd)	Ivory White	SP1214I SP1214W	302S/S	SS1214
 Two Gang Telephone/Decorator	Ivory White Brown	SP1226I SP1226W SP1226	302S/S	SS1226
 Two Gang Telephone/Toggle	Ivory White Brown	SP112I SP112W SP112		

* Has 13/32" and 5/8" double knockout.

Description	Thermoset		Metal	
	Junior-Jumbo		Jumbo	
	Color	Smooth	Material	Smooth
Telephone/Cable Outlet**				
 One Gang 1 Outlet (Metal plates have removable 13/32" I.D. grommet in 17/32" hole.)	Ivory White Brown Light Almond	SPJ11I SPJ11W SPJ11 SPJ11LA	302S/S	SS011
Telephone/Cable Outlet**				
 One Gang 1 Outlet Supplied with #340 Yoke			302S/S	SS012

**These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Pass & Seymour



Specialties Mounting Straps, Yokes & Jewels

Description	Finish	Color	Catalog Number	Dimensions
Mounting Straps & Yokes				
Mounting strap for dimmer insert. Box mounted. Change from decorator to toggle opening.	Painted Steel	Ivory White Brown Light Almond	327I 327W 327 327LA	
Mounting strap for blank insert. Box mounted. Changes decorator opening to blank.	Painted Steel	Ivory White Brown Light Almond	326I 326W 326 326LA	
Tandem mounting strap with two vertical openings. Plate screw hole spacing 4-3/8".	Bright Zinc		342	
Mounting strap with three horizontal openings. Plate screw hole spacing 3-13/16". Box mounted.	Bright Zinc		348	
Mounting strap with single vertical opening. Plate screw hole spacing 3-13/16". Box mounted.	Bright Zinc		347	
Adjustment yoke for strap mounted telephone and blank wall plates. Slots 3-9/32" C to C. Plate screw holes 2-3/8" C to C. Box mounted.	Bright Zinc		340	
Mounting strap for blank insert. Changes toggle opening to blank, box mounted.	Thermoset	Ivory White Light Almond	80700I 80700W 80700LA	

Description	Jewel Color	Catalog Number	Jewels		Jewels Shown with Wall Plates
			Front View	Side View	
Plastic Jewels – For Toggle Switch Openings (Style #1)					
Rectangular acrylic plastic warning light jewel for toggle switch plates with holding ring. Red Jewel Standard.	Red Green White	406RED 406GN 406W			
Plastic Jewels – For Single Receptacle Openings (Style #7)					
Round acrylic plastic warning light jewel for single receptacle plates with holding ring. Red Jewel Standard.	Red Green White	405RED 405GN 405W			


UL Listed.

Specialties Decorator Hallway Lights & Combination Devices


Pass & Seymour


Features


- Impact-resistant face and body.
 - GE Lexan™ high impact-resistant lens.
 - External screw-pressure-plate back and side wired. Accepts #12 and #14 AWG.
 - Ground screw position under the end of the strap minimizes the risk of contact.
 - Energy-efficient LED has average 20-year life expectancy: eliminates bulb replacement.
 - Sensor automatically turns light ON in the dark.
 - Increased light output for better illumination.
 - Light sensor for enhanced sensitivity.
- Tamper-Resistant Combination Version:**
- UL tested shutter mechanism for protection against improper object insertion per UL478.
 - Specially designed for increased protection of children in their homes.
 - Superior protection than traditional outlet “caps” or “protection plates.”




TMHWLCC



TMHWLECC



TM8HWLWCC



PS8HWLLA

Catalog Number	Rating A. VAC	Light Output In 1' FCD*	Color	3rd Party Compliance 
TradeMaster® Decorator Full Hallway Light				
TMHWLCC	— 120	0.1328	Clear	•
Enhanced Decorator Full Hallway Light with Light Sensor				
TMHWLECC	— 120	1.079	Clear	•
Enhanced Decorator Full Hallway Light without Light Sensor				
TMHWLESCC	— 120	1.113	Clear	•
Full Hallway Decorator Light for use with P&S Metal Louver Plates**				
TMHWLLOUVCC	— 120	0.0843	Clear	•

*FCD = Foot Candle Distance, 1 Lumen = 1 FCD. See page U-55 for more information.

**For Louver Plates, see Page S-19.


Catalog Number	Rating A. VAC	Light Output In 1' FCD*	Color	NEMA Config. No.	3rd Party Compliance 
TradeMaster® Decorator Hallway Light & Single Receptacle					
TM8HWLICC	15 120/125	0.1442	Ivory	5-15R	•
TM8HWLWCC	15 120/125	0.1442	White	5-15R	•
TM8HWLBKCC	15 120/125	0.1442	Black	5-15R	•
TM8HWLCC	15 120/125	0.1442	Brown	5-15R	•
TM8HWLLACC	15 120/125	0.1442	Light Almond	5-15R	•
Enhanced Decorator Hallway Light & Single Receptacle					
TM8HWLEICC	15 120/125	0.2561	Ivory	5-15R	•
TM8HWLEWCC	15 120/125	0.2561	White	5-15R	•
TM8HWLELACC	15 120/125	0.2561	Light Almond	5-15R	•
Specification Grade Enhanced Decorator Hallway Light & Single Receptacle					
PS8HWLI	20 120/125	0.2561	Ivory	5-20R	•
PS8HWLW	20 120/125	0.2561	White	5-20R	•
PS8HWLLA	20 120/125	0.2561	Light Almond	5-20R	•
TradeMaster® Enhanced Decorator Hallway Light & Tamper-Resistant Single Receptacle					
TM8HWLTRICC	15 120/125	0.2561	Ivory	5-15R	•
TM8HWLTRWCC	15 120/125	0.2561	White	5-15R	•
TM8HWLTRBKCC	15 120/125	0.2561	Black	5-15R	•
TM8HWLTRCC	15 120/125	0.2561	Brown	5-15R	•
TM8HWLTRLACC	15 120/125	0.2561	Light Almond	5-15R	•

*FCD = Foot Candle Distance. 1 Lumen = 1 FCD. See page U-55 for more information.

For complete line of Decorator Combination Devices, see Pages E-7 – E-11, E-17, E-18, E-21, E-30, E-36, and E-72.

All devices listed on this page conform to NEMA WD-1 and WD-6.


Pass & Seymour



1595NTLTRWCC4



2095HGNTLTRW

NEMA
5-15RNEMA
5-20R

Specialties

Decorator Combination Tamper-Resistant Nightlight/GFCI Receptacles

15 & 20A, 125VAC

Features

- Protects children: patented shutter system helps prevent improper insertion of foreign objects.
- Meets 2008 National Electrical Code® Tamper-Resistant requirements.
- SafeLock™ Protection: if critical components are damaged and ground fault protection is lost, power to receptacle is disconnected.
- Sealed nightlight with high impact-resistant Lexan® lens prevents tampering.
- Nightlight uses cooler LED illumination.
- Energy-efficient LED has average 20-year life expectancy, eliminating bulb replacement.
- Two receptacles.
- Photocell turns nightlight ON in dark, OFF in daylight.
- Prevents line-load reversal miswire: no power to the face or downstream receptacles if wired incorrectly.
- Exceeds UL943 voltage surge requirements; survives 100x the required UL 3kA/6kV voltage surge test cycles.
- FSUL Listed (Federal Specification WC596).
- Trip indicator light (red LED).
- Side or internal screw-pressure-plate back wire with #10 – #14 AWG solid or stranded copper wire.
- Two back wire holes per terminal.
- Ground screw has a back wire clamp for easy installation.
- 1/4" thinner than competitors' GFCIs; leaves more room for wires in the box.
- Mounting screws are shipped captive in the device and wall plate for easier installation.
- High-impact-resistant thermoplastic construction.
- Extra-long strap.
- Button colors match the device face.
- Dual-direction test and reset buttons.
- Class A rated GFCI.
- Supplied with matching TP26 nylon wall plate.
- Tri-drive screws.

Specifications

- Supply Voltage: 125VAC, 60 Hz
- Supply Voltage Range: 102-132 VAC
- Trip Threshold: 5± 1mA
- Trip Time: 0.025 sec., nominal per UL Standard
- 20 Amp feed-thru capacity

	Catalog Number	Rating A. VAC	Light Output in 1' FCD*	Color	NEMA Config. No.	3rd Party Compliance		
						 UL _{US} UL943 C22.2 No. 144	 UL _{US} UL498 C22.2 No. 42	FSUL WC596
NEW	Combination Tamper-Resistant 15 Amp Nightlight/GFCI							
	1595NTLTRICC4	15 125	0.180	Ivory	5-15R	•	•	•
	1595NTLTRWCC4	15 125	0.180	White	5-15R	•	•	•
	1595NTLTRBKCC4	15 125	0.180	Black	5-15R	•	•	•
	1595NTLTRLACC4	15 125	0.180	Light Almond	5-15R	•	•	•
NEW	Combination Tamper-Resistant 20 Amp Nightlight/GFCI							
	2095NTLTRI	20 125	0.180	Ivory	5-20R	•	•	•
	2095NTLTRW	20 125	0.180	White	5-20R	•	•	•
	2095NTLTRGRY	20 125	0.180	Gray	5-20R	•	•	•
	2095NTLTRRED	20 125	0.180	Red	5-20R	•	•	•
	2095NTLTRLA	20 125	0.180	Light Almond	5-20R	•	•	•
NEW	Hospital Grade Combination Tamper-Resistant 15 Amp Nightlight/GFCI							
	1595HGNTLTRI	15 125	0.180	Ivory	5-15R	•	•	•
	1595HGNTLTRW	15 125	0.180	White	5-15R	•	•	•
	1595HGNTLTR	15 125	0.180	Brown	5-15R	•	•	•
	1595HGNTLTRGRY	15 125	0.180	Gray	5-15R	•	•	•
	1595HGNTLTRRED	15 125	0.180	Red	5-15R	•	•	•
	1595HGNTLTRLA	15 125	0.180	Light Almond	5-15R	•	•	•
NEW	Hospital Grade Combination Tamper-Resistant 20 Amp Nightlight/GFCI							
	2095HGNTLTRI	20 125	0.180	Ivory	5-20R	•	•	•
	2095HGNTLTRW	20 125	0.180	White	5-20R	•	•	•
	2095HGNTLTR	20 125	0.180	Brown	5-20R	•	•	•
	2095HGNTLTRGRY	20 125	0.180	Gray	5-20R	•	•	•
	2095HGNTLTRRED	20 125	0.180	Red	5-20R	•	•	•
	2095HGNTLTRLA	20 125	0.180	Light Almond	5-20R	•	•	•

*FCD = Foot Candle Distance, 1 Lumen = 1 FCD. See Page U-55 for more information.

All devices listed on this page conform to NEMA WD-1 and WD-6.

Specialties PlugTail™ Specification & Hospital Grade Nightlight/GFCI Receptacles

2 Pole, 3 Wire Grounding 15 & 20A, 125VAC

Pass & Seymour



Features


- Sealed nightlight with high impact-resistant Lexan® lens prevents tampering.
- Nightlight uses cooler LED illumination.
- Energy-efficient LED has average 20-year life expectancy, eliminating bulb replacement.
- Photocell turns nightlight ON in dark, OFF in daylight.
- Faster, more reliable installation.
- No exposed terminals create a finger safe application before, during, and after installation.
- Built-in connector features large brass terminal blades to ensure consistent, reliable electrical connections to PlugTail Connector.
- GFCI works with the existing 3 wire PlugTail Connectors creating a non-feed-thru application for facility owners. At rough-in just install the same right angle connector for GFCI and receptacle openings.
- SafeLock™ Protection: if critical components are damaged and ground fault protection is lost, power to receptacle is disconnected.
- Prevents line-load reversal miswire: no power to the face or downstream receptacles if wired incorrectly.
- Exceeds UL943 voltage surge requirements; survives 100x the required UL 3kA/6kV voltage surge test cycles.
- FSUL Listed (Federal Specification WC596).
- Trip indicator light (red LED).
- Mounting screws are shipped captive in the device and wall plate for easier installation.
- High-impact-resistant thermoplastic construction.
- Nickel-plated mounting strap for superior corrosion resistance.
- Button colors match the device face.
- Dual-direction test and reset buttons.
- Class A rated GFCI.
- Supplied with matching TP26 nylon wall plate.
- Tri-drive screws.

Specifications


- Supply Voltage: 125VAC, 60 Hz
- Supply Voltage Range: 102-132 VAC
- Trip Threshold: 5± 1mA
- Trip Time: 0.025 sec., nominal per UL Standard
- 20 Amp feed-thru capacity



PT1595NTLLA



PT1595HGNTLLA



PTR6ASTR

For PlugTail Connector catalog numbers, see Page C-13 or C-14.



NEMA
5-15R



NEMA
5-20R

S-37

Catalog Number	Rating A. VAC	Color	NEMA Config. No.	3rd Party Compliance		
				 UL943 C22.2 No. 144	 UL498 C22.2 No. 42	 FSUL WC59
Specification Grade 15 Amp Combination Nightlight/GFCI						
PT1595NTLI	15 125	Ivory	5-15R	•	•	•
PT1595NTLW	15 125	White	5-15R	•	•	•
PT1595NTLGRY	15 125	Gray	5-15R	•	•	•
PT1595NTLBK	15 125	Black	5-15R	•	•	•
PT1595NTLRED	15 125	Red	5-15R	•	•	•
PT1595NTLLA	15 125	Light Almond	5-15R	•	•	•
Specification Grade 20 Amp Combination Nightlight/GFCI						
PT2095NTLI	20 125	Ivory	5-20R	•	•	•
PT2095NTLW	20 125	White	5-20R	•	•	•
PT2095NTLGRY	20 125	Gray	5-20R	•	•	•
PT2095NTLBK	20 125	Black	5-20R	•	•	•
PT2095NTLRED	20 125	Red	5-20R	•	•	•
PT2095NTLLA	20 125	Light Almond	5-20R	•	•	•
Hospital Grade 15 Amp Combination Nightlight/GFCI						
PT1595HGNTLI	15 125	Ivory	5-15R	•	•	•
PT1595HGNTLW	15 125	White	5-15R	•	•	•
PT1595HGNTLGRY	15 125	Gray	5-15R	•	•	•
PT1595HGNTLRED	15 125	Red	5-15R	•	•	•
PT1595HGNTLLA	15 125	Light Almond	5-15R	•	•	•
Hospital Grade 20 Amp Combination Nightlight/GFCI						
PT2095HGNTLI	20 125	Ivory	5-20R	•	•	•
PT2095HGNTLW	20 125	White	5-20R	•	•	•
PT2095HGNTLGRY	20 125	Gray	5-20R	•	•	•
PT2095HGNTLRED	20 125	Red	5-20R	•	•	•
PT2095HGNTLLA	20 125	Light Almond	5-20R	•	•	•


All devices listed on this page conform to NEMA WD-1 and WD-6.


Pass & Seymour




Wall Plates & Specialties

Incandescent Lampholders,
Neon Pilot Lights & Panelites

Description	Catalog Number
Incandescent Lampholders	
 Designed to give adequate light when installed behind a louver plate or indicator jewel. Mounts in standard wall box. Plate mounting is 2-3/8" and 3-13/16". UL listed for 120 VAC circuits. Plate not included. Standard lampholder, 4 Watt 2152 Extra long life: Integral series resistor in base reduces light output by about 40%, but increases lamp life more than ten times. Plate not included. Extra long life, 4 Watt. 2156	
 Application Lampholders and louver plates are an ideal combination for providing bright, shielded light in hallways and pathways. They increase safety in corridors, theater aisles, porches, stairways, etc. A wide choice of plates gives unlimited possibilities for designing the perfect night light installation. Available in brushed brass, custom-painted stainless steel and stainless steel. For the complete listing of Louver Plates, see Page S-20 .	

Description	Catalog Number
Energy Efficient Gasket	
 Gangable gasket, use for toggle, duplex, GFCI or blank. GASKET1	

Description	Catalog Number
Neon Pilot Lights	
 Long life neon bulb emits indicating light through transparent lens to show power is on. May be installed at the load, at switching posts or at remote locations. We suggest the wall plate be engraved to explain indication. Fits standard wall box and takes standard toggle switch plate opening. Plate mounting is 2-3/8". UL listed 120/277 VAC. With green lens. 2151GN With red lens. 2151RED With white lens 2151W	
Panelites	
Panelites are attractive wall plates that light the message "IN USE" to protect darkrooms, private meeting areas, etc. Also available with a clear face for user to apply his own message. Furnished complete ready to wire. Panelites may be installed in a feed-through wall box, with the Panelite on one wall and a pilot light on the other. Panelite also may be installed in a standard wall box with the control switch in any desired location. With 4 Watt Incandescent bulb. Ivory plate.	
 2219PL	 2220PL
 2200PL	IN USE, for Horizontal mounting . 2219PL IN USE, for Vertical mounting. . . 2220PL With clear unprinted face 2200PL

UL Listed and CSA Certified.

Specialties Screws & Screwdrivers

Pass & Seymour



Description	Color or Finish	Catalog Number
Standard & Interchangeable Wall Plate Screws		
Oval Head Milled Slot 5/16" long, 6 x 32 Thread   Standard size for Decorator Wall Plates.	Ivory White Brown Gray Light Almond Stainless	509I 509W 509 509GRY 509LA 509S
Oval Head Milled Slot 1/2" long, 6 x 32 Thread   Standard size for Duplex Receptacles and Toggle Switch Wall Plates.	Ivory White Brown Nickel Brass Stainless	510I 510W 510 510N 510BR 510S
Oval Head Milled Slot 3/4" long, 6 x 32 Thread   Standard size for Blank Box Mounted Wall Plates.	Ivory White Brown Light Almond Stainless	511I 511W 511 511LA 511S
Oval Head Milled Slot 1" long, 6 x 32 Thread   Standard size for Blank Box Mounted Wall Plates.	Ivory White Brown Light Almond Stainless	512I 512W 512 512LA 512S
Oval Head Milled Slot 1-1/2" long, 6 x 32 Thread   Standard size for Blank Box Mounted Wall Plates.	Ivory White Brown Light Almond Stainless	513I 513W 513 513LA 513S

Description	Finish	Catalog Number
Tamper-Proof Spanner Head Screws		
Spanner Oval Head 1/2" long, 6 x 32 Thread  	430S/S	531S
Spanner Oval Head 1" long, 6 x 32 Thread  	430S/S	532S

Description	Catalog Number
Screwdriver for Spanner Head or Key Slot Screws	
Screwdriver for Spanner Head Screw 	533D

Description	Finish	Catalog Number
Nylon Screws for Standard and Interchangeable Wall Plates		
Oval Head Standard Slot 1/2" long, 6 x 32 Thread  	Ivory	528I










Notes:

- Specify screws by catalog number to designate type of screw, thread, length, color or finish required.
- Screws are available by the box only.
- Order by number of boxes...not by the quantity of screws.
- Each box contains 100 screws.
- Metal screws are available with special finishes and can be painted.

Pass & Seymour











Wall Plates Engraved & Pad Printed

Engraved (1/8" Characters)					
	Description	Plate Color	Fill Color	Nylon TradeMaster®	Metal Smooth
Emergency					
	1 Gang Duplex	302 S/S	Black		SS8EE
	1 Gang Duplex	302 S/S Painted Red	Black		SS8ERED
Pad Printed (1/8" Characters)					
	Description	Plate Color	Fill Color	Nylon TradeMaster	Metal Smooth
Isolated Ground					
	1 Gang Duplex	Orange	Black	TP8IG	SS8IG
	1 Gang Duplex	302 S/S	Black		
	2 Gang Duplex	302 S/S	Black		SS82IG
	1 Gang Single	Orange	Black	TP7IG	SS7IG
	1 Gang Single	302 S/S	Black		
	1 Gang Decorator	Orange	Black	TP26IG	SS26IG
	1 Gang Decorator	302 S/S	Black		
Emergency					
	1 Gang Duplex	Ivory	Red	TP8EI	SS8ES
	1 Gang Duplex	White	Red	TP8EW	
	1 Gang Duplex	Red	Black	TP8ERED	
	1 Gang Duplex	302S/S	Black		
	2 Gang Duplex	Red	Black	TP82ERED	
	1 Gang Toggle	Red	Black	TP1ERED	
	2 Gang Toggle	Red	Black	TP2ERED	

Wall Plates Engraved & Pad Printed

Pass & Seymour



Pad Printed (1/8" Characters)					
	Description	Plate Color	Fill Color	Nylon TradeMaster®	Metal Smooth
Emergency					
	1 Gang Decorator	Red	Black	TP26ERED	
	1 Gang Duplex	Red	Black	TP8EMPOWER	
Gas Burner ON/OFF Emergency Switch					
	1 Gang Toggle	302 S/S Painted Red	Black		SS1GBRED
Oil Burner ON/OFF Emergency Switch					
	1 Gang Toggle	302 S/S Painted Red	Black		SS1OBRED
GFCI Protected					
	1 Gang Duplex	Ivory	Black	TP8GFI	
	1 Gang Duplex	White	Black	TP8GFW	
Computer Only					
	1 Gang Duplex	Ivory	Black	TP8CI	
	1 Gang Duplex	Orange	Black	TP8CO	
	Single Receptacle	Ivory	Black	TP7CI	
	Single Receptacle	Orange	Black	TP7CO	
	1 Gang Decorator	Ivory	Black	TP26CI	
	1 Gang Decorator	Blue	Black	TP26CBL	
	1 Gang Decorator	Orange	Black	TP26CO	

Pass & Seymour



Wall Plates

Custom Metal Wall Plates

Ordering Instructions

Ordering Instructions:

1. Using the following charts, fill in the spaces provided to select the proper material, number of gangs, desired finish and color.

Review Your Requirements:	For Example:	Write Your Selection:	Space #
Material Prefix Code (Chart A below) <i>For Jr. Jumbo Size add "J" after prefix, if Jumbo Size, add "O" after Prefix</i>	SBO		1
Total Number of Gangs Ordered	4		2
Paint Finish Suffix (Chart B – Page S-43)	BLU		4
Metal Finish Suffix (Chart C – Page S-43)	BC		5

Material	Prefix Code
Chart A: Material Selection	
Aluminum*	SA
Brushed Brass	SB
302 Stainless Steel	SS

*Standard size only.

2. Review the Plate Opening Styles on pages S-47 – S-59. Following the sequence of your installation (left to right), label each box below with the appropriate Opening Style Number for each gang.

Gang: 1	2	3	4	5	6	7	8	9	10

3. Create the Complete Order Part Number by filling in items from previous steps in spaces below.

Space #1-Material Prefix Code (from step 1)

Space #4-Metal Finish Suffix (from step 1)

Space #2-Total Number of Gangs (from step 1)

Space #5-Paint Finish Suffix (from step 1)

Space #3-Style Numbers In Order (from step 2)

Catalog # _____ G _____ Style _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____ - _____
 Space # 1 2 3 3 3 3 3 3 3 3 3 3 3 4 5

Maximum Gangs for Custom Metal Wall Plates

Metal Plate	Standard	Jr. Jumbo	Jumbo
Stainless (302)	20	3	20
Aluminum	8	N/A	N/A
Brushed Brass	8	3	20

For help with configuring a Custom Metal Wall Plate, go to www.passandseymour.com and select Downloads/Product Selection Guides/Custom Wall Plates.

Wall Plates


Custom Metal Wall Plates


Special Configurations

Pass & Seymour
legrand

Chart B: Paint Finish Selection



							
Paint Color	Light Blue	Orange	Navy	Peach	Hunter Green	Gray	Yellow
Paint Suffix	BLU	ORG	NAV	PCH	HGR	GRY	YEL

							
Paint Color	Glossy Black	Brown (Dark)	Brown (NEMA)	Burgundy	White	Primer	Red
Paint Suffix	GBK	CHO	BRO	BRG	WHT	PRI	RED

							
Paint Color	Beige	Pink	Flat Black	Ivory	Light Almond	Medium Blue	
Paint Suffix	BGE	PNK	FBK	IVY	LTA	MBL	

Only available on Stainless Steel and Aluminum Plate Material. Colors may vary slightly.
All Paint Finishes are gloss, except primer and flat black.

Chart C: Metal Finish Selection

					
Metal Finish	Polished Brass US #3	Bright Chromium US #26	Brushed Copper	Brushed Bronze US #10	Brushed Brass Standard Finish
Finish Suffix	PB*	CH	BC	BZ	BB

*Order with Brass Plate Material Prefix Only.





Wall Plates
Custom Metal Wall Plates
Engraving & Pad Printing

Custom Engraving & Pad Printing

Most plates in this catalog can be engraved or pad printed. However, engraving plated finish metal plates is not recommended, since exposed edges could oxidize over time. Refer to current price sheet to select the better process that suits your needs.

Position

Marking may appear anywhere on the flat surface of smooth plates.
On Decorator plates, markings are restricted to the top and bottom flat panels.
If space permits, up to three lines can be pad printed on a plate provided the lettering fits within a 50mm circle.



Letter Height

Unless specified otherwise, designers will select size and position of letters or markings for maximum legibility. Characters per inch:

3/8" - 2-1/2	1/4" - 4	3/16" - 6	1/8" - 9	1/16" - 14
--------------	----------	-----------	----------	------------




3/8"	1/4"	3/16"	1/8"	1/16"
------	------	-------	------	-------

Letter Font

Pad printing is available in any True Type font in colors listed below, on 1 gang and 2 gang plates. Bitmap images can also be printed.
Laser engraving is available in any True Type font only in black (not color-filled) including bitmap images.
Engraving with color fill is available only in block letter font. While mixing of laser and color-filled engraving is allowed, it is not recommended since the font types will not match.

Color

Color-filled engraving can be filled with red, orange, black, blue, or white paint.
Standard colors for pad printing are red, black, blue, green, orange or white, as shown below.



Red

Black

Blue

Green

Orange

White

Ordering Instructions

Specify clearly the following information when you order.

1. Catalog number of plate(s).


2. To be engraved or pad printed.

3. Letters, numbers, characters required.

4. Position and size.

5. Color of filler, or pad printing.

6. Special layout information, if applicable.



Position
Height of Mark
Color of Filler

Plate Style
by Catalog Number
Including
Color/Finish

Wall Plates

Custom Panel Plates

Ordering Instructions

Pass & Seymour
legrand

Blank panel plates (PP-series) up to 5-gangs high and 10-gangs wide are made from Type 302 Stainless Steel. Up to 50 openings from the style selector guide can be custom punched to your specifications. For uniformity of design throughout the building, panel plates have the same distinctive styling as all other plates, plastic and metal.

Ordering Instructions

For this example, use the 4 gang high by 2 gang wide panel plate illustrated in Figure 2.

1. Start the catalog number with the material prefix: "SS" for Type 302 Stainless. This is a 302 Stainless plate, so the first letters of its catalog number will be "SS."
2. Determine the catalog number for a panel plate 4 gangs high and 2 gangs wide from the table on page S-46. It is PP-4-2. Your 302 Stainless Steel catalog number is SSPP-4-2.
3. Construct a chart upon which you can indicate the opening style number for each of the 8 gangs, starting from the top left. Leave space to show any words or symbols that will be engraved. Write the catalog number SSPP-4-2 at the top of the chart. See Figure 1.
4. Refer to the Style Selector Guide and find the style numbers for each of the desired openings. Write these numbers in their appropriate position on your chart.
5. Indicate what, if any, engraving is required for each gang. Show in parentheses if engraving is to be above or below the opening.
6. Send the chart with your order to the factory. You have provided all required information. Refer to current price sheet for pricing details.

Additional Information

- Where no opening or mounting holes are required, specify Style #149.
- Louvered openings can be placed only on the top row of a panel plate.
- For painted or special metal finishes, refer to price sheet for price adds per gang.
- For special openings not in Selector Guide, provide detailed drawing.

Example

SSPP-4-2

ROW #1:

Style Nos.	1	1
Engraving:	ALTAR	CHOIR
	(Above)	(Above)

ROW #2:

Style Nos.	9	9
Engraving:	(None)	(None)


ROW #3:

Style Nos.	12	12
Engraving:	(None)	TEL
		(Above)

ROW #4:

Style Nos.	16	16
Engraving:	(None)	120V.
		(Above)

Figure 1



Custom Panel Plate




Figure 2


Wall Plates
Custom Panel Plates
Ordering Instructions

Wall Box Dimensions

Panel Plates are limited to fit the box configuration shown.

Caution: Not all boxes are identical in overall dimensions, but are built to exact standards on device mounting holes. When boxes are connected together, they should be shimmed to ensure that the bottom hole to bottom hole dimension between two vertically adjacent boxes is 4-1/8" as errors are cumulative. Critical dimensions circled.

If additional mounting holes are required in the corners, indicate location and spacing.



302 Stainless Steel

Plate Height	Catalog Number	Gangs Wide	Plate Width
Two Gangs High 8-3/4"	PP21	One	2-3/4"
	PP22	Two	4-9/16"
	PP23	Three	6-3/8"
	PP24	Four	8-3/16"
	PP25	Five	10"
	PP26	Six	11-13/16"
	PP27	Seven	13-5/8"
	PP28	Eight	15-7/16"
	PP29	Nine	17-1/4"
	PP210	Ten	19-1/16"
Three Gangs High 12-7/8"	PP31	One	2-3/4"
	PP32	Two	4-9/16"
	PP33	Three	6-3/8"
	PP34	Four	8-3/16"
	PP35	Five	10"
	PP36	Six	11-13/16"
	PP37	Seven	13-5/8"
	PP38	Eight	15-7/16"
	PP39	Nine	17-1/4"
	PP310	Ten	19-1/16"

Plate Height	Catalog Number	Gangs Wide	Plate Width
Four Gangs High 17"	PP41	One	2-3/4"
	PP42	Two	4-9/16"
	PP43	Three	6-3/8"
	PP44	Four	8-3/16"
	PP45	Five	10"
	PP46	Six	11-13/16"
	PP47	Seven	13-5/8"
	PP48	Eight	15-7/16"
	PP49	Nine	17-1/4"
	PP410	Ten	19-1/16"
Five Gangs High 21-1/8"	PP51	One	2-3/4"
	PP52	Two	4-9/16"
	PP53	Three	6-3/8"
	PP54	Four	8-3/16"
	PP55	Five	10"
	PP56	Six	11-13/16"
	PP57	Seven	13-5/8"
	PP58	Eight	15-7/16"
	PP59	Nine	17-1/4"
	PP510	Ten	19-1/16"

Wall Plates

Style Selector Guide

Custom Metal Wall Plates

Pass & Seymour



STYLE 1 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TOGGLE SWITCH #1 Standard Plate page S-7	STYLE 2 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TOGGLE SWITCH #1 Standard Plate page S-7	STYLE 3 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TOGGLE SWITCH #1 Standard Plate page S-7	STYLE 4 C'SK FOR 6-32x1/2 OVAL HD. SCREW 1 PLACE 1 3/8 DIA. HOLE TOGGLE SWITCH #1 Standard Plate page S-7
STYLE 5 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TOGGLE SWITCH #1 Standard Plate page S-7	STYLE 7 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 1 1/2 DIA. SINGLE OUTLET #7 Standard Plate page S-12	STYLE 8 C'SK FOR 6-32x1/2 OVAL HD. SCREW 1 PLACE 1 1/2 DIA. DUPLEX OUTLET #8 Standard Plate page S-8	STYLE 9 C'SK FOR 6-32x5/16 OVAL HD. SCREW 2 PLACES 1 1/2 DIA. BIPLEX/TRIPLEX #9 Standard Plate page S-20
STYLE 10 3/8 DIA. HOLE C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES PUSH BUTTON #10 Standard Plate page S-11	STYLE 11 VINYL GROMMET Removable 1/32" I.D. grommet in 1/32" hole. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TELEPHONE, BOX MTD. #11 Standard Plate page S-31	STYLE 12 VINYL GROMMET Removable 1/32" I.D. grommet in 1/32" hole. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TELEPHONE, STRAP MTD. with #340 Yoke #12 Standard Plate page S-31	STYLE 13 C'SK FOR 6-32x1 OVAL HD. SCREW 2 PLACES BLANK, BOX MTD. #13 Standard Plate page S-10
STYLE 14 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES BLANK, STRAP MTD. with #340 Yoke #14 Standard Plate page S-11	STYLE 16 1 1/2 DIA. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES SINGLE OUTLET FOR 1600 SERIES #16 Standard Plate page S-12	STYLE 17 1 1/2 DIA. C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES SINGLE RECEPTACLE FOR 1600 SERIES CENTERED 2 GANG #17 Standard Plate page S-13	STYLE 18 C'SK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES TOGGLE SWITCH CENTERED 2 GANG #740 Standard Plate page S-19

All wall plate dimensions shown above are in inches.

Pass & Seymour



Wall Plates

Style Selector Guide

Custom Metal Wall Plates

STYLE 19 SINGLE OUTLET CENTERED 2 GANG #747 Standard Plate page S-19	STYLE 20 DUPLEX OUTLET CENTERED 2 GANG #748 Standard Plate page S-19	STYLE 21 BIPLEX/TRIPLEX CENTERED 2 GANG	STYLE 22 DECORATOR/GFCI CENTERED 2 GANG #746 Standard Plate page S-19
STYLE 23 BLANK, BOX MTD. #23 Standard Plate page S-10	STYLE 24 BLANK, STRAP MTD. with 2 #340 Yokes #24 Standard Plate page S-11	STYLE 25 TELEPHONE JACK OUTLET NOTE: Special Plate Mounting	STYLE 26 DECORATOR/GFCI #26 Standard Plate page S-8
STYLE 27 ONE DESPARD® INTERCHANGEABLE with #348 Strap Standard Plate page S-18 STYLE 27A — BOX MTD.	STYLE 28 TWO DESPARD® INTERCHANGEABLE with #348 Straps Standard Plate page S-18 STYLE 29 — BOX MTD.	STYLE 30 THREE DESPARD® INTERCHANGEABLE with #348 Straps Standard Plate page S-18 STYLE 31 — BOX MTD.	STYLE 32 ONE VERTICAL DESPARD® INTERCHANGEABLE with #347 Strap Standard Plate page S-18
STYLE 33 ONE DESPARD® INTERCHANGEABLE with #348 Strap Standard Plate page S-18 STYLE 27A — BOX MTD.	STYLE 36 TWO DESPARD® INTERCHANGEABLE with #348 Straps Standard Plate page S-18 STYLE 29 — BOX MTD.	STYLE 37 THREE DESPARD® INTERCHANGEABLE with #348 Straps Standard Plate page S-18 STYLE 31 — BOX MTD.	STYLE 38 ONE VERTICAL DESPARD® INTERCHANGEABLE with #347 Strap Standard Plate page S-18

All wall plate dimensions shown above are in inches.

Wall Plates

Style Selector Guide

Custom Metal Wall Plates

Pass & Seymour



STYLE 40 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 28 PLACES	STYLE 41 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 28 PLACES	STYLE 42 CSK FOR 6-32x1/2 OVAL HD SCREW 4 PLACES DIA. HOLE 28 PLACES	STYLE 43 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 28 PLACES
STYLE 44 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 28 PLACES	STYLE 45 CSK FOR 6-32x1/2 OVAL HD SCREW 4 PLACES DIA. HOLE 2 PLACES	STYLE 46 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES	STYLE 47 DIA. HOLE 2 PLACES
STYLE 48 CSK FOR 6-32x5/16 OVAL HD SCREW 2 PLACES DIA. HOLE 1/16 NOTE: Engraving Extra at Standard Price per Character	STYLE 49 CSK FOR 6-32x5/16 OVAL HD SCREW 2 PLACES STYLE 49A — Vertical Opening STYLE 50 — 2 Openings 1 Gang STYLE 51 — 3 Openings 1 Gang STYLE 52 — 4 Openings 1 Gang	STYLE 55 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES with #340 Yoke STYLE 56 — BOX MTD.	STYLE 57 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 1/8 with #340 Yoke STYLE 58 — BOX MTD.
STYLE 59 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 5/8 with #340 Yoke STYLE 60 — BOX MTD. STYLE 61 — DESP. INTCH. MTD.	STYLE 62 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 1/16 STYLE 63 — BOX MTD.	STYLE 64 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES STYLE 65 — BOX MTD.	STYLE 66 CSK FOR 6-32x1/2 OVAL HD SCREW 2 PLACES DIA. HOLE 7/8 STYLE 67 — BOX MTD.

All wall plate dimensions shown above are in inches.

Pass & Seymour



Wall Plates

Style Selector Guide

Custom Metal Wall Plates

STYLE 68 STYLE 69 — BOX MTD. STYLE 70 — DESP. INTCH. MTD.	STYLE 71 STYLE 72 — BOX MTD.	STYLE 73 STYLE 74 — BOX MTD.	STYLE 75 Clearance for 1 1/4" Device STYLE 76 — BOX MTD.
STYLE 77 STYLE 78 — BOX MTD. STYLE 79 — DESP. INTCH. MTD.	STYLE 80 STYLE 81 — BOX MTD. STYLE 82 — DESP. INTCH. MTD.	STYLE 83 STYLE 84 — BOX MTD. STYLE 85 — DESP. INTCH. MTD.	STYLE 86 STYLE 87 — BOX MTD. STYLE 88 — DESP. INTCH. MTD.
STYLE 89 STYLE 90 — BOX MTD.	STYLE 91 POWER OUTLET #720 Standard Plate page S-12	STYLE 92 STYLE 93 — DESP. INTCH. MTD.	STYLE 94 STYLE 95 — BOX MTD. STYLE 96 — DESP. INTCH. MTD.
STYLE 97	STYLE 98 POWER OUTLET #723 Standard Plate page S-12	STYLE 99	STYLE 100 with 2 # 340 Yokes STYLE 101 — BOX MTD.

All wall plate dimensions shown above are in inches.

Pass & Seymour



Wall Plates

Style Selector Guide

Custom Metal Wall Plates

STYLE 136	STYLE 137	STYLE 138	STYLE 141
RAZOR BLADES with #340 Yoke	RAZOR BLADES, BOX MTD. STYLE 137B — HORIZONTAL RAZOR BLADE, BOX MTD.	STYLE 139 — BOX MTD. STYLE 140 — DESP. INTCH. MTD.	
STYLE 142	STYLE 143	STYLE 144	STYLE 149
		STYLE 145 — 3 OPENINGS STYLE 146 — 4 OPENINGS STYLE 147 — MASTER CONTROL	
STYLE 150	STYLE 152	STYLE 155	STYLE 156
DESP. INTCH. MTD.	TELEPHONE OUTLET CENTERED 2 GANG, with #340 Yoke STYLE 151 — BOX MTD. #741, 742 Standard Plate page S-33	POWER OUTLET #702 Standard Plate page S-13	POWER OUTLET #703 Standard Plate page S-13
STYLE 160	STYLE 162	STYLE 163	STYLE 165
	STYLE 176 — STRAP MTD. with #340 Yoke #743 Standard Plate page S-19	POWER OUTLET #721 Standard Plate page S-12	POWER OUTLET #724 Standard Plate page S-12

All wall plate dimensions shown above are in inches.

Wall Plates

Style Selector Guide

Custom Metal Wall Plates

Pass & Seymour



STYLE 166	STYLE 169 LOUVRE #760 Standard Plate page S-20	STYLE 171 POWER OUTLET #710 Standard Plate page S-13	STYLE 172 3 GANG PLATE
STYLE 177 STYLE 178 Touch Plate 50-2, 2 Openings STYLE 179 Touch Plate 50-3, 3 Openings Box Mtd.	STYLE 180	STYLE 181	STYLE 182
STYLE 183	STYLE 185	STYLE 187	STYLE 188
STYLE 189 STYLE 190 — BOX MTD.	STYLE 191 STYLE 192 — BOX MTD. STYLE 193 — DESP. INTCH. MTD.	STYLE 194 POWER OUTLET #725 Standard Plate page S-12 STYLE 195 — BOX MTD. STYLE 196 — DESP. INTCH. MTD.	STYLE 199

All wall plate dimensions shown above are in inches.

Pass & Seymour



Wall Plates

Style Selector Guide

Custom Metal Wall Plates

STYLE 200 CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 1/16" R. TYP. 1/2" R. TYP.	STYLE 206 471 DIA. CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES with #340 Yoke STYLE 207 — BOX MTD.	STYLE 210 CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 140 DIA. HOLE 2 PLACES 3/16" R. TYP.	STYLE 211 CSK FOR 6-32x1/2 OVAL HD. SCREW CSK FOR 8-32x1/2 OVAL HD. SCREW 2 PLACES 4-S Box Mtd. Plate available in any Standard 1 Gang Opening (Style 8 Shown)
STYLE 213 CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 405 DIA. HOLE	STYLE 214 CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES with #340 Yoke	STYLE 215 CSK FOR 6-32x5/16 OVAL HD. SCREW 2 PLACES STYLE 215A — 1 HOLE CENTERED	STYLE 216 340 DIA. HOLE 2 PLACES CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 217 152 DIA. HOLE 2 PLACES CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 218 152 DIA. TYP. CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 219 3/32" R. TYP. 152 DIA. HOLE 2 PLACES CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 220 152 DIA. HOLE 2 PLACES CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES
STYLE 221 152 DIA. TYP. CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 222 152 DIA. HOLE CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 223 152 DIA. HOLE 2 PLACES CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES	STYLE 224 CSK FOR 6-32x1/2 OVAL HD. SCREW 2 PLACES 152 DIA. HOLE 4 PLACES

All wall plate dimensions shown above are in inches.

Pass & Seymour



Wall Plates

Style Selector Guide

Custom Metal Wall Plates

STYLE 244	STYLE 245	STYLE 246	STYLE 247
STYLE 248	STYLE 252 with Hospital Cord Eyelet	STYLE 257	STYLE 258
STYLE 259	STYLE 260	STYLE 261	STYLE 262 STYLE 262A HORIZONTAL OPENING, BOX MTD.
STYLE 267	STYLE 269	STYLE 270 F.S. BOX MTD.	STYLE 271
















All wall plate dimensions shown above are in inches.

Wall Plates

Style Selector Guide

Custom Metal Wall Plates



Pass & Seymour


STYLE 272 	STYLE 273 	STYLE 274 	STYLE 275  #736 Standard Plate page S-31
STYLE 276 	STYLE 279 	STYLE 281 	STYLE 282 
STYLE 283 	STYLE 284 	STYLE 285  JUMBO 2 GANG PLATE	STYLE 286 
STYLE 287 	STYLE 288 	STYLE 289 	STYLE 291 


All wall plate dimensions shown above are in inches.

Wall Plates Style Selector Guide


Custom Metal Wall Plates

**STYLE
292****STYLE**
293

POWER OUTLET
for 30, 50, 60A. Receptacle
#716 Standard Plate page S-13


**STYLE
295**

**FOR RS-232
COMPUTER JACK**
#791 Standard Plate page S-33





**STYLE
295A**

**FOR RS-232
COMPUTER JACKS**
#792 Standard Plate page S-33


STYLE 296





STYLE 296A

**STYLE
297****STYLE
298****STYLE
299**

STYLE 300





STYLE 301



**STYLE
302**

SS-717 for PS20AC1KL Switch

STYLE 303

**STYLE
305**

STYLE 306

**STYLE
307**

All wall plate dimensions shown above are in inches.











Wall Plates

Style Selector Guide

Custom Metal Wall Plates

Pass & Seymour
legrand

Wall Plates & Specialties

STYLE 308  TELEPHONE JACK	STYLE 309  TELEPHONE JACK	STYLE 310  AMP ELECTRONIC CONNECTOR	STYLE 311  COAXIAL ELECTRONIC CONNECTOR
STYLE 312  COAXIAL ELECTRONIC CONNECTOR	STYLE 313  COAXIAL ELECTRONIC CONNECTOR	STYLE 314  LAN PORT	STYLE 315  COAXIAL ELECTRONIC CONNECTOR
STYLE 315A  COAXIAL ELECTRONIC CONNECTOR	STYLE 315B  COAXIAL ELECTRONIC CONNECTOR		

All wall plate dimensions shown above are in inches.