

HOME > [Non Acid Cleaner](#) > MSDS[THRIFT HOME](#)[NON-ACID CLEANER](#)[SUPER PRO ACID](#)[CALCI-BUSTER](#)[How to Use Thrift](#)[Wholesalers, Distributors where to buy](#)[CONTACT Thrift Marketing](#)[Sales Reps](#)[PDF Version](#) of this file

Thrift MSDS

[HOME](#) > [Non Acid Cleaner](#) > [MSDS](#)

MATERIAL SAFETY DATA SHEET (2014)

Page 1 of 11

Safety Data Sheet acc. to HCS and GHS

Printing date 06/20/2014


Reviewed on 06/20/2014

1 Identification

- Product identifier
- Trade name: Thrift Drain Cleaner
- CAS Number: 1310-73-2
- EC number: 215-185-5
- Index number: 011-002-00-6
- Application of the substance / the mixture Industrial uses.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: JR2D, Inc.
3435 St. Hwy 146 S.
Livingston, TX 77351
Phone: (936) 327-5723
- Emergency telephone number: ChemTel Inc.
(800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

- Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

- Label elements

· GHS label elements
The substance is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms



GHS05

- Signal word Danger

- Hazard-determining components of labeling:
sodium hydroxide
- Hazard statements
H314 Causes severe skin burns and eye damage.
- Precautionary statements
P280 Wear protective gloves / eye protection.
P264 Wash thoroughly after handling.
P260 Do not breathe dust.

(Contd. on page 2)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Hazard description:

· WHMIS-symbols:

E - Corrosive material



· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3

Fire = 0

Reactivity = 1

· HMIS-ratings (scale 0 - 4)



Health = 0

Fire = 0

Reactivity = 1

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

1310-73-2 sodium hydroxide

· Identification number(s)

· EC number: 215-185-5

· Index number: 011-002-00-6

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

(Contd. on page 3)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. of page 2)

After skin contact:

Brush off loose particles from skin.
Immediately remove any clothing soiled by the product.
Immediately rinse with water.
If skin irritation continues, consult a doctor.
Seek immediate medical help for blistering or open wounds.

After eye contact:

Protect unharmed eye.
Rinse opened eye for several minutes under running water. Then consult a doctor.
Do not remove contact lenses if worn.

After swallowing:

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed

Strong caustic effect on skin and mucous membranes.
Gastric or intestinal disorders
Coughing

Danger

Danger of gastric perforation.
Danger of severe eye injury.

Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media**
- Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents:** None.
- Special hazards arising from the substance or mixture** No further relevant information available.
- Advice for firefighters**
- Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- Additional information** No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Product forms slippery surface when combined with water.

Ensure adequate ventilation.

Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Clean the affected area carefully; suitable cleaners are:
Warm water
Dispose contaminated material as waste according to item 13.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:**
Prevent formation of dust.
Any deposit of dust which cannot be avoided must be regularly removed.
Use only in well ventilated areas.
- **Information about protection against explosions and fires:** The product is not flammable.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Protect from humidity and water.
Avoid storage near extreme heat, ignition sources or open flame.
Unsuitable material for receptacle: steel.
Unsuitable material for receptacle: glass or ceramic.
Unsuitable material for receptacle: aluminum.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Do not store together with acids.
- **Further information about storage conditions:**
This product is hygroscopic.
Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:**4310-73-2 sodium hydroxide**

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³
EL (Canada)	Short-term value: C 2 mg/m ³

(Contd. on page 5)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 4)

LMPE (Mexico)	Short-term value: 2 mg/m ³ P
---------------	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

For spills, respiratory protection may be advisable.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR

Nitrile rubber, NBR

PVC gloves

Natural rubber, NR

· **Not suitable are gloves made of the following materials:** PVA gloves

· **Eye protection:**

Contact lenses should not be worn.



Safety glasses

Face protection

· **Body protection:** Alkaline resistant protective clothing

· **Limitation and supervision of exposure into the environment**

No further relevant information available.

(Contd. on page 6)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 5)

9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:
 - Form: Flakes
 - Color: White
- Odor: Odorless
- Odor threshold: Not determined.
- pH-value: 13.8
- Change in condition
- Melting point/Melting range: 606 °F / 319 °C (1123 °F / 606 °F)
- Boiling point/Boiling range: 2534 °F / 1390 °C (4593 °F / 2534 °F)
- Flash point: Not applicable.
- Flammability (solid, gaseous): Product is not flammable.
- Auto-ignition temperature: Not determined.
- Decomposition temperature: Not determined.
- Auto igniting: Not determined.
- Danger of explosion: Product does not present an explosion hazard.
- Explosion limits:
 - Lower: Not determined.
 - Upper: Not determined.
- Vapor pressure at 739 °C (1362 °F): 0.1333 KPa
- Density at 25 °C (77 °F): 2.13 g/cm³ (17.775 lbs/gal)
- Relative density: Not determined.
- Vapour density: Not applicable.
- Evaporation rate: Not applicable.
- Solubility in / Miscibility with
 - Water: Soluble.
- Partition coefficient (n-octanol/water): Not determined.
- Viscosity:
 - Dynamic: Not applicable.
 - Kinematic: Not applicable.
 - Other information: No further relevant information available.

(Contd. on page 7)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 6)

10 Stability and reactivity

- Reactivity
- Chemical stability
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
Stable at ambient temperature.
- **Possibility of hazardous reactions**
Corrosive action on metals.
Diluting or dissolving in water always causes rapid heating.
Strong exothermic reaction with acids.
Reacts with fats and oils.
Reacts with humid air.
Reacts with carbon dioxide.
Attacks materials containing glass and silicate.
- **Conditions to avoid** Moisture.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Possible in traces.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**
1310-73-2 sodium hydroxide
Oral LD50 2000 mg/kg (rat)
- **Primary irritant effect:**
on the skin: Strong caustic effect on skin and mucous membranes.
on the eye: Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
- **Carcinogenic categories**
- **NTP (National Toxicology Program)**
Substance is not listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
Substance is not listed.

(Contd. on page 8)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 7)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability**
- Inorganic product, is not eliminable from water by means of biological cleaning processes.
- **Bioaccumulative potential** Does not accumulate in organisms
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** After neutralization toxicity cannot be recognized anylonger.
- **Additional ecological information:**
- **General notes:**
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA**
- UN1823

(Contd. on page 9)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 8)

- UN proper shipping name

Limited Quantity for packages less than 30 kg (66 lb) and inner packagings less than 1.0 kg (2.2 lb).

- DOT
- ADR
- IMDG, IATA
- Transport hazard class(es)

- DOT

- Class
- Label

Sodium hydroxide, solid
1823 SODIUM HYDROXIDE, SOLID
SODIUM HYDROXIDE, SOLID

8 Corrosive substances.
8

- ADR

- Class
- Label

8 (C6) Corrosive substances
8

- IMDG, IATA

- Class
- Label

8 Corrosive substances.
8

- Packing group**- Environmental hazards:****- Marine pollutant:****- Special precautions for user****- Danger code (Kemler):****- EMS Number:****- Segregation groups****- Transport in bulk according to Annex II of****MARPOL73/78 and the IBC Code****- UN "Model Regulation":**

II

No

Warning: Corrosive substances

80

F-A,S-B

Alkalis

Not applicable.

UN1823, Sodium hydroxide, solid, 8, II

(Contd. on page 10)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 9)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- SARA
- Section 355 (extremely hazardous substances):
Substance is not listed.
- Section 313 (Specific toxic chemical listings):
Substance is not listed.
- TSCA (Toxic Substances Control Act):
Substance is listed.
- Proposition 65 (California)
- Chemicals known to cause cancer:
Substance is not listed.
- Chemicals known to cause reproductive toxicity for females:
Substance is not listed.
- Chemicals known to cause reproductive toxicity for males:
Substance is not listed.
- Chemicals known to cause developmental toxicity:
Substance is not listed.
- Carcinogenic categories
- EPA (Environmental Protection Agency)
Substance is not listed.
- IARC (International Agency for Research on Cancer)
Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH)
Substance is not listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health)
Substance is not listed.
- State Right to Know Listings
Substance is not listed.
- Canadian substance listings:
 - Canadian Domestic Substances List (DSL)
Substance is listed.
 - Canadian Ingredient Disclosure list (limit 0.1%)
Substance is not listed.
 - Canadian Ingredient Disclosure list (limit 1%)
Substance is listed.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Safety Data Sheet
acc. to HCS and GHS

Printing date 06/20/2014

Reviewed on 06/20/2014

Trade name: Thrift Drain Cleaner

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 06/20/2014 / -
- Abbreviations and acronyms:
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - WHMIS: Workplace Hazardous Materials Information System (Canada)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
- Sources
 - SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Int'l. +01 813-248-0573
Website: www.chemtelinc.com

