




HVAC/R



BARON

Coleman Cable Inc

A Tradition of Excellence...

For Exceptional Performance.

Coleman Cable Inc. is a worldwide leader in the development, design, manufacture, marketing & distribution of wire and cable products. A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value. These characteristics, combined with strategic acquisitions, such as Copperfield, establish and strengthen Coleman Cable's leadership position as one of the premier US-based manufacturers of electrical, electronic and assembled wire and cable products.

The **Coleman Cable Baron®** brand is one of the most trusted names in the HVAC/R market for reliability, innovation and quality performance. Our product offering provides cable solutions for virtually every HVAC/R application. Coleman Cable's technical expertise and commitment to innovation ensure the most advanced and highest quality HVAC/R cable on the market.

The Baron Baro-Pak™ self-dispensing package is the only thermostat wire package on the market today that is engineered to save you time and money. It eliminates the need for heavy cumbersome reels while offering superior protection, effortless payout and efficient storage for unused wire. Baro-Pak's unique stacking ability allows you to pull 2, 3 or more constructions at the same time, with minimal set up. The package comes in both 250 ft. and 500 ft. put-ups.

The Baro-Split™ mini-split cables are a versatile solution to providing power and control for your mini-split installations. Mini-split installers and HVAC contractors looking to save on labor costs while meeting local codes for mini-split sub-power feeds are making Coleman Cable's Baro-Split the cables of choice. With safety, versatility and labor savings that can't be beat, choose Baro-Split cables for your next mini-split installation.



Thermostat Cables



18 AWG SOL BC – Baro-Pak™ – Brown



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55302-55-07	2	13	1 x 500
55303-55-07	3	16	1 x 500
55304-54-07	4	28	1 x 250
55305-54-07	5	29	1 x 250
55306-54-07	6	35	1 x 250
55307-54-07	7	41	1 x 250
55308-54-07	8	47	1 x 250
55309-54-07	9	52	1 x 250
55310-54-07	10	54	1 x 250
55312-54-07	12	69	1 x 250

ETL Type CL2, CETL Listed Type CL2 or CMH/FT1,
NEC Article 725, Put-up = 250' (54), 500' (55),
Color Code: Brown (07)

20 AWG SOL BC – Baro-Pak™ – Brown



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55202-55-07	2	8	1 x 500
55203-55-07	3	10	1 x 500
55204-54-07	4	14	1 x 250
55205-54-07	5	17	1 x 250
55206-54-07	6	21	1 x 250
55207-54-07	7	24	1 x 250
55208-54-07	8	28	1 x 250
55209-54-07	9	32	1 x 250
55210-54-07	10	36	1 x 250
55212-54-07	12	46	1 x 250

ETL Type CL2, CETL Type CL2 or CMH/FT1,
NEC Article 725, Put-up = 250' (54), 500' (55),
Color Code: Brown (07)

18 AWG SOL BC BaroStat™ – Reels – Brown



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55302-05-07	2	14	4 x 500
55303-05-07	3	19	4 x 500
55304-04-07	4	25	4 x 250
55305-04-07	5	31	4 x 250
55306-04-07	6	37	4 x 250
55307-04-07	7	44	4 x 250
55308-04-07	8	50	4 x 250
55309-04-07	9	55	4 x 250
55310-04-07	10	61	4 x 250
55312-04-07	12	72	1 x 250

ETL Type CL2, CETL Type CL2 or CMH/FT1, NEC Article 725,
Put-up = 250' (04), 500' (05), Color Code: Brown (07)

20 AWG SOL BC BaroStat™ – Reels – Brown



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55202-05-07	2	9	4 x 500
55203-05-07	3	12	4 x 500
55204-04-07	4	16	4 x 250
55205-04-07	5	19	4 x 250
55206-04-07	6	23	4 x 250
55207-04-07	7	26	4 x 250
55208-04-07	8	30	4 x 250
55209-04-07	9	34	4 x 250
55210-04-07	10	38	4 x 250
55212-04-07	12	46	4 x 250

ETL Type CL2, CETL Listed CL2 or CMH/FT1,
NEC Article 725, Put-up = 250' (04), 500' (05)
Color Code: Brown (07)

18 AWG SOL BC BaroStat™ – Reels – White



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55302-05-01	2	14	4 x 500
55303-05-01	3	19	4 x 500
55304-04-01	4	25	4 x 250
55305-04-01	5	31	4 x 250
55306-04-01	6	37	4 x 250
55307-04-01	7	44	4 x 250
55308-04-01	8	50	4 x 250
55309-04-01	9	55	4 x 250
55310-04-01	10	61	4 x 250

ETL Type CL2, CETL Type CL2 or CMH/FT1, NEC Article 725,
Put-up = 250' (04), 500' (05), Color Code: White (01)



16 AWG SOL BC BaroStat™ – Reels

Part Number	No of Cond	Wt/ 1000'	Std Pkg
55403-05-07	3	31	1 X 500
55405-05-07	5	49	1 x 500
55406-05-07	6	58	1 x 500
55408-05-07	8	75	1 x 500
55410-05-07	10	98	1 x 500

ETL Type CL2, CETL Listed, Type CM/CL2 or CMM/FT1,
NEC Article 725, Put-up = 250' (04), 500' (05),
Color Code: Brown (07)



Thermostat & Control Cables



18 AWG STR BC Shielded Thermostat Cable - Reels



Part Number	No of Cond	Wt/ 1000'	Std Pkg
95214-05-09	2	20	1 x 500
95214-50-09	2	20	8 x 50
95218-05-09	3	26	1 x 500
67003-05-09	4	33	1 x 500
67003-50-09	4	33	8 x 50
67006-05-09	6	44	1 x 500
67008-05-09	8	56	1 x 500

ETL Type CMR/CL3R, CETL Type CMG//FT4, NEC Article 725 & 800, Copper Stranding: 7 x 0.0152, Put-up = 500' (05), 50' (50), Color Code: Gray (09)

18 AWG SOL BC Baroplen™ Plenum Cable - Reels



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55502-05-23	2	16	4 x 500
55503-05-23	3	22	4 x 500
55504-04-23	4	29	4 x 250
55505-04-23	5	35	4 x 250
55506-04-23	6	42	4 x 250
55508-04-23	8	55	4 x 250

ETL Type CMP/CL2P, CETL Type CMP/FT6, NEC Article 725 & 800, Put-up = 250' (04), 500' (05), Color Code: Beige (23)

18 AWG STR BC Shielded Plenum Cable - Reels



Part Number	No of Cond	Wt/ 1000'	Std Pkg
75902-05-23	2	22	1 x 500
75903-05-23	3	28	1 x 500
75904-05-23	4	37	1 x 500
75905-05-23	5	45	1 x 500
75906-05-23	6	47	1 x 500
75908-05-23	8	60	1 x 500

ETL Type CMP/CL3P, CETL Type CMP/FT6, NEC Article 725 & 800, Copper Stranding: 7 x 0.0152, Put-up = 500' (05), Color Code: Beige (23)

18 AWG SOL BC - Baro-Pak™ Canadian LVT



Part Number	No of Cond	Wt/ 1000'	Std Pkg
55382-54-07	2	13	1 x 250
55383-54-07	3	16	1 x 250
55384-54-07	4	23	1 x 250
55385-54-07	5	29	1 x 250
55386-54-07	6	35	1 x 250
55387-54-07	7	41	1 x 250
55388-54-07	8	47	1 x 250
55389-54-07	9	52	1 x 250
55390-54-07	10	54	1 x 250
55392-54-07	12	69	1 x 250

UL Listed Type CL2, CUL Listed Type CM or CMH/FT4, NEC Article 725, Put-up = 250' (54), Color Code: Brown (07)

Fire Alarm Cable

18 AWG SOL Fire Alarm Cable



Part Number	No of Cond	Wt/ 1000'	Std Pkg
98820-05-04	2	18	1 x 500
98820-06-04	2	16	1 x 1000
98804-06-04	4	27	1 x 1000
98806-06-04	6	40	1 x 1000

UL Listed Type FPLR, CUL Listed Type CMG/FT4, NEC Article 760, Put-up = 1000' (06), 500' (05), Color Code: Red (04)

18 AWG SOL Shielded Fire Alarm Cable



Part Number	No of Cond	Wt/ 1000'	Std Pkg
98300-06-04	2	20	1 x 1000
98831-06-04	4	30	1 x 1000

ETL Type FPLR, CETL Type CMG/FT4, NEC Article 760, Put-up = 1000' (06), Color Code: Red (04)

18 AWG SOL Plenum Fire Alarm Cable



Part Number	No of Cond	Wt/ 1000'	Std Pkg
81802-06-04	2	18	1 x 1000
81804-05-04	4	31	1 x 500
81804-06-04	4	28	1 x 1000
81806-06-04	6	43	1 x 1000

ETL Type FPLR, CETL Type CMG/FT6, NEC Article 760, Put-up = 1000' (06), 500' (05), Color Code: Red (04)

18 AWG SOL Plenum Shielded Fire Alarm Cable



Part Number	No of Cond	Wt/ 1000'	Std Pkg
85802-05-04	2	23	1 x 500
85802-06-04	2	20	1 x 1000
85804-05-04	4	36	1 x 500
85804-06-04	4	33	1 x 1000

ETL Type FPLR, CETL Type CMP/FT6, NEC Article 760, Put-up = 1000' (06), 500' (05), Color Code: Red (04)

Building Wire & Control Cables



Type TFFN/THHN Vinyl/Nylon Jacket – STR



Part Number	Description	Pkg Wt	Std Pkg
51012-03-XX	16 TFFN*	17	8 x 100
51013-03-XX	14 THHN*	21	8 x 100
51014-03-XX	12 THHN*	27	8 x 100
51016-03-XX	10 THHN*	39	8 x 100
51017-03-XX	8 THHN	29	4 x 100
51011-05-XX	18 TFFN	18	4 x 500
51012-05-XX	16 TFFN	26	4 x 500
51013-05-XX	14 THHN*	36	4 x 500
51014-05-XX	12 THHN*	52	4 x 500
51016-05-XX	10 THHN*	21	1 x 500
51017-05-XX	8 THHN	34	1 x 500

UL Listed Type STR BC, 90°C 600 Volt, Put-up = 500' (05), 100' (03), Color Code: White (01), Yellow (02), Red (04), Green (05), Blue (06), Black (08)
* CUL T90 Nylon

Type TFN/THHN Vinyl/Nylon Jacket – SOL



Part Number	Description	Pkg Wt	Std Pkg
51791-05-XX	18 TFN	18	4 x 500
51792-05-XX	16 TFN	24	4 x 500
51041-05-XX	14 THHN*	36	4 x 500
51042-05-XX	12 THHN*	52	4 x 500
51043-05-XX	10 THHN*	80	4 x 500

UL Listed Type SOL BC, 90°C 600 Volt.
Put-up = 500' (05), Color Code: Various
* CUL T90 Nylon

Non Metallic Building Wire – Baro-Pak™



Part Number	Description	Pkg Wt	Std Pkg
55550-04-01	14/3 w/grd	19	1 x 250
55551-04-02	12/3 w/grd	28	1 x 250
55552-04-03	10/3 w/grd	42	1 x 250
55553-54-01	14/2 w/grd	15	1 x 250
55554-54-02	12/2 w/grd	21	1 x 250
55555-54-03	10/2 w/grd	32	1 x 250
55553-B8-01	14/2 w/grd	24	6 x 50
55554-B8-02	12/2 w/grd	31	6 x 50
55555-B8-03	10/2 w/grd	44	6 x 50

Put-up = 250' (54), (04), 50' Knock out box (B8)
Color Code: White (01), Yellow (02), Orange (03)

Portable Cord & Temporary Power



Part Number	Description	Pkg Wt	Std Pkg
23225-04-08	18/2	44	1 x 250
23325-04-08	18/3	55	1 x 250
23425-04-08	18/4	66	1 x 250
23226-04-08	16/2	54	1 x 250
23326-04-08	16/3	67	1 x 250
23426-04-08	16/4	78	1 x 250
23227-04-08	14/2	68	1 x 250
23327-04-08	14/3	84	1 x 250
23427-04-08	14/4	104	1 x 250
23228-04-08	12/2	97	1 x 250
23328-04-08	12/3	133	1 x 250
23428-04-08	12/4	157	1 x 250

UL/CSA Listed Type SJE00W/SJTO0W (TPE), 300 Volt, NEC Article 400, Put-up = 250' (04), Color Code: Black (08)

Corra/Clad™ Type MC Metal Clad Power Supply



Part Number	Description	Pkg Wt	Std Pkg
92252-04-45	12/2	91	1 x 250
92283-04-45	12/2 w/Grnd	119	1 x 250
92452-04-45	14/2	69	1 x 250
92483-04-45	14/2 w/Grnd	88	1 x 250
92652-04-45	16/2	47	1 x 250
92852-04-45	18/2	40	1 x 250

UL Listed Type FPL SOL BC, 90°C 600 Volt, NEC Article 334, Put-up = 250' (04), Color Code: Aluminum (45)

SBC PVC Oil Burner Ignition Wire – STR



Part Number	Description	Pkg Wt	Std Pkg
614124-48-08	14 STR	38	1 x 250

UL Listed, Type BC, Put-up = 250' (48), Color Code: Black (08)



Baro-Split™ Cables



14 AWG Baro-Split™ Corra/Clad® MC Cable

- Meets Mini-Split manufacturer's specifications
- Meets all national codes
- Suitable for outdoor use, under concrete, direct burial and through finished walls or ceilings



Part Number	Description	Pkg Wt	Std Pkg
92484-04-09	14/3 SOL w/grnd, 250ft reel	43	1 x 250
92484-50-09	14/3 SOL w/grnd, 50ft coil	38	5 x 50
10576-00-00	Liquid-tight MC cable connector	3	25

UL Listed, Put Up = 250' (04), 50' (50), Color Code: Gray (09)
* 50ft coil includes one liquid-tight MC connector



14 AWG Baro-Split™ Compact 600® THHN Power Cable

- Meets Mini-Split manufacturer's specifications
- Install in NEC approved cable trays within local code compliances
- TPE jacket is UV resistant and direct burial rated



Part Number	Description	Pkg Wt	Std Pkg
60444-04-08	14/4 SOL THHN	28	1 x 250
60444-50-08	14/4 SOL THHN	20	4 x 50
60707-04-08	14/7 STR THHN	44	1 x 250

UL Listed, Type TC, 600V, -40°C to 90°C
Put Up = 250' (04), 50' (50), Color Code: Black (08)



18 AWG Stranded Shielded Plenum Control Cable for Mini-Split Application



Part Number	No of Cond	Wt/ 1000'	Std Pkg
75902-05-23	2	22	1 x 500
75903-05-23	3	28	1 x 500
75904-05-23	4	37	1 x 500
75905-05-23	5	45	1 x 500
75906-05-23	6	49	1 x 500
75908-05-23	8	62	1 x 500
75910-06-23	10	79	1 x 1000
75912-06-23	12	92	1 x 1000

ETL Type CMP/CL3P, CETL Type CMP/FT6,
Put Up = 500' (05), 1000' (06), Color Code: Beige (23)



16 AWG Stranded Shielded Plenum Control Cable for Mini-Split Application



Part Number	No of Cond	Wt/ 1000'	Std Pkg
75702-06-23	2	33	1 x 1000
75703-06-23	3	47	1 x 1000
75704-06-23	4	55	1 x 1000
75705-05-23	5	68	1 x 500
75706-05-23	6	80	1 x 500
75708-05-23	8	95	1 x 500

ETL Type CMP/CL3P, CETL Type CMP/FT6,
Put Up = 500' (05), 1000' (06) Color Code: Beige (23)

18 AWG STR BC Shielded Thermostat Cable – Reels



Part Number	No of Cond	Wt/ 1000'	Std Pkg
95214-05-09	2	20	1 x 500
95214-50-09	2	20	8 x 50
95218-05-09	3	26	1 x 500
67003-05-09	4	33	1 x 500
67003-50-09	4	33	8 x 50
67006-05-09	6	44	1 x 500
67008-05-09	8	56	1 x 500

ETL Type CMR/CL3R, CETL Type CMG//FT4,
NEC Article 725 & 800, Copper Stranding: 7 x 0.0152,
Put-up = 500' (05), 50' (50), Color Code: Gray (09)

Cord Products

Vinyl Outdoor Extension Cords



Molded, water resistant connectors with reinforced blades make these cords suitable for outdoor use.



Cat No	Wire Ga/Cond	Wire Type	Color	Length in Ft	Package Type	125V Rating	Master Pack	Master Wt	Master Pack Cube
02307	16/3	SJTW	Orange	25	Sleeve	13A	12	25	.76
02308	16/3	SJTW	Orange	50	Sleeve	13A	12	46	1.16
02309	16/3	SJTW	Orange	100	Sleeve	10A	6	45	1.19
02407	14/3	SJTW	Red	25	Sleeve	15A	12	35	.90
02408	14/3	SJTW	Red	50	Sleeve	15A	6	29	.82
02409	14/3	SJTW	Red	100	Sleeve	13A	6	60	1.41
02587	12/3	SJTW	Yellow	25	Sleeve	15A	12	40	1.21
02588	12/3	SJTW	Yellow	50	Sleeve	15A	6	40	1.41
02589	12/3	SJTW	Yellow	100	Sleeve	15A	4	52	1.41

Neon Stripes™ Extension Cords



Part Number	Description	AWG	Outlets	Ft/Package
02548	12/3 SJTW insulated extension cord - 50 feet with indicator light	12	1	50' sleeve
02549	12/3 SJTW insulated extension cord - 100 feet with indicator light	12	1	100' sleeve

Color Code:
 Silver/Blue (NV),
 Purple/White (P1),
 Yellow/Purple (22),
 Orange/Blue (3V),
 Red/White (41),
 Green/Yellow (52),
 Green/Red (54),
 Blue/Yellow (62),
 Blue/Red (64,)
 Pink/Green (77)

LED Work Lights



Part Number	Description	Package Type	Pack Qty	Master Wt
05952	TwistBrite™ LED work light	clamshell	4	6
05953	30 LED work light	clamshell	4	6

Work Light Bonus Pack



Part Number	Description	Package Type	Pack Qty	Master Wt
05955	13W fluorescent light w/ outlet and magnet, plus BONUS 25' Push-Lock™ cord	clamshell	4	16



Power Supply Cords

(Pigtails) Right-Angle Plugs



Part Number	Description	Pkg Wt	Std Pkg
55243-88-09	3' 16/3 SPT-2	13	50
55244-88-09	4' 16/3 SPT-2	15	50
55245-88-09	5' 16/3 SPT-2	18	50
55246-88-09	6' 16/3 SPT-2	25	50
55248-88-09	8' 16/3 SPT-2	30	50
55225-88-09	5' 14/3 SPT-3	18	50
55226-88-09	6' 14/3 SPT-3	25	50

UL/CSA Listed Type SPT-2/SPT-3, Color Code: Gray (09)

(Pigtails) Straight Plugs



Part Number	Description	Pkg Wt	Std Pkg
55233-88-08	3' 16/3 SPT-2	13	50
55234-88-08	4' 16/3 SPT-2	15	50
55235-88-08	5' 16/3 SPT-2	18	50
55236-88-08	6' 16/3 SPT-2	25	50
55238-88-08	8' 16/3 SPT-2	30	50
09733-88-09*	3' 16/3 SPT-3	6	25
09734-88-09*	4' 16/3 SPT-3	9	25
09736-88-09*	6' 16/3 SPT-3	12	25
09743-88-23*	3' 14/3 SPT-3	10	25
09746-88-23*	6' 14/3 SPT-3	18	25

UL/CSA Listed Type SPT-2 or SPT-3, Color Code: Black (08), Gray (09), Beige (23)

* UL Listed

Range & Dryer Cords

Range Cords



Part Number	Description	Pkg Wt	Std Pkg
09014-88-09	4' 6/2 & 8/1 SRDT	24	12
09015-88-09	5' 6/2 & 8/1 SRDT	28	12
09016-88-09	6' 6/2 & 8/1 SRDT	33	12

UL Listed, 3-Wire, Flat Cord, NEMA 10-50P, 125/250V, 50 AMP. Right angle male plug guards against accidental pull out. Color Code: Gray (09)

Range Cords



Part Number	Description	Pkg Wt	Std Pkg
09044-88-08	4' 6/2 & 8/2 SRDT	35	12
09045-88-08	5' 6/2 & 8/2 SRDT	42	12
09046-88-08	6' 6/2 & 8/2 SRDT	50	12

UL Listed, 4-Wire, Round Cord, NEMA 14-50P, 125/250V, 45 AMP. Right angle male plug guards against accidental pull out. Color Code: Black (08)

Dryer Cords



Part Number	Description	Pkg Wt	Std Pkg
09124-88-09	4' 10/3 SRDT	15	12
09125-88-09	5' 10/3 SRDT	19	12
09126-88-09	6' 10/3 SRDT	21	12

UL Listed, 3-Wire, Flat Cord, NEMA 10-30P, 125/250V, 30 AMP. Right angle male plug guards against accidental pull out. Color Code: Gray (09)

Dryer Cords



Part Number	Description	Pkg Wt	Std Pkg
09154-88-08	4' 10/4 SRDT	25	12
09155-88-08	5' 10/4 SRDT	30	12
09156-88-08	6' 10/4 SRDT	34	12

UL Listed, 4-Wire, Round Cord, NEMA 14-50P, 125/250V, 30 AMP. Right angle male plug guards against accidental pull out. Color Code: Black (08)

Air Conditioner Extension Cords



Part Number	Description	Pkg Wt	Std Pkg
03531-33-23	3' 14/3 SPT-3	17	36
03532-33-23	6' 14/3 SPT-3	18	24
03533-33-23	9' 14/3 SPT-3	19	18
03535-33-23	12' 14/3 SPT-3	16	12
03536-33-23	15' 14/3 SPT-3	21	12

UL Listed. Right angle male plug guards against accidental pull out. Color code: Beige (23)

Air Conditioner Whips



Part Number	Description	Pkg Wt	Std Pkg
METAL FITTINGS			
57514-00-00	1/2" x 4', 10 STR	43	24
57516-00-00	1/2" x 6', 10 STR	53	24
57504-00-00	3/4" x 4', 8 STR	62	24
57506-00-00	3/4" x 6', 8 STR	82	24
PVC FITTINGS			
57515-00-00	1/2" x 4', 10 STR	43	24
57517-00-00	1/2" x 6', 10 STR	53	24
57505-00-00	3/4" x 4', 8 STR	62	24
57507-00-00	3/4" x 6', 8 STR	82	24

UL/CUL Listed, THHN STR

Voice & Data Cables

Category 5e: Enhanced Data Cable - Twisted Pair



Part Number	Number of Pairs	AWG Conductor Nom		NOM Insulation Thickness	NOM Jacket Thickness	NOM OD	Wt/ 1000'	Listed Type
		Size	Diameter					
96263 Non-Plenum	4	24	.0201	.008"	.020"	.220"	21	CMR FT4
966956 Plenum	4	24	.0201	.008"	.015"	.180"	19	CMP FT6

UL or ETL Verified to ANSI/TIA/EIA-568B, Category 5E.
Exceeds: ANSI/TIA/EIA-568B, Category 5E, UL 1666, (CMR) FT4, NFPA 262 (CMP) FT6, tested to 350 MHz.

Conductors: 24 AWG Solid Bare Copper
Insulation: Polyethylene (Non-Plenum) and FEP (Plenum)
Jacket: PVC (non-Plenum) or Low Smoke PVC (Plenum)
Jacket Color: Gray (09) and Blue (06) (other colors available - contact factory)
Electricals: 24 AWG - Mutual Capacitance 20.0 Pt./Ft. Maximum
DC Resistance 28.6 OHMS/1000' Maximum
Applications: Gigabit Ethernet
Fast Ethernet
1,000/100/10 Base-T

Chart No. 12 (Insulation Code)	
White/Blue	Blue Solid
White/Orange	Orange Solid
White/Green	Green Solid
White/Brown	Brown Solid

Category 6 Cable: 600MHZ - Twisted Pair - Installation Friendly



Part Number	Number of Pairs	AWG Conductor Nom		NOM Insulation Thickness	NOM Jacket Thickness	NOM OD	Wt/ 1000'	Listed Type
		Size	Diameter					
97272 Non-Plenum	4	23	.023	.008"	.230"	70%	26	CMR/MPR FT4
977964 Plenum	4	23	.023	.008"	.206"	74%	24	CMP FT6

Exceeds TIA/EIA Draft 9 Category 6, tested to 250 MHz

Conductors: 23 AWG Bare Copper
Insulation: Polyethylene (Non-Plenum) and FEP (Plenum)
Jacket: PVC (Non-Plenum) or Low Smoke PVC (Plenum)
Jacket Color: White (01), Orange (03), Green (05), Blue (06), Gray (09) (other colors available - contact factory)
Electricals: 24 AWG - Mutual Capacitance 20.0 Pt./Ft. Maximum
DC Resistance 28.6 OHMS/1000' Maximum
Tested: 600 MHz
Applications: Gigabit Ethernet
Fast Ethernet
1000 Base-T
Systems Approval: Category 6

Chart No. 12 (Insulation Code)	
White/Blue	Blue Solid
White/Orange	Orange Solid
White/Green	Green Solid
White/Brown	Brown Solid



Product innovation for the
HVAC Market



Baro-Split™ Mini-Split Cables

Mini-split installers and HVAC contractors looking to save on labor costs while meeting local codes for mini-split sub-power feeds are making Coleman Cable's Baro-Split the cables of choice.

Baro-Split Corra/Clad® MC cable consists of UL listed THHN soft drawn annealed solid copper conductors, cabled with fillers and wrapped with an overall solid Flexi-Rib™ aluminum sheath. The continuous sheath provides watertight protection and it is covered with a PVC outer jacket for outdoor use or direct burial. Baro-Split Corra/Clad® MC cables are UL approved and meet or exceed the requirements of NEC Article 330.

Baro-Split Compact 600® and Baro-Split Shielded Low Voltage cables offer additional options to provide power and control for your mini-split installations. With safety, versatility and labor savings that can't be beat, choose Baro-Split cables for your next mini-split installation.

Coleman Cable HVAC/R Products

Marketed under the Baron™ Brand name, Coleman Cable manufactures one of the most comprehensive lines of HVAC/R cable and related product available today. Our product offering

Why Coleman Cable?

- Industry Leader - Baron™ Brand
- Manufactured in ISO-9000 facilities
- Multi-vendor friendly
- Inventory availability:
 - Full Line
 - Multiple Color
 - Reliable Delivery

provides cable solutions for virtually every HVAC/R application. Coleman Cable's technical expertise and commitment to innovation ensure the most advanced and highest quality HVAC/R cable on the market.



Packaging Options*

Coleman Cable offers six types of packaging options


- Baro-Pak™
- Knock-Out Box
- Pull-Out Box
- Reels
- Reel-in-Box
- Signa-Coil



All provide fast and easy cable access. Kinks and twists are eliminated. You get tangle-free cable delivery each and every time. These durable, compact designs save on installation time while reducing waste and material costs. They can be easily stacked to save room.

**Not all options are available for each product*

Coleman Cable Part Legend



Put-ups	Code
Reel, 250 ft	04
Reel, 500 ft	05
Reel, 1,000 ft	06
Reel-in-box, 1,000 ft	16
RabbitPull™ Pull-Box, 500 ft	45
RabbitPull™ Pull-Box, 1,000 ft	46
Baro-Pak™ 250 ft	54
Baro-Pak™ 500 ft	55
Baro-Pak™ 1,000 ft	56

Colors	Code		Code
White	01	Pink	11
Yellow	02	Purple	13
Orange	03	Clear	18
Red	04	Fluorescent	
Green	05	Pink	21
Blue	06	Ivory	22
Brown	07	Natural	23
Black	08	Beige	33
Gray	09	Red Striped	
		CorraClad™	44



Exceptional Performance

is reflected in everything we do.

Coleman Cable Inc. customers know they can rely on us to consistently deliver a broad range of wire and cable products and innovative solutions backed by recognized brands. These characteristics combined with a solid service platform and dedicated professional people, create a dynamic customer value that's exclusive to Coleman Cable.

Broad Range of Products -

We provide one of the most extensive and diverse lines of electrical, electronic and assembled products in the industry. Through research, development and strategic acquisitions, such as Copperfield, we continue to enhance our product mix to meet customer needs.

Innovative Solutions -

From custom cables for industrial, aerospace or military applications to the latest in electronic cables for security systems, you'll find Coleman Cable at the forefront of product and technology innovation.

Recognized Brands -

Seoprene®, Royal®, Baron™, Road Power®, Signal®, Copperfield®, Excelene™ and Polar/Solar® all are leaders in their respective markets. Our distributors know that when they provide these leading brands to their customers, they receive instant acceptance and credibility in the marketplace.

Solid Service Platform -

We utilize more than 2 million sq ft of strategically located, state-of-the-art, ISO-certified manufacturing and distribution facilities. This national footprint and extensive investment in service systems powers us to deliver more than 70,000 SKUs with a better than 97% first-fill rate.

Dedicated Professional People -

We deliver strong performance because our people deliver strong performance every day. We've built a culture that puts customer needs first, making us easy to do business with and placing us at the top of our customers' list of suppliers.

Customer Value -

A Broad Range of Products, Innovative Solutions, Recognized Brands, and a Solid Service Platform are the foundation that Coleman Cable's Dedicated, Professional People build upon to create Customer Value.



1530 Shields Drive • Waukegan, IL 60085 • 800-323-9355 • www.colemancable.com

LT401-06-01 DEC09 R3