

Viega Product Catalog
May 2014

The global leader

The global leader
in plumbing, heating
and pipe joining systems

viega



Viega ... One source, multiple solutions

Designed for peace of mind

Viega manufactures and distributes complete system solutions engineered to integrate. Whether you are installing a potable water line in a restaurant or specifying a natural gas line for a hospital, Viega offers a solution that reduces overall project cost and provides guaranteed peace of mind. With a wide range of adapters for each material, all Viega press fitting solutions can work together.

Join different piping materials with the same trusted technology

Viega offers the same proven press technology in copper, stainless, carbon steel and even high-performance polymer. Viega ProPress for copper and stainless and Viega MegaPress for black iron help reduce installation time up to 60% and are approved for use in the largest range of applications in the industry. Viega PEX Press systems are available in sizes up to 2" with the first press fitting for PEX tubing. Viega ProPress, Viega MegaPress and Viega PEX Press polymer fittings all help installers finish a job with confidence, using the patented Viega Smart Connect feature which allows easy identification of unpressed fittings.

Heat and cool with energy-efficient radiant systems

Viega ProRadiant heating and cooling systems are highly engineered to be user friendly. From start to finish, Viega offers the highest-quality, most complete systems in the industry with PEX tubing, manifolds, controls and innovative mat systems. Whether the project is installing radiant heating or cooling in a warehouse or radiant snow melting in a parking lot, Viega provides everything you need.

The term Viega does not apply to a specific company within the company as a whole. The term Viega can refer to either the Viega Group of Companies or to the Viega brand itself. The Viega Group of Companies includes Viega GmbH & Co. KG and all of its direct and indirect subsidiaries, each of which is separate and distinct.

Registered Trademark:

**Superior performance with Viega system solutions**

Viega introduced press technology to North America in 1999 with Viega ProPress. Now, almost 15 years later, Viega press technology has made consistent, secure connections possible on copper, stainless, black iron and PEX. No other manufacturer can offer the same press technology across multiple pipe joining materials. Viega press systems also offer guaranteed security through innovations like the patented Viega Smart Connect feature, which is only available on genuine Viega press fittings. Installers can trust a Viega connection and finish a job without worrying because the Viega Smart Connect feature helps ensure that they identify unpressed connections during pressure testing.

Company Information:

Viega LLC
North American Headquarters
301 N. Main, 9th Floor
Wichita, KS 67202

Phone:

800-976-9819

Other Locations:

Viega Manufacturing and
Distribution Center – McPherson, KS
Northeast Distribution Center – Harrisburg, PA
Southeast Distribution Center – Atlanta, GA
West Distribution Center – Reno, NV
Viega Educational Facility – Nashua, NH

Websites:

www.viega.us
www.viega.mx
www.viega.ca

Standard terms and conditions in this catalog are those in effect on the date of publication of the catalog. Complete installation information and technical specifications are available on www.viega.us. Viega reserves the right to adjust prices, change its product offering and change standard Terms and Conditions. To obtain current information, go to www.viega.us.

How to Read Dimensions of a Fitting or a Product




Viega ProPress tee
Smart Connect feature, Zero Lead
 - Copper
 - Press connection
Components
 EPDM sealing elements
Model 2918

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.204	10	77377	8
1/2	1/2	3/4	0.287	10	77382	8
1/2	1/2	1	0.320	5	15493	8
3/4	1/2	1/2	0.274	10	77392	8
3/4	1/2	3/4	0.319	5	77397	8
3/4	3/4	1/2	0.292	10	77402	8




Viega ProPress tee Vent
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, female pipe thread

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/8	0.154	2	79635	8
3/4	3/4	1/8	0.234	2	79640	8




Viega PEX Press tee
Zero Lead
 - For fire sprinkler systems
 - Bronze
 - Press connection, female pipe thread
 - Mounts to vertical surfaces
Note
 For use with black ViegaPEX Ultra only.

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.454	1	94736	6
1	3/4	1/2	0.505	1	94738	6
1	1	1/2	0.551	1	94739	6




Viega PEX Press manifold
Smart Connect feature, Zero Lead
 - Only use with lock clip Part No 58075
 - Polymer
 - Press connection

Outlet(s)	P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2	3/4	3/4	1/2	0.202	10	49152	6
3	3/4	3/4	1/2	0.255	10	49153	6
4	3/4	3/4	1/2	0.318	10	49054	6
4	1	3/4	1/2	0.330	10	49254	6



Viega PEX Press tub elbow 90°
Zero Lead
 - Brazed copper
 - Press connection, street
Model 2820.0ZL

P	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
1/2	1/2	3	6	0.261	25	92221	6



Viega ManaBloc distribution manifold
Smart Connect feature, Zero Lead
 - Press connection
 - Color coded ports for hot and cold water
Components
 1/4 turn valves, T-handle valve key
Note
 Does not include supply connections
Model V5630

d=Diameter of tubing

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
polymer	14	3/8	6	8	5.543	1	49142	2



Manifold cabinet
 - Galvanized steel, epoxy powder-coated finish
Model 2879.6US

W [in]	H [in]	D [in]	Wt [lb]	Quantity	Part No	DG
21	30	4 1/2	28.975	1	15800	4
27	30	4 1/2	33.990	1	15801	4
45	30	4 1/2	49.986	1	15802	4

ProPress



ProPress

Only Viega offers press fitting systems in multiple materials. Viega ProPress for copper has helped reduce overall job costs, save time and increase reliability on the job site since its introduction in 1999. Built to last, Viega fittings are heavier than Type K copper and are available in sizes ranging from ½" to 4". The patented Viega Smart Connect feature, a feature only found in genuine Viega ProPress fittings, identifies unpressed connections during pressure testing so they are not missed.

FEATURES AND BENEFITS

- The original copper press joining solution
- Available in sizes ½" to 4"
- Customizable with three sealing elements, EPDM, HNBR and FKM
- More than 600 engineered fitting configurations for copper
- Approved for more than 150 different applications

CODES AND STANDARDS

- ABS: American Bureau of Shipping
- CRN: Canadian Registration Number
- CSA International: Canadian Standards Association
- FM: FM Global
- IAPMO: Uniform Plumbing Code
- ICC: International Plumbing Code
- NFPA 13, 13D and 13R: Fire Sprinkler Applications
- NSF/ANSI 61: Drinking Water System Components – Health Effects
- NSF/ANSI 372: Drinking Water System Components - Lead Content
- PHCC: National Standard Plumbing Code
- UL: Underwriters Laboratories

LISTINGS AND CERTIFICATIONS

- CRN 0A14541.5
- CSA MSE-13
- FM Class 1920
- IAPMO PS117
- ICC-ES PMG-1037
- NSF - 61G
- UL 213

ZERO LEAD

References to Zero Lead throughout this publication means product meeting the requirements of NSF 61-G through testing under NSF/ANSI Standard 372 (0.25% or less percent maximum weighted average lead content).

NOTE

A Green Dot on a Viega ProPress fitting indicates the Smart Connect feature with an EPDM sealing element.

Index

Elbows	20
Tees	22
Adapters	24
Flanges	25
Caps	26
Unions	26
Couplings	27
Reducers	28
Valves	29
Manifolds	31
Cross-overs	31
Stub-Outs	31
Sealing Elements and Gaskets	31
Accessories	32

Elbows



**Viega ProPress elbow 90°
Smart Connect feature, Zero Lead**
- Copper
- Press connection
Components
EPDM sealing elements
Model 2916

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.112	10	77317	8
3/4	3/4	0.196	10	77322	8
1	1	0.279	5	77327	8
1 1/4	1 1/4	0.425	1	77332	8
1 1/4	1 1/4	0.365	1	77032 ¹⁾	8
1 1/2	1 1/2	0.798	1	77337	8
2	2	1.139	1	77342	8
2	2	1.055	1	77042 ¹⁾	8

¹⁾ short radius versions



**Viega ProPress elbow 90°
XL**
Smart Connect feature, Zero Lead
- Copper
- Press connection
Components
EPDM sealing elements
Note
Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 0916XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.101	1	20623	8
3	3	3.031	1	20628	8
4	4	5.724	1	20633	8



**Viega ProPress elbow 90°
Street**
Smart Connect feature, Zero Lead
- Copper
- Press connection, street
Components
EPDM sealing element
Model 2916.1

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.104	10	77347	8
3/4	3/4	0.183	10	77352	8
1	1	0.269	5	77357	8
1 1/4	1 1/4	0.403	1	77362	8
1 1/4	1 1/4	0.365	1	77062 ¹⁾	8
1 1/2	1 1/2	0.771	1	77367	8
2	2	1.104	1	77372	8
2	2	1.025	1	77072 ¹⁾	8

¹⁾ short radius versions



**Viega ProPress elbow 90°
XL, street**
Smart Connect feature, Zero Lead
- Copper
- Press connection, street
Components
EPDM sealing element
Note
Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 0916.1XL

P	FTG	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.957	1	20638	8
3	3	2.861	1	20643	8
4	4	5.510	1	20648	8



**Viega ProPress elbow 90°
Reducing**
Smart Connect feature, Zero Lead
- Copper
- Press connection
Components
EPDM sealing elements
Model 2916.3

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.153	15	77325	8
1	3/4	0.251	10	77330	8



**Viega ProPress elbow 90°
Extended, street**
Smart Connect feature, Zero Lead
- Copper
- Press connection, street
Components
EPDM sealing element
Model 2947

P	FTG	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	6	0.386	5	77353	8



Viega ProPress elbow 90°
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, female pipe thread
Components
 EPDM sealing element
Model 2914.2ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.136	5	79520	8
1/2	1/2	0.167	5	79525	8
1/2	3/4	0.265	5	79530	8
3/4	1/2	0.245	5	79535	8
3/4	3/4	0.299	5	79540	8
1	1/2	0.313	1	79545	8
1	1	0.463	1	79550	8
1 1/4	1 1/4	0.668	1	79560	8
1 1/2	1 1/2	0.961	1	79565	8
2	2	1.609	1	79570	8



Viega ProPress elbow 90°
Hi ear
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, female pipe thread
Components
 EPDM sealing element
Model 2925.2ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.221	5	79205	8



Viega ProPress elbow 90°
Drop ear
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, female pipe thread
Components
 EPDM sealing element
Model 2925.5ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.242	5	79185	8
1/2	1/2	0.291	5	79190	8
3/4	3/4	0.430	5	79195	8



Viega ProPress elbow 45°
Smart Connect feature, Zero Lead
 - Copper
 - Press connection
Components
 EPDM sealing elements
Model 2926

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.091	10	77607	8
3/4	3/4	0.158	10	77612	8
1	1	0.219	5	77617	8
1 1/4	1 1/4	0.313	1	77622	8
1 1/4	1 1/4	0.305	1	77033 ¹⁾	8
1 1/2	1 1/2	0.617	1	77627	8
2	2	0.840	1	77632	8
2	2	0.786	1	77043 ¹⁾	8

¹⁾ short radius versions



Viega ProPress elbow 45°
XL
Smart Connect feature, Zero Lead
 - Copper
 - Press connection
Components
 EPDM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 0926XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.609	1	20653	8
3	3	2.336	1	20658	8
4	4	4.214	1	20663	8



Viega ProPress elbow 45°
Street
Smart Connect feature, Zero Lead
 - Copper
 - Press connection, street
Components
 EPDM sealing element
Model 2926.1

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.085	10	77637	8
3/4	3/4	0.146	10	77642	8
1	1	0.200	5	77647	8
1 1/4	1 1/4	0.293	1	77652	8
1 1/4	1 1/4	0.289	1	77063 ¹⁾	8
1 1/2	1 1/2	0.591	1	77657	8
2	2	0.814	1	77662	8
2	2	0.766	1	77073 ¹⁾	8

¹⁾ short radius versions



**ViEGA ProPress elbow 45°
XL, street**
Smart Connect feature, Zero Lead

- Copper
- Press connection, street

Components

EPDM sealing element

Note

Must be installed with ViEGA ProPress XL-C rings and V2 actuator.

Model 0926.1XL

P	FTG	Wt [lb]	Quantity	Part No	DG
2½	2½	1.554	1	20668	8
3	3	2.191	1	20673	8
4	4	4.018	1	20678	8

Tees



ViEGA ProPress tee
Smart Connect feature, Zero Lead

- Copper
- Press connection

Components

EPDM sealing elements

Model 2918

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.204	10	77377	8
½	½	¾	0.287	10	77382	8
½	½	1	0.320	5	15493	8
¾	½	½	0.274	10	77392	8
¾	½	¾	0.319	5	77397	8
¾	¾	½	0.292	10	77402	8
¾	¾	¾	0.325	10	77387	8
¾	¾	1	0.400	5	77407	8
1	½	¾	0.400	5	22263	8
1	½	1	0.463	5	94767	8
1	¾	½	0.367	5	77417	8
1	¾	¾	0.402	5	77422	8
1	¾	1	0.453	5	77427	8
1	1	½	0.378	5	77432	8
1	1	¾	0.406	5	77437	8
1	1	1	0.445	5	77412	8
1	1	1¼	0.567	1	15488	8
1¼	½	1¼	0.600	1	22253	8
1¼	¾	½	0.462	1	22243	8
1¼	¾	¾	0.531	1	22258	8
1¼	¾	1	0.567	1	22268	8
1¼	¾	1¼	0.610	1	22248	8
1¼	1	½	0.457	1	22238	8
1¼	1	¾	0.531	1	94762	8
1¼	1	1	0.559	1	14568	8
1¼	1¼	½	0.469	1	94757	8
1¼	1¼	¾	0.512	1	77452	8
1¼	1¼	1	0.553	1	77447	8
1¼	1¼	1¼	0.609	1	77442	8
1½	1	¾	0.763	1	79660	8
1½	1	1	0.805	1	15458	8
1½	1	1½	1.122	1	15463	8
1½	1¼	¾	0.762	1	22233	8
1½	1¼	1	0.805	1	15453	8
1½	1¼	1¼	0.855	1	15483	8
1½	1½	½	0.708	1	15448	8
1½	1½	¾	0.816	1	77462	8
1½	1½	1	0.849	1	77467	8
1½	1½	1¼	0.880	1	77472	8
1½	1½	1½	1.128	1	77457	8
2	1¼	1¼	1.172	1	15518	8
2	1½	¾	1.025	1	15513	8
2	1½	1	1.081	1	15498	8
2	1½	1¼	1.233	1	15508	8
2	1½	1½	1.367	1	15503	8
2	1½	2	1.577	1	22228	8
2	2	½	1.020	1	15538	8
2	2	¾	1.061	1	94777	8
2	2	1	1.105	1	94772	8
2	2	1¼	1.205	1	77487	8
2	2	1½	1.329	1	77482	8
2	2	2	1.477	1	77477	8



Viega ProPress tee XL
Smart Connect feature, Zero Lead

- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0918XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	¾	2½	2.059	1	20684	8
2½	1	2½	2.014	1	20689	8
2½	1¼	2½	2.081	1	20694	8
2½	1½	2½	2.204	1	20699	8
2½	2	¾	1.397	1	20704	8
2½	2	1	1.424	1	20709	8
2½	2	1½	1.670	1	22283	8
2½	2	2	1.840	1	22278	8
2½	2	2½	2.169	1	20714	8
2½	2½	½	1.402	1	22303	8
2½	2½	¾	1.463	1	22298	8
2½	2½	1	1.521	1	22293	8
2½	2½	1¼	1.631	1	22288	8
2½	2½	1½	1.763	1	20803	8
2½	2½	2	1.940	1	20688	8
2½	2½	2½	2.292	1	20683	8
3	¾	3	2.953	1	20719	8
3	1	3	2.885	1	20724	8
3	1¼	3	2.927	1	20729	8
3	1½	3	3.044	1	20727	8
3	2	2	2.211	1	20732	8
3	2	2½	2.605	1	20734	8
3	2	3	2.953	1	20739	8
3	2½	2	2.466	1	20744	8
3	2½	2½	2.865	1	20749	8
3	2½	3	3.183	1	20754	8
3	3	½	1.955	1	20759	8
3	3	¾	1.984	1	22323	8
3	3	1	2.063	1	22308	8
3	3	1¼	2.129	1	22313	8
3	3	1½	2.327	1	20798	8
3	3	2	2.499	1	20698	8
3	3	2½	2.903	1	20703	8
3	3	3	3.251	1	20693	8
4	3	2	4.038	1	20774	8
4	3	3	4.915	1	20784	8
4	4	½	3.372	1	20788	8
4	4	¾	3.399	1	20793	8
4	4	1	3.652	1	20794	8
4	4	1¼	3.665	1	20795	8
4	4	1½	3.791	1	20808	8
4	4	2	4.020	1	20713	8
4	4	2½	4.534	1	20718	8
4	4	3	4.853	1	20723	8
4	4	4	5.841	1	20708	8



Viega ProPress tee
Smart Connect feature, Zero Lead

- Bronze
- Press connection, female pipe thread

Components

EPDM sealing elements

Model 2917.2ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
½	½	½	0.249	5	79580	8
¾	¾	¼	0.253	5	79585	8
¾	¾	½	0.304	5	79590	8
¾	¾	¾	0.348	5	79595	8
1	1	½	0.414	5	79760	8
1	1	¾	0.492	5	79765	8
1¼	1¼	½	0.529	1	79770	8
1¼	1¼	¾	0.595	1	79775	8
1½	1½	½	0.809	1	79780	8
1½	1½	¾	0.900	1	79785	8
2	2	½	1.150	1	79790	8
2	2	¾	1.300	1	79795	8



Viega ProPress tee XL
Smart Connect feature, Zero Lead

- Copper
- Press connection, female pipe thread

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0917.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	1.541	1	20883	8
2½	2½	2	2.149	1	20878	8
3	3	¾	2.043	1	20893	8
3	3	2	2.777	1	20888	8
4	4	¾	3.474	1	20873	8
4	4	2	4.293	1	20868	8



**Viega ProPress tee
Vent**
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, female pipe thread
Components
 EPDM sealing elements
Model 2917.3ZL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/8	0.154	2	79635	8
3/4	3/4	1/8	0.234	2	79640	8

Adapters



Viega ProPress adapter
Smart Connect feature, Zero Lead
 - Bronze
 - Press connection, male pipe thread
Components
 EPDM sealing element
Model 2911ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.095	10	79210	8
1/2	1/2	0.106	10	79215	8
1/2	3/4	0.166	10	79220	8
3/4	1/2	0.151	10	79225	8
3/4	3/4	0.157	10	79230	8
3/4	1	0.233	10	79235	8
1	3/4	0.239	10	79240	8
1	1	0.255	10	79245	8
1	1 1/4	0.489	10	79250	8
1 1/4	1	0.312	1	79255	8
1 1/4	1 1/4	0.453	1	79260	8
1 1/4	1 1/2	0.567	1	79265	8
1 1/2	1 1/4	0.632	1	79270	8
1 1/2	1 1/2	0.535	1	79275	8
1 1/2	2	0.931	1	79280	8
2	1 1/2	0.864	1	79285	8
2	2	0.852	1	79290	8



**Viega ProPress adapter
Zero Lead**
 - Bronze
 - Street, male pipe thread
Model 2911.1ZL

FTG	MPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.081	5	79375	8
1/2	1/2	0.106	5	79380	8
1/2	3/4	0.157	5	79385	8
3/4	1/2	0.102	5	79390	8
3/4	3/4	0.152	5	79395	8
1	3/4	0.177	5	79400	8
1	1	0.242	5	79405	8
1 1/4	1 1/4	0.505	1	79410	8
1 1/2	1 1/2	0.594	1	79415	8
2	2	0.822	1	79420	8



**Viega ProPress adapter
XL**
Smart Connect feature, Zero Lead
 - Copper
 - Press connection, male pipe thread
Components
 EPDM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 0911XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.585	1	20823	8
3	3	2.314	1	20828	8
4	4	3.643	1	20838	8



**Viega ProPress adapter
Smart Connect feature, Zero Lead**
- Bronze
- Press connection, female pipe thread
Components
EPDM sealing element
Model 2912ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.083	10	79295	8
1/2	1/2	0.127	10	79300	8
1/2	3/4	0.156	10	79305	8
3/4	1/2	0.145	10	79310	8
3/4	3/4	0.175	10	79315	8
1	1/2	0.186	10	79320	8
1	3/4	0.213	10	79325	8
1	1	0.286	10	79330	8
1	1 1/4	0.365	10	79335	8
1 1/4	1/2	0.221	1	79340	8
1 1/4	1	0.292	1	79345	8
1 1/4	1 1/4	0.398	1	79350	8
1 1/4	1 1/2	0.463	1	79355	8
1 1/2	1 1/4	0.331	1	79360	8
1 1/2	1 1/2	0.545	1	79365	8
2	2	0.767	1	79370	8



**Viega ProPress adapter
Zero Lead**
- Bronze
- Street, female pipe thread
Model 2912.1ZL

FTG	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.071	5	79425	8
1/2	1/2	0.105	5	79430	8
1/2	3/4	0.141	5	79435	8
3/4	1/2	0.112	5	79440	8
3/4	3/4	0.145	5	79445	8
1	1/2	0.179	1	79455	8
1	1	0.269	1	79450	8
1 1/4	1/2	0.278	1	79460	8
1 1/4	1 1/4	0.402	1	79465	8
1 1/2	1 1/2	0.527	1	79470	8
2	2	0.808	1	79475	8



**Viega ProPress adapter
XL**
Smart Connect feature, Zero Lead
- Copper
- Press connection, female pipe thread
Components
EPDM sealing element
Note
Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 0912XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.807	1	20819	8
3	3	2.931	1	20829	8
4	4	4.071	1	20839	8



Viega PEX Press adapter
Smart Connect feature, Zero Lead
- For transitioning between Viega PEX Press and Viega ProPress
- Bronze
- Press connection
Components
EPDM sealing elements
Note
ProPress tool and jaw required
Model 2813PZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.075	10	99620	6
1/2	3/4	0.114	10	99626	6
3/4	1/2	0.077	10	99630	6
3/4	3/4	0.113	10	99640	6
1	3/4	0.136	10	99645	6
1	1	0.185	10	99660	6
1 1/4	1	0.231	5	99665	6
1 1/4	1 1/4	0.284	5	99670	6
1 1/2	1	0.276	5	99675	6
1 1/2	1 1/2	0.445	5	99680	6
2	1	0.459	5	99685	6
2	2	0.719	5	99690	6

Flanges



Viega ProPress adapter flange
Smart Connect feature, Zero Lead
- Bronze
- Press connection
Components
EPDM sealing element
Model 2959.5ZL

P	BP	Wt [lb]	Quantity	Part No	DG
1	4	2.799	1	79680	8
1 1/4	4	3.196	1	79685	8
1 1/2	4	3.857	1	79690	8
2	4	5.488	1	79695	8

BP = bolt pattern



Viega ProPress adapter flange XL
Smart Connect feature, Zero Lead

- Copper
- Press connection

Components

EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0959.5XL

P	BP	Wt [lb]	Quantity	Part No	DG
2½	4	6.264	1	20853	8
3	4	8.058	1	20858	8
4	8	11.185	1	20863	8

BP = bolt pattern



Viega ProPress pump flange Zero Lead

- Copper
- Street

Components

EPDM flat gasket, (2) bolts, (2) nuts, washer

Model 2959.6

FTG	Wt [lb]	Quantity	Part No	DG
¾	0.722	1	79870 ¹⁾	8
1	0.864	1	79871 ¹⁾	8
1¼	0.978	1	79872 ¹⁾	8

¹⁾ Available soon!

New

Caps



Viega ProPress cap
Smart Connect feature, Zero Lead

- Copper
- Press connection

Components

EPDM sealing element

Model 2956

P	Wt [lb]	Quantity	Part No	DG
½	0.056	10	77712	8
¾	0.086	10	77717	8
1	0.115	5	77722	8
1¼	0.177	1	77727	8
1½	0.320	1	77732	8
2	0.428	1	77737	8



Viega ProPress cap XL
Smart Connect feature, Zero Lead

- Copper
- Press connection

Components

EPDM sealing element

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0956XL

P	Wt [lb]	Quantity	Part No	DG
2½	0.738	1	20833	8
3	1.025	1	20843	8
4	1.851	1	20848	8

Unions



Viega ProPress union
Smart Connect feature, Zero Lead

- Bronze
- Press connection

Components

EPDM sealing elements

Model 2960ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.331	1	79125	8
¾	¾	0.485	1	79130	8
1	1	0.856	1	79135	8
1¼	1¼	1.070	1	79140	8
1½	1½	1.759	1	79145	8
2	2	2.793	1	79150	8



Viega ProPress union
Smart Connect feature, Zero Lead

- Bronze
- Press connection, female pipe thread

Components

EPDM sealing element

Model 2962ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.290	1	79700	8
¾	¾	0.414	1	79705	8
1	1	0.802	1	79710	8
1¼	1¼	0.970	1	79715	8
1½	1½	1.666	1	79720	8
2	2	2.849	1	79725	8



**Viega ProPress union
Smart Connect feature, Zero Lead**

- Bronze
- Press connection, male pipe thread
- Ground joint

Components

EPDM sealing element

Model 2965ZL

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.309	1	79730	8
3/4	3/4	0.492	1	79735	8
1	1	0.890	1	79740	8
1 1/4	1 1/4	1.130	1	79745	8
1 1/2	1 1/2	1.600	1	79750	8
2	2	2.781	1	79755	8



**Viega ProPress union
Smart Connect feature, Zero Lead**

- Bronze
- Press connection, female pipe thread

Components

EPDM flat gasket, EPDM sealing element

Model 2967ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.815	1	79155	8
3/4	3/4	1.146	1	79160	8
1	1	1.040	1	79165	8
1 1/4	1 1/4	1.536	1	79170	8
1 1/2	1 1/2	1.821	1	79175	8
2	2	2.826	1	79180	8



**Viega ProPress tailpiece
Smart Connect feature, Zero Lead**

- Bronze
- Press connection, female union BSP

Components

EPDM sealing element, EPDM flat gasket

Model 2957ZL

P	F BSP	Wt [lb]	Quantity	Part No	DG
1/2	1	0.218	1	79800	8
3/4	1	0.245	1	79805	8
1	1	0.309	1	79810	8
1	1 1/4	0.379	1	79815	8

Couplings



**Viega ProPress coupling
Stop
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Model 2915

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.080	10	78047	8
3/4	3/4	0.131	10	78052	8
1	1	0.163	5	78057	8
1 1/4	1 1/4	0.243	1	78062	8
1 1/2	1 1/2	0.474	1	78067	8
2	2	0.597	1	78072	8



**Viega ProPress coupling
XL, stop
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0915XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.210	1	20728	8
3	3	1.668	1	20733	8
4	4	2.881	1	20738	8



**Viega ProPress coupling
No stop
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Model 2915.3

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.080	10	78172	8
3/4	3/4	0.131	10	78177	8
1	1	0.163	5	78182	8
1 1/4	1 1/4	0.241	1	78187	8
1 1/2	1 1/2	0.472	1	78192	8
2	2	0.603	1	78197	8



**Viega ProPress coupling
Extended, no stop
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Model 2915.5

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.136	5	79005	8
3/4	3/4	0.209	5	79010	8
1	1	0.284	5	79015	8
1 1/4	1 1/4	0.394	1	79020	8
1 1/2	1 1/2	0.679	1	79025	8
2	2	0.900	1	79030	8



**Viega ProPress coupling
XL, no stop
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0915.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.201	1	20743	8
3	3	1.664	1	20748	8
4	4	2.865	1	20753	8

Reducers



**Viega ProPress reducer
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Model 2915.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.124	10	78147	8
1	½	0.172	10	15603	8
1	¾	0.177	10	78152	8
1¼	¾	0.258	1	15593	8
1¼	1	0.250	1	78157	8
1½	¾	0.418	1	18473	8
1½	1	0.419	1	15588	8
1½	1¼	0.424	1	78162	8
2	¾	0.571	1	18468	8
2	1	0.591	1	15608	8
2	1¼	0.546	1	22328	8
2	1½	0.644	1	78167	8



**Viega ProPress reducer
XL
Smart Connect feature, Zero Lead**

- Copper
- Press connection

Components

EPDM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0915.2XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	1	0.827	1	20685	8
2½	1¼	0.851	1	20690	8
2½	1½	0.985	1	20695	8
2½	2	1.047	1	20700	8
3	1½	1.245	1	20705	8
3	2	1.289	1	20710	8
3	2½	1.510	1	20715	8
4	2	2.089	1	20720	8
4	2½	2.332	1	20725	8
4	3	2.482	1	20730	8



**Viega ProPress reducer
Smart Connect feature, Zero Lead**

- Copper
- Street, press connection

Components

EPDM sealing element

Model 2915.1

FTG	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.097	10	78077	8
1	½	0.127	10	78082	8
1	¾	0.144	10	78087	8
1¼	½	0.170	5	22333	8
1¼	¾	0.195	5	78092	8
1¼	1	0.190	5	78097	8
1½	¾	0.291	1	14543	8
1½	1	0.299	1	78102	8
1½	1¼	0.298	1	78107	8
2	1	0.406	1	78112	8
2	1¼	0.418	1	78117	8
2	1½	0.613	1	78122	8



**Viega ProPress reducer
Smart Connect feature, Zero Lead**

- Bronze
- Street, press connection

Components

EPDM sealing element

Model 2915.1ZL

FTG	P	Wt [lb]	Quantity	Part No	DG
1½	½	0.320	5	79850	8
2	½	0.535	1	79855	8
2	¾	0.532	1	79860	8



Viega ProPress reducer XL
Smart Connect feature, Zero Lead

- Copper
- Street, press connection

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 0915.1XL

FTG	P	Wt [lb]	Quantity	Part No	DG
2½	1	0.754	1	20814	8
2½	1¼	0.743	1	20815	8
2½	1½	0.884	1	20813	8
2½	2	0.701	1	20758	8
3	1¼	1.008	1	20817	8
3	1½	1.157	1	20818	8
3	2	0.886	1	20763	8
3	2½	1.190	1	20768	8
4	2	1.884	1	20773	8
4	2½	2.116	1	20778	8
4	3	2.295	1	20783	8

Valves



New

Viega ProPress ball valve
Smart Connect feature, Zero Lead

- For potable water applications
- Bronze
- Press connection
- Full port

Components

Lockable metal handle, stainless steel ball, EPDM sealing elements

Model 2971.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	79920	8
¾	¾	0.622	1	79925	8
1	1	0.992	1	79930	8
1¼	1¼	1.512	1	79935	8
1½	1½	3.041	1	79940 ¹	8
2	2	5.183	1	79945 ¹	8

¹⁾ Available soon!



New

Viega ProPress ball valve
Smart Connect feature, Zero Lead

- For potable water applications
- Bronze
- Press connection
- Full port

Components

Lockable metal handle, stainless steel ball and stem, EPDM sealing elements

Model 2971.3ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.458	1	79923	8
¾	¾	0.617	1	79928	8
1	1	1.014	1	79933	8
1¼	1¼	1.508	1	79938	8
1½	1½	3.036	1	79943 ¹	8
2	2	5.152	1	79948 ¹	8

¹⁾ Available soon!



New

Viega ProPress ball valve
Smart Connect feature, Zero Lead

- For potable water applications
- Bronze
- Press connection, female pipe thread
- Full port

Components

Lockable metal handle, stainless steel ball, EPDM sealing element

Model 2971.4ZL

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.463	1	79970	8
¾	¾	0.630	1	79975	8
1	1	1.031	1	79980	8



New

Viega ProPress ball valve
Smart Connect feature, Zero Lead

- For potable water applications
- Bronze
- Press connection, hose connection
- Full port

Components

Lockable metal handle, stainless steel ball, EPDM sealing element

Model 2971.5ZL

P	Hose	Wt [lb]	Quantity	Part No	DG
½	¾	0.518	1	79990	8
¾	¾	0.670	1	79995	8



**Viega ProPress ball valve
Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection
- Full port

Components

Lockable metal handle, stainless steel ball, EPDM sealing elements

Model 2970.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1½	1½	3.042	1	79115¹	8
2	2	5.184	1	79120¹	8

¹⁾ Available while supplies last



**Viega ProPress ball valve
Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection
- Full port

Components

Lockable metal handle, stainless steel ball and stem, EPDM sealing elements

Model 2970.3ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1½	1½	3.037	1	79840¹	8
2	2	5.153	1	79845¹	8

¹⁾ Available while supplies last



New

**Viega ProPress ball valve
Smart Connect feature**

- For non-potable application
- Bronze/brass
- Press connection
- Full port

Components

EPDM sealing elements

Model 2973

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.317	1	24000	8
¾	¾	0.503	1	24005	8
1	1	0.827	1	24010	8
1¼	1¼	1.102	1	24015	8
1½	1½	1.446	1	24020	8
2	2	2.689	1	24025	8



New

**Viega ProPress ball valve
Smart Connect feature**

- For non-potable application
- Bronze/brass
- Press connection, female pipe thread
- Full port

Components

EPDM sealing element

Model 2973.1

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.430	1	24030	8
¾	¾	0.674	1	24035	8
1	1	1.425	1	24040	8



New

**Viega ProPress ball valve
Smart Connect feature**

- For non-potable application
- Bronze/brass
- Press connection, hose connection
- Full port

Components

EPDM sealing element

Model 2973.2

P	Hose	Wt [lb]	Quantity	Part No	DG
½	¾	0.485	1	24045	8
¾	¾	0.743	1	24050	8



**Viega ProPress check valve
Smart Connect feature, Zero Lead**

- For potable water applications
- Bronze
- Press connection
- Inline

Components

EPDM sealing elements

Model 2974ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.185	1	79035	8
¾	¾	0.278	1	79040	8
1	1	0.419	1	79045	8
1¼	1¼	0.595	1	79050	8
1½	1½	0.961	1	79055	8
2	2	1.873	1	79060	8



Viega ProPress butterfly valve
 - Suitable for Viega ProPress bolt set
 Model 2873.89
 - Lug style
Components
 Stainless steel disc and stem, EPDM liner
Model 2873.81

d	BP	Wt [lb]	Quantity	Part No	DG
2½	4	7.783	1	22074	8
3	4	8.460	1	22075	8
4	8	12.783	1	22076	8

BP = bolt pattern

Manifolds



Viega ProPress manifold
Smart Connect feature, Zero Lead
 - Copper
 - Press connection, street
Components
 EPDM sealing elements
Model 2945

Outlet(s)	P1	FTG	P2	Wt [lb]	Quantity	Part No	DG
1	1	1	½	0.385	5	65801	6
3	1	1	½	0.701	1	65803	6

Cross-overs



Viega ProPress cross-over
Smart Connect feature, Zero Lead
 - Copper
 - Press connection
Components
 EPDM sealing elements
Model 2928

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.237	10	77742	8
¾	¾	0.413	10	77747	8

Stub-Outs



Viega ProPress stub-out 90°
Zero Lead
 - Copper
Components
 Wall plate
Model 2975.2

d	Wt [lb]	Quantity	Part No	DG
½	0.267	25	19786	8
¾	0.480	25	19791	8
1	0.710	25	19961	8

Sealing Elements and Gaskets



Viega ProPress sealing element
 - EPDM
Model 2989

d	Version	Wt [lb]	Quantity	Part No	DG
½	shiny black	0.001	10	78242	8
¾	shiny black	0.002	10	78247	8
1	shiny black	0.002	10	78252	8
1¼	shiny black	0.003	10	78257	8
1½	shiny black	0.007	10	78262	8
2	shiny black	0.006	10	78267	8



Viega ProPress sealing element
 - FKM
Model 2986

d	Version	Wt [lb]	Quantity	Part No	DG
½	dull black	0.002	5	17768	8
¾	dull black	0.004	5	17778	8
1	dull black	0.005	5	17788	8
1¼	dull black	0.007	5	17803	8
1½	dull black	0.010	5	17818	8
2	dull black	0.012	5	17823	8



Viega ProPress replacement gasket
Di-electric flat gasket
 - EPDM
Model 2963.9

d	Wt [lb]	Quantity	Part No	DG
½	0.004	10	15559	8
¾, 1	0.003	10	15569	8
1¼	0.005	10	15549	8
1½	0.005	10	15544	8
2	0.009	10	15564	8

Accessories



Viega ProPress test plug
 - Bronze
Model 2969

d	Wt [lb]	Quantity	Part No	DG
1/2	0.536	1	78202	8
3/4	0.730	1	78207	8



Viega ProPress SmartLoop set
Smart Connect feature, Zero Lead
 - For hot water main with internal circulation
 - Equipped with Viega PEX Press sleeve
 Model 2811.5
 - Bronze

Components

(1) 1" FTG x 1/2" P Adapter, (1) 1" FTG x 3/8" PEX Press Adapter, (1) 1/2" FTG x 3/8" PEX Press Adapter, (2) press sleeves, EPDM sealing element

Note

Does not include ViegaPEX tubing

Model 2976.1ZL

P1	P2	Wt [lb]	Quantity	Part No	DG
1	1/2	0.443	1	79000	8



Viega ProPress baseboard kit
Smart Connect feature
 - Equipped with Viega ProPress elbow 90° extended street Model 2947, Viega ProPress insert stiffener Model 2946
 - Copper/bronze
Model 2971

d	Wt [lb]	Quantity	Part No	DG
3/4	0.557	1	16428	8



Viega ProPress insert stiffener
 - Suitable for Viega ProPress baseboard kit
 Model 2971
 - Bronze
Model 2946

d	Wt [lb]	Quantity	Part No	DG
3/4	0.050	5	16423	8



Viega ProPress bolt set
 - For butterfly valve
 - Suitable for Viega ProPress butterfly valve
 Model 2873.81
 - Galvanized steel
Components
 Bolt, washer
Model 2873.89

L [in]	W [in]	Bolts	Valve Size	Wt [lb]	Quantity	Part No	DG
1 1/2	5/8	4	2 1/2	0.376	1	19768 ¹	8
1 5/8	5/8	4	3	0.885	1	19773 ²	8
1 3/4	5/8	8	4	0.816	1	19778 ³	8

¹ Suitable for Viega ProPress butterfly valve Part No 22074
² Suitable for Viega ProPress butterfly valve Part No 22075
³ Suitable for Viega ProPress butterfly valve Part No 22076



Viega ProPress bolt set
 - For adapter flange
 - Galvanized steel
Components
 Bolt, nut, washer
Model 2959.7

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2 3/8	5/8	4	1/2, 3/4, 1, 1 1/4, 1 1/2	0.871	1	19748 ¹	8
2 3/4	5/8	4	2, 2 1/2, 3	1.572	1	19758 ²	8
2 3/4	5/8	8	4	3.141	1	19763 ³	8

¹ Suitable for Viega ProPress adapter flange Part No 79680, 79685, 79690, 81035, 81040, 81045, 81050, 81055, 86082, 86087, 86092, 86097, 86102
² Suitable for Viega ProPress adapter flange XL Part No 20853, 20858, Viega ProPress adapter flange Part No 79695, 81060, Viega ProPress adapter flange XL Part No 81065, 81070, Viega ProPress flange XL Part No 86067, 86072, Viega ProPress adapter flange Part No 86107
³ Suitable for Viega ProPress adapter flange XL Part No 20863, 81075, Viega ProPress flange XL Part No 86077



New

Viega ProPress replacement handle

- For Viega ProPress ball valves

- Carbon steel

Model 2971.8

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4		1	22170 ¹	8
1, 1 1/4		1	22172 ²	8

¹ Suitable for Viega ProPress ball valve Part No 79920, 79923, 79925, 79928, 79970, 79975, 79990, 79995

² Suitable for Viega ProPress ball valve Part No 79930, 79933, 79935, 79938, 79980



New

Viega ProPress non-potable replacement handle

- For Viega ProPress ball valves

- Carbon steel

Model 2973.8

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2		1	22176 ¹	8
3/4, 1		1	22178 ²	8
1 1/4, 1 1/2, 2		1	22180 ³	8

¹ Suitable for Viega ProPress ball valve Part No 24000, 24030, 24045

² Suitable for Viega ProPress ball valve Part No 24005, 24010, 24035, 24040, 24050

³ Suitable for Viega ProPress ball valve Part No 24015, 24020, 24025



Viega ProPress replacement handle

- For Viega ProPress ball valves

- Carbon steel

Model 2970.8

Valve Size	Wt [lb]	Quantity	Part No	DG
1 1/4, 1 1/2, 2	0.216	1	22163 ¹	8

¹ Suitable for Viega ProPress ball valve Part No 79115, 79120, 79840, 79845



New

Viega ProPress stem extension

- For Viega ProPress Zero Lead ball valves

- Bronze

Model 2971.96

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4		1	23443 ¹	8
1, 1 1/4		1	23445 ²	8

¹ Suitable for Viega ProPress ball valve Part No 79920, 79923, 79925, 79928, 79970, 79975, 79990, 79995

² Suitable for Viega ProPress ball valve Part No 79930, 79933, 79935, 79938, 79980



New

Viega ProPress stem extension

- For Viega ProPress non-potable ball valves

- Bronze

Model 2973.96

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2		1	23449 ¹	8
3/4, 1		1	23451 ²	8
1 1/4, 1 1/2, 2		1	23453 ³	8

¹ Suitable for Viega ProPress ball valve Part No 24000, 24030, 24045

² Suitable for Viega ProPress ball valve Part No 24005, 24010, 24035, 24040, 24050

³ Suitable for Viega ProPress ball valve Part No 24015, 24020, 24025



Viega ProPress stem extension

- For Viega ProPress ball valves

- Bronze

Model 2970.96

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4, 1	0.234	1	23442	8
1 1/4, 1 1/2, 2	0.313	1	23444 ¹	8

¹ Suitable for Viega ProPress ball valve Part No 79115, 79120, 79840, 79845

ProPressG



ProPressG

ViEga ProPressG fittings offer safe, flameless connections for gas applications with the trusted security of ViEga press technology. Built to last, ViEga fittings are heavier than Type K copper and are available in sizes ranging from ½" to 2". The patented ViEga Smart Connect feature, a feature only found in genuine ViEga ProPress fittings, identifies unpressed connections during pressure testing so that they are not missed.

FEATURES AND BENEFITS

- The original copper press joining solution
- Available in sizes ½" to 2"
- More than 600 engineered fitting configurations for copper
- Approved for more than 150 different applications

CODES AND STANDARDS

- CSA International: Canadian Standards Association
- IAPMO: Uniform Plumbing Code
- ICC: International Code Council
- IFGC: International Fuel Gas Code
- NFPA 30: Flammable and Combustible Liquids Code
- NFPA 30A: Code for Motor Fuel Dispensing Facilities and Repair Garages
- NFPA 31: Standard for the Installation of Oil-Burning Equipment (supply line only)
- NFPA 54/Z223: National Fuel Gas Code
- NFPA 58: Liquefied Petroleum Gas Code

LISTINGS AND CERTIFICATIONS

- ANSI LC4/CSA 6.32
- IAPMO LC-4
- ICC-ES PMG-1036

NOTE

A Yellow Dot on a ViEga ProPressG fitting indicates the Smart Connect feature with a HNBR sealing element.

Index

Elbows	38
Tees	38
Adapters	38
Caps	39
Unions	39
Couplings	39
Reducers	39
Valves	39
Sealing Elements and Gaskets	40

Elbows



**Viega ProPressG elbow 90°
Smart Connect feature**
- Copper
- Press connection
Components
HNBR sealing elements
Model 0616

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.112	10	16128	8
3/4	3/4	0.201	10	16133	8
1	1	0.283	10	16138	8
1 1/4	1 1/4	0.425	1	16143	8
1 1/2	1 1/2	0.815	1	16148	8
2	2	1.124	1	16153	8



**Viega ProPressG elbow 90°
Street
Smart Connect feature**
- Copper
- Press connection, street
Components
HNBR sealing element
Model 0616.1

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.104	10	16158	8
3/4	3/4	0.188	10	16163	8
1	1	0.266	10	16168	8
1 1/4	1 1/4	0.414	1	16173	8
1 1/2	1 1/2	0.771	1	16178	8
2	2	1.102	1	16183	8



**Viega ProPressG elbow 45°
Smart Connect feature**
- Copper
- Press connection
Components
HNBR sealing elements
Model 0626

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.095	10	16188	8
3/4	3/4	0.161	10	16193	8
1	1	0.223	5	16198	8
1 1/4	1 1/4	0.324	1	16203	8
1 1/2	1 1/2	0.626	1	16208	8
2	2	0.849	1	16213	8



**Viega ProPressG elbow 45°
Street
Smart Connect feature**
- Copper
- Press connection, street
Components
HNBR sealing element
Model 0626.1

P	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.083	10	16218	8
3/4	3/4	0.149	10	16223	8
1	1	0.209	5	16228	8
1 1/4	1 1/4	0.315	1	16233	8
1 1/2	1 1/2	0.596	1	16238	8
2	2	0.824	1	16243	8

Tees



**Viega ProPressG tee
Smart Connect feature**
- Copper
- Press connection
Components
HNBR sealing elements
Model 0618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.204	10	16248	8
3/4	3/4	1/2	0.294	10	16258	8
3/4	3/4	3/4	0.331	10	16253	8
1	3/4	1/2	0.363	5	23333	8
1	3/4	3/4	0.417	5	16268	8
1	1	1/2	0.379	5	17688	8
1	1	3/4	0.411	5	16273	8
1	1	1	0.445	5	16263	8
1 1/4	1 1/4	1	0.553	1	16283	8
1 1/4	1 1/4	1 1/4	0.606	1	16278	8
1 1/2	1 1/2	3/4	0.806	1	23348	8
1 1/2	1 1/2	1	0.846	1	16293	8
1 1/2	1 1/2	1 1/4	0.903	1	16298	8
1 1/2	1 1/2	1 1/2	1.165	1	16288	8
2	2	3/4	1.088	1	23353	8
2	2	1 1/2	1.418	1	16308	8
2	2	2	1.592	1	16303	8

Adapters



**Viega ProPressG adapter
Smart Connect feature**
- Bronze
- Press connection, male pipe thread
Components
HNBR sealing element
Model 0611

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.125	10	16043	8
1/2	1/2	0.131	10	16048	8
3/4	3/4	0.201	10	16053	8
1	1	0.310	10	16058	8
1 1/4	1 1/4	0.558	1	16063	8
1 1/2	1 1/2	0.766	1	16068	8
2	2	1.126	1	16073	8



Viega ProPressG adapter
Smart Connect feature
 - Bronze
 - Press connection, female pipe thread
Components
 HNBR sealing element
Model 0612

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	3/8	0.090	10	23373	8
1/2	1/2	0.131	10	16078	8
3/4	3/4	0.203	10	16088	8
1	1	0.309	10	16093	8
1 1/4	1 1/4	0.441	1	23358	8
1 1/2	1 1/2	0.655	1	23363	8
2	2	0.981	1	23368	8

Caps



Viega ProPressG cap
Smart Connect feature
 - Copper
 - Press connection
Components
 HNBR sealing element
Model 0656

P	Wt [lb]	Quantity	Part No	DG
1/2	0.056	10	16313	8
3/4	0.088	10	16318	8
1	0.120	5	16323	8
1 1/4	0.179	1	16328	8
1 1/2	0.328	1	16333	8
2	0.432	1	16338	8

Unions



Viega ProPressG
Smart Connect feature
 - Bronze
 - Press connection
 - Ground joint
Components
 HNBR sealing elements
Model 0650

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.327	5	17598	8
3/4	3/4	0.513	5	17603	8
1	1	0.897	5	17608	8
1 1/4	1 1/4	1.184	1	17613	8
1 1/2	1 1/2	2.054	1	17618	8
2	2	3.129	1	17623	8

Couplings



Viega ProPressG coupling
Stop
Smart Connect feature
 - Copper
 - Press connection
Components
 HNBR sealing elements
Model 0615

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.081	10	16098	8
3/4	3/4	0.134	10	16103	8
1	1	0.165	5	16108	8
1 1/4	1 1/4	0.256	1	16113	8
1 1/2	1 1/2	0.474	1	16118	8
2	2	0.614	1	16123	8

Reducers



Viega ProPressG reducer
Smart Connect feature
 - Copper
 - Press connection
Components
 HNBR sealing elements
Model 0615.2

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.127	10	23273	8
1	1/2	0.175	10	23278	8
1	3/4	0.179	10	23283	8
1 1/4	3/4	0.248	1	23293	8
1 1/4	1	0.243	1	23288	8
1 1/2	1	0.408	1	23303	8
1 1/2	1 1/4	0.410	1	23298	8
2	1	0.596	1	23308	8
2	1 1/2	0.633	1	23313	8

Valves



Viega ProPressG ball valve
Smart Connect feature
 - Bronze
 - Press connection
Components
 HNBR sealing elements
Model 0670

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.749	1	19648	8
3/4	3/4	1.069	1	19653	8
1	1	1.481	1	19658	8
1 1/4	1 1/4	2.195	1	19663	8
1 1/2	1 1/2	4.031	1	19668	8
2	2	5.957	1	19673	8


Sealing Elements and Gaskets



Sealing element
- HNBR
Model 0687

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	yellow	0.003	10	21023	8
3/4	yellow	0.004	10	21028	8
1	yellow	0.004	10	21033	8
1 1/4	yellow	0.005	10	21038	8
1 1/2	yellow	0.007	10	21043	8
2	yellow	0.009	10	21048	8

1.2



Viega Terms and Conditions

The Viega logo consists of the word "viega" in a bold, lowercase, sans-serif font. The letters are white and are set against a solid black rectangular background.

The following standard Terms and Conditions apply to all sales of products by Viega LLC unless otherwise modified in Order Confirmation or Delivery Note. Any contrary terms in purchase orders or purchaser standard terms and conditions are rejected and acceptance of the order by Viega LLC is conditioned upon these terms and conditions or as set out specifically in the Viega order confirmation.

Terms of Payment: Terms are 2% 10th prox., net 30 days. Payable in U.S. or Canadian dollars depending on point of delivery.

Price Changes: All published prices are subject to change. Viega historically has given reasonable notice (normally 30 days or more) of an effective date for those changes, but reserves the right, under unusual circumstances, to give shorter notice.

Sales Orders: Purchase orders submitted to Viega shall specify Viega part numbers as well as product description from a Viega catalog. All such offers to purchase are subject to Viega LLC acceptance, which shall be by order confirmation provided to the customer by Viega. Customer is responsible for reviewing the order confirmation and reporting any necessary changes to Viega Customer Service immediately. Mistakes on orders due to inaccurate or incomplete information from the customer and not changed by the customer will be the customer's responsibility and/or subject to Viega's return policy.

Terms of Shipment: Viega prepays freight on all shipments. Customer is not billed for freight on orders of \$2,500 net or greater. Excess freight charges resulting from special requested routing or

specifying non-Viega designated common carriers will be billed to the customer. Stainless pipe is prepaid at \$5,000 net and above and can not be combined with other Viega materials to qualify. Stainless fittings may be combined with other Viega products to meet freight requirements and are prepaid at \$2,500 net.

Restrictions: Orders from U.S. customers with a "Ship to" Canada location will not be accepted and U.S. customers are not authorized to sell product to Canada.

Freight Delivery and Risk of Loss in Transit: All prices are FOB shipment point.

Returns: All returns are subject to Viega's return policy. No material may be returned without our written permission and return material authorization (RMA) number. Any items with a purchase date older than one year will not be allowed for return. We will accept cataloged and resalable items only. No returns will be allowed for broken bags or bundles, items outside of original packaging, discontinued, damaged, or non-cataloged merchandise. Any material which is authorized to be returned will be subject to a minimum fifteen percent (15%) restocking fee. For more information on returns and the complete return policy go to www.viega.us.

These standard terms and conditions are those in effect on the date of publication of this catalog. Viega reserves the right to change these terms and conditions by posting such changes on www.viega.us.

Viega LLC

301 N. Main, 9th Floor, Wichita, KS 67202

Phone: 1-800-976-9819

insidesales@viega.us

724994_CAT_USA_0514

©2014, FostaPEX®, MegaPress®, ProPress®, and Viega® are registered trademarks of Viega GmbH & Co. Climate Mat®, Climate Panel®, Climate Trak®, ManaBloc®, Smart Connect®, Snap Panel®, XL® and XL-C® are registered trademarks of Viega LLC. MiniBloc™, PolyAlloy™, ProRadiant™, SmartLoop™ and Zero Lead™ are trademarks of Viega LLC; Eco Brass® is a registered trademark of Chase Brass and Ingot Metal Co.; RIDGID® is a registered trademark of RIDGID, Inc.

**The global leader
in plumbing, heating
and pipe joining systems**



viega