



WHOLESALE
LINES

THE
PROVEN LEADER
IN FLUSHING PERFORMANCE™





DROUGHT ISN'T FICTION

Neither is the fact that every little bit helps when it comes to doing what we can to conserve the natural resources we've been given.

Vortens® believes the leaders of tomorrow are those willing to give thought to the environment today. Vortens has been manufacturing high-efficiency toilets longer than anyone — doing its part to save the planet through water conservation. It's not by luck we're still here — it's by pure performance.

Vortens manufactures a premier line of Gravity, Pressure Assist and Dual-Flush HET water-saving toilets. Vortens HET toilets outperform competitive brands. In fact, Maximum Performance Testing* of Popular Toilet Models confirms that Vortens toilets are completely dependable and deliver absolute performance. That means no callbacks and no problems for you.

You may be flushing more down the toilet than you think, if you aren't using a Vortens high-efficiency system.

If you want to conserve water, it's time for a little performance... Vortens style.

Save Over
1,500

Gallons of Water a Year
By Replacing a 1.6 gpf
Toilet with a

Vortens 1.28 gpf
High-Efficiency Toilet†

HYDRO SURGE™
FLUSHING SYSTEM



SPARTA ADA HET MODEL 3142-3479

1.28 gpf/4.8 lpf HydroSurge™
2" Flushing System
ADA Compliant
Twin-Fed Siphon Jet Bowl
Extra-Large Footprint
Flushes 800 grams of solids*



SPARTA EL HET MODEL 3141-3479

1.28 gpf/4.8 lpf
HydroSurge™
2" Flushing System
Twin-Fed Siphon
Jet Bowl
Extra-Large Footprint
Flushes 800 grams
of solids*



MURANO ADA HET MODEL 3140-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Flushes 600 grams
of solids**



MURANO EL HET MODEL 3147-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
Flushes 500 grams
of solids**



SPARTA RF HET MODEL 3215-3479

1.28 gpf/4.8 lpf
HydroSurge™
2" Flushing System
Twin-Fed Siphon
Jet Bowl
Extra-Large Footprint
Flushes 800 grams
of solids*



MURANO RF HET MODEL 3219-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
Flushes 500 grams
of solids**



Vortens' 1.28 gpf High-Efficiency Toilets consume 20% less water than 1.6 gpf models. Our HydroSurge™ system flushes up to 1,000 grams of waste... nearly triple the amount required by HET standard.

THE PROVEN LEADER

IN FLUSHING PERFORMANCE**

AN INDUSTRY-

LEADING

1.28

GALLONS
PER FLUSH

HURRICANE ADA HET MODEL 3140-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Flushes 1,000 grams of solids*



LORETTO ADA HET MODEL 3140-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 1,000 grams of solids*



HURRICANE EL HET MODEL 3137-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Flushes 800 grams of solids*



LORETTO EL HET MODEL 3137-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 800 grams of solids*



HURRICANE RF HET MODEL 3213-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Flushes 600 grams of solids*



LORETTO RF HET MODEL 3213-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 800 grams of solids*



TORNADO PRESSURE-ASSIST TOILETS

TORNADO ADA HET MODEL 3134-3471

1.28 gpf/4.8 lpf
ADA Compliant
Right-Hand Flush
Tank 3478-V
Flushes 1,000 grams of solids*



TORNADO EL HET MODEL 3138-3471

1.28 gpf/4.8 lpf
Right-Hand Flush
Tank 3478-V
Flushes 700 grams of solids*



Vortens' Pressure-Assist Toilets
are ultraquiet and flush up to
1,000 grams of solids.

DUALFLUSH

RHODAS ADA DF MODEL 3123-3436

1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

Also Available:
Pushbutton on Lid

ADA Compliant

Extra-Large Footprint

Flushes 1,000 grams of solids*



With 3-inch flush valves and a redesigned trapway, the **Forza** innovative gravity toilets generate greater head pressure and double the flushing power... enough to flush 2.2 pounds of solid waste with just 1.6 gallons of water.

FORZA 3" FLUSH VALVE TOILETS

VIENNA EL DF MODEL 3113-3436

1.6 gpf/6.0 lpf and
1.1 gpf/4.0 lpf
Dual-Flush System

Also Available:
Pushbutton on Lid

Flushes 600 grams
of solids*



VIENNA RF DF MODEL 3208-3436

1.6 gpf/6.0 lpf and
1.1 gpf/4.0 lpf
Dual-Flush System

Also Available:
Pushbutton on Lid

Flushes 600 grams
of solids*



FORZA ADA MODEL 3140-3469

ADA Compliant
3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**



FORZA EL MODEL 3137-3469

3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**




FORZA RF MODEL 3213-3469

3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**



Our Dual-Flush gravity system costs less up front and saves up to 31% in water consumption, without sacrificing performance.



Vortens' Dual-Flush System makes controlling the amount of water per flush easy. Simply move the flush lever forward for a more powerful and efficient 1.6 gpf/6.0 lpf flush for solid waste or move backward for a 1.1 gpf/4.0 lpf flush for liquid waste.

MANCHESTER ADA DF MODEL 3107-3427

1.6 gpf/6.0 lpf and
1.1 gpf/4.0 lpf
Dual-Flush System
Flushes 600 grams
of solids*



DELPHOS EL DF MODEL 3130

1.6 gpf/6.0 lpf and
1.1 gpf/4.0 lpf
Dual-Flush System
Flushes 600 grams
of solids**



With the two-button Dual-Flush System control you can select a powerful, efficient 1.6 gpf/6.0 lpf flush for solid waste or a 1.1 gpf/4.0 lpf for liquid waste.



Powerful & Efficient PERFORMANCE

1.6 gpf/6.0 lpf TOILETS

VIENNA PLUS ADA MODEL 3123-3412

Elongated
Extra-Large Footprint
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 1,000 grams of solids**



VIENNA PLUS EL MODEL 3113-3412

Elongated
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 800 grams of solids**



VIENNA PLUS RF MODEL 3208-3412

Round Front
Large Footprint Bowl 3209-V
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 600 grams of solids**



REGENCY EL MODEL 3104-3451

Elongated
Victorian Style with
Side-Mounted Chrome-Plated
Metal Flush Lever
Round Front model
3102-3450
Flushes 500 grams of solids**



GENOVA EL MODEL 3121-3421

Elongated
Contemporary Style with
Side-Mounted, Chrome-Plated
Metal Flush Lever
Flushes 500 grams of solids**



VELEZZA EL MODEL 3106-3416

Elongated
Skirted Bowl with
Concealed Trap for
Easy Cleaning
Side-Mounted Chrome Plated
Metal Flush Lever
Flushes 600 grams of solids**



PALERMO EL MODEL 3126

Elongated
Slow Close Toilet Seat
Included
Skirted Bowl with Concealed
Trap for Easy Cleaning
Flushes 600 grams of solids**



Vortens' 1.6 gpf/6.0 lpf toilets feature an innovative and exclusive hydraulic design that makes them among the best flushing toilets available.

** According to Lamosa Lab Maximum Performance Testing "Test to Failure" Load Test.

† Available with insulated tank 3464-02-L. Left-hand flush, 12" rough-in, white only.

LAVATORIES PEDESTAL AND UNDER-COUNTER



HOLIDAY
MODEL 3529

Hidden Front Overflow
Basin 3529-V
19" x 16" Oval



TOSCANA
MODEL 3370

Chrome-Plated Overflow
24-1/8" x 15-3/8"



TRIPOLI
MODEL 3368

Chrome-Plated Overflow
21" x 13-1/2"



MANCHESTER
MODEL 3327-3307

Hidden Front Overflow
Part of the Manchester Suite
25-3/4" x 21-1/4" Basin
x 33-5/8" High



MOLISSE
MODEL 3549-3510

Hidden Front Overflow
25" x 19-5/8" Basin
x 33" High



REGENCY
MODEL 3504-3514

Hidden Front Overflow
Part of the Regency Suite
26" x 21" Basin
x 34" High



GENOVA
MODEL 3556-3519

Hidden Front Overflow
Part of the Genova Suite
28" x 19" Basin
x 34" High



SENNA
MODEL 3539-3516

Hidden Front Overflow
23" x 18" Basin
x 33" High



VELEZZA
MODEL 3553-3518

Hidden Front Overflow
Part of the Velezza Suite
28" x 20" Basin
x 34" High



GENOVA
MODEL 3351

Hidden Front Overflow
Part of the GENOVA Suite
4" Basin 3351-V
8" Basin 3352-V
Single Hole Basin 3353-V
23-1/2" x 19-5/8" Oval



VENEZIA
MODEL 3521

Hidden Front Overflow
4" Basin 3521-V
8" Basin 3525-V
Single Hole Basin 3523-V
20" x 17" Oval



FIRENZE
MODEL 3526

Hidden Front Overflow
4" Basin 3526-V
8" Basin 3528-V
Single Hole Basin 3527-V
19" Round

DROP-IN LAVATORIES

COMMERCIAL

FIXTURES



**VERONA ADA HEU
MODEL 3621**

Wash Out
High-Efficiency Urinal
Ultra Low Consumption
1 Pint 0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
Can be Used with
1.0 gpf/3.8 lpf
3/4" Brass Top Spud
2" Brass Outlet
ADA Compliant



1 PINT



**AUSTRAL ADA HEU
MODEL 3601**

Wash Out
High-Efficiency
Urinal
0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
3/4" Brass Top Spud
2" Brass Outlet
ADA Compliant



1 PINT



**DERBY
MODEL 3640**

Wash Out
High-Efficiency
Urinal
0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
3/4" Brass Top Spud
2" Brass Outlet
Hidden Trap

1 PINT



**KYOTO ADA
MODEL 3630**

Wash Out Urinal
1.0 gpf/3.8 lpf
3/4" Brass Top Spud
2" Bottom Spud
ADA Compliant



**KYOTO KAI ADA
MODEL 3631**

Wash Out Urinal
1.0 gpf/3.8 lpf
3/4" Brass Top Spud
2" Bottom Spud
ADA Compliant



**VIENNA ADA FLUX
MODEL 3114**

Top Spud Elongated
ADA Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
ADA Compliant
Flushes 1,000 grams
of solids*



**VIENNA EL FLUX
MODEL 3115**

Top Spud Elongated Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
Flushes 1,000 grams
of solids*



**ATENAS HET ADA EL
MODEL 3108**

Wall-Mounted, Back-Outlet
Elongated Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
ADA Compliant
Flushes 1,000 grams
of solids*



**MILAN ADA
MODEL 3358**

20-3/4" x 18-1/4"
Splash-Back Lavatory
Drilled for C.I.
Wall Carrier
ADA Compliant



**TURIN ADA
MODEL 3355**

22" x 18"
Splash-Back Lavatory
Drilled for C.I.
Wall Carrier
ADA Compliant



**BERNA ADA
MODEL 3350**

22" x 18"
Ledge-Back
Lavatory
ADA Compliant



WALL HUNG LAVATORIES



U.S. CUSTOMER SERVICE
Toll Free: 866-821-2811
customerservice@vortens.com
ussales@vortens.com
www.vortens.com

CANADIAN CUSTOMER SERVICE
Toll Free: 866-363-1365
canadiansales@vortens.com
www.vortens.com

